




Globally Proven  
Construction Solutions

# “Extra Heavy Duty” Streetscape Installations



Exterior

Commercial

Residential

Snap for more  
information.





# Contents

LATICRETE 15 Year Commercial Warranty .....	3
“Extra Heavy Duty” Streetscape Installation System .....	4
Streetscape System Details / Waterproofing / Adhesives .....	5
Mortar Beds / Grouts .....	6
Warranties and Certifications .....	7



King George Square, Brisbane QLD



## LATICRETE offers the **best warranties** IN THE INDUSTRY

With a LATICRETE® System Warranty you can enjoy peace of mind with high-quality, world renowned LATICRETE products. When selecting the installation system for your project, consider the value and peace of mind that a LATICRETE warranty can bring.

LATICRETE provides comprehensive warranties covering commercial, residential, and industrial projects around the world. However, our best guarantee is over 60 years of experience with industrial, commercial and residential installations in every imaginable climate.

LATICRETE Australia warrants that LATICRETE products will be free from manufacturing defects and will not break down or deteriorate when installed in accordance with LATICRETE written specification and guidelines.

This warranty is valid for the original purchase and is not transferable. Please keep your tax invoice as the proof of purchase and proof of date on which the purchase was made. This warranty is limited to defects in product. All defective LATICRETE products will be repaired or replaced.

This warranty does not cover any defects caused by an accident, misuse, abuse, improper installation, lack of reasonable care, unauthorised modification, tampering or attempt to repair by a person not authorised by the original applicator; or any product that has been used for purpose other than its intended use.

For these limited warranties to apply, the applications that comprise the installation must be performed with the products listed in the particular document for each application (refer to the charts on this page).

### LATICRETE 15 Year Commercial Warranty

APPLICATION	PRODUCTS
<b>Underlayment</b>	3701 Fortified Mortar Bed 3701 Mortar Admix mixed with ▪ 226 Thick Bed Mortar
<b>Waterproofing/Anti-Fracture</b>	HYDRO BAN®
<b>Thick Bed Mortar</b>	3701 Fortified Mortar Bed 3701 Mortar Admix mixed with ▪ 226 Thick Bed Mortar 101 Rapid Set Latex mixed with ▪ 226 Mortar Bed Mix
<b>Slurry Bond Coat</b>	4237 Latex Additive mixed with ▪ 211 Crete Filler Powder 3701 Mortar Admix mixed with ▪ 315 Super Floor & Wall Thin-Set Adhesive
<b>Thin Bed Method</b>	LATAPOXY® 300 Adhesive 254 Platinum Adhesive 4237 Latex Additive mixed with ▪ 211 Crete Filler Powder 4237 Latex Additive mixed with ▪ 315 Super Floor & Wall Adhesive
<b>Grout</b>	PERMACOLOR® Grout PERMACOLOR Select 3701 Mortar Admix mixed with 226 Thick Bed Mortar
<b>Sealant</b>	LATASIL™ and LATASIL 9118 Primer where required

For Consumers as defined by the ACL, the benefits conferred by this warranty are in addition to all rights and remedies in respect of the product that the consumer has under the Competition and Consumer Act 2010 and similar state and territory laws. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

# “Extra Heavy Duty” Streetscape Installation System



Glebe Point and Parramatta Roads, Sydney NSW




The LATICRETE products in this system brochure are recommended for the installation of ceramic tile, concrete paver and natural stone where an “Extra Heavy Duty” installation that is required normally associated with transit ways, roads, footpaths and streetscapes. These systems are particularly suited to roads and areas required to handle heavy vehicular traffic.

Refer to [www.laticrete.com.au](http://www.laticrete.com.au) for installation charts, product application videos, Architectural Specifications, Architectural Details and comprehensive technical support. Provided that tile or stone are installed in accordance with applicable industry standards and written LATICRETE installation instructions, projects utilising LATICRETE products can qualify for a comprehensive LATICRETE System Warranty.



## SYSTEM APPLICATION:



## Adhesives



### 254 Platinum

See Data Sheet DS-1166 for complete product information.

254 Platinum is the ultimate one-step, polymer fortified, thin-set adhesive for pools, interior and exterior installation of ceramic and stone tile, reduced thickness porcelain, quarry tile, pavers and thin brick. 254 Platinum provides long open time with unsurpassed adhesion and workability. Suitable for immersed installations.



### 101 Rapid Latex Admix / 315 Super Floor & Wall Adhesive

See Data Sheet DS-1071/DS-1050 for complete product information.

101 Rapid Latex Admix when gauged with 315 Super Floor & Wall Adhesive makes a high performance thin-set adhesive to install tile and stone using the thin-bed method of installation where quick to traffic times are required. Specially formulated for fast set which allows fixing and grouting in the same day. For interior and exterior installations of all types of tile, brick and stone. 101 Rapid Latex Admix can be used with 226 Thick Bed Mortar for fast setting screeds and beds.

## Waterproofing Membrane



### HYDRO BAN®

See Data Sheet DS-1036 for complete product information.

HYDRO BAN® is a thin waterproofing and anti-fracture membrane that combines optimum performance and unmatched productivity. Our new improved formula is rapid drying allowing for a faster time to tile and flood test after final cure, as well as faster flood testing in cold temperatures and over mortar beds. Backed by the LATICRETE System Warranty<sup>^</sup>. HYDRO BAN does not require the use of fabric in the field, coves or corners and bonds directly to drains and pipe penetrations. Save yourself time and money, and complete your installations faster with greater ease.



### 4237 Rapid Latex Additive / 211 Crete Filler Powder

See Data Sheet DS-1080/DS-1064 for complete product information.

4237 Rapid Latex Additive is a specially designed additive for use with 211 Crete Filler Powder to make a high strength latex thin bed and medium bed adhesive up to 15 mm bed thickness. For installing all types of tile, stone and agglomerates. Guaranteed proven performance and increase productivity.

## Mortar Bed



### 3701 Fortified Mortar Bed

See Data Sheet DS-1000 for complete product information.

3701 Fortified Mortar Bed is a one-step polymer fortified blend of carefully selected raw materials, Portland cement and graded aggregates.



### 226 Thick Bed Mortar / 3701 Mortar Admix

See Data Sheet DS-1063 / DS-1046 for complete product information.

226 Thick Bed Mortar gauged when with 3701 Mortar Admix produces a shock resistant, fortified thick-bed mortar for use in "Extra Heavy Duty" tile and paver installation. It is particularly well suited to installation where heavy vehicular or mass transit traffic is expected.

## Grout



### PERMACOLOR® Grout

See Data Sheet DS-1041 for complete product information.

PERMACOLOR Grout offers the maximum performance available in a cement-based grout, providing consistent colour and antimicrobial protection to resist stain-causing mould and mildew. PERMACOLOR Grout is easy to install – just mix with water. PERMACOLOR Grout is ideal for floors and walls in both interior and exterior installations. When you must use a cement-based grout, choose PERMACOLOR Grout.

## COMPLETE SYSTEM WARRANTIES

With a LATICRETE® System Warranty you will enjoy peace of mind with high quality, globally proven LATICRETE products. When selecting the installation system for your tile or stone project consider the value and peace of mind that LATICRETE experience, expertise and warranty will bring.

LATICRETE provides comprehensive warranties covering commercial, residential, and industrial projects around the world. However, our best guarantee is over 50 years of experience with industrial, commercial and residential installations in every imaginable climate around the world.

Consult LATICRETE for complete warranty information for your particular project.

Refer to the LATICRETE Warranty Data Sheet DS-1126 for additional information.



## GREENGUARD Certified & LOW VOC LEED COMPLIANT

Many companies might say their products are low VOC, only one independently certifies it – LATICRETE.

- UL GREENGUARD® Environment Certification, Certified to Meet Stringent Indoor Air Quality Standards
- Certified to UL GREENGUARD Gold Standards
- Helps Contribute Toward LEED Certification
- Product Certifications Readily Available at [www.laticrete.com/green](http://www.laticrete.com/green)



### CERTIFICATION

LATICRETE materials are certified by independent laboratories throughout the world to meet or exceed applicable industry standards/norms; including DIN, ANSI, AS, UEAtc, JIS, ASTM, ABSAC, UPC®, ICC, IAPMO, and ISO.

In Addition, Approvals Include:

- CSIRO Australia
- Board of Standards and Appeals, New York City
- Campden Food Research Corporation, United Kingdom
- Ceramic Tile Institute of America
- CSTB, France
- Department of Building and Safety, City of Los Angeles
- EMPA Swiss Federal Institute of Building Research
- GREENGUARD Certification
- International Association of Plumbing and Mechanical Officials (#3524)
- International Conference of Building Officials
- Lloyd's Register of Shipping
- London Underground
- Ministry of Public Works, England
- Ministry of Defense, England
- Underwriters Laboratories, Inc (Classified)







Newcombe Street Paddington NSW



LATICRETE Australia | 29 Telford Street, Virginia, QLD 4014 Australia | 1800 331 012 | [www.laticrete.com.au](http://www.laticrete.com.au)

DS-1180-0318 ©2017 LATICRETE Australia | All trademarks shown are the intellectual properties of their respective owners.