# LATICRETE® SPECTRALOCK® PRO Premium Grout by LATICRETE International

# HPD UNIQUE IDENTIFIER: 22118

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE® SPECTRALOCK® PRO Premium Grout is a patented, high performance epoxy grout which offers excellent color uniformity, durability, stain protection, and beautiful, full grout joints in an easy-to-use, non-sag formula.

# Section 1: Summary

# CONTENT INVENTORY

**Inventory Reporting Format** 

- C Nested Materials Method Basic Method

**Threshold Disclosed Per** 

C Material

Product

## **Threshold level** 100 ppm C 1,000 ppm C Per GHS SDS

C Other

**Residuals/Impurities** Considered

C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

**Basic Method / Product Threshold** 

All Substances Above the Threshold Indicated Are:

Characterized ○ Yes Ex/SC ⊙ Yes ○ No % weight and role provided for all substances.

Screened ○ Yes Ex/SC ⊙ Yes ○ No All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE SPECTRALOCK PRO PREMIUM GROUT [ QUARTZ LT-1 | CAN UNDISCLOSED BM-4 BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 | END PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER BM-1 | MUL UNDISCLOSED LT-P1 | MUL UNDISCLOSED LT-P1 | END UNDISCLOSED BM-2 | RES TETRAETHYLENEPENTAMINE LT-P1 | AQU | SKI | MUL DIAMINOPOLYPROPYLENE GLYCOL LT-P1 | MUL ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 | SKI | MUL ETHYLENE GLYCOL BM-1 | DEV | END UNDISCLOSED LT-UNK | SKI | EYE UNDISCLOSED LT-P1 | END | MUL UNDISCLOSED NoGS UNDISCLOSED BM-1 | REP | SKI | EYE | DEV | MUL | END UNDISCLOSED BM-1 | MUL | END UNDISCLOSED LT-P1 | END BISPHENOL A DIGLYCIDYL ETHER (BADGE) LT-P1 [END]

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.031 Regulatory (g/l): N/A Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

#### Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: UL/GreenGuard Gold Certified VOC content: TDS 251 "Low VOC LATICRETE® Products'

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? C Yes No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-10-05 PUBLISHED DATE: 2020-10-05 EXPIRY DATE: 2023-10-05

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## LATICRETE SPECTRALOCK PRO PREMIUM GROUT

#### PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

QUARTZ				ID: <b>14808-60-7</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 50.0000 - 90.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	IARC		Group 1 - Agent is Carcino	genic to humans
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CANCER	CA EPA - Prop 65		Carcinogen - specific to ch	nemical form or exposure route
CANCER	IARC		Group 1 - Agent is carcinos sources	genic to humans - inhaled from occupational
CANCER	US NIH - Report on Carcinogens		Known to be Human Carci	nogen (respirable size - occupational setting)
CANCER	МАК		Carcinogen Group 1 - Subs	stances that cause cancer in man
CANCER	GHS - New Zealand		6.7A - Known or presumed	human carcinogens
CANCER	GHS - Japan		Carcinogenicity - Category	r 1A [H350]
CANCER	GHS - Australia		H350i - May cause cancer	by inhalation

SUBSTANCE NOTES: The amount of this component varies based on plant of manufacture.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	nd Materials Library	HAZARD SCREENING DATE	2020-10-05	
%: <b>8.0000 - 14.0000</b>	GS: <b>BM-4</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE EU - Priority Endocrine Disruptors Category 2 - In vitro evidence of biological activity related to Endocrine Disruption SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER ID: 28064-14-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.5000 - 3.0000 GS: BM-1 BC: None SUBSTANCE BOLE: Curing agent NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS MULTIPLE Class 2 - Hazard to Waters German FEA - Substances Hazardous to Waters SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.5000 - 2.0000 GS: LT-P1 RC: None NANO: **NO** SUBSTANCE ROLE: Curing agent HAZARD TYPE AGENCY AND LIST TITLES WARNINGS MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.2000 - 2.0000 GS: LT-P1 RC: None NANO: **NO** SUBSTANCE ROLE: Pigment HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.1000 - 2.5000 GS: BM-2 RC: None NANO: NO SUBSTANCE ROLE: Pigment HAZARD TYPE AGENCY AND LIST TITLES WARNINGS RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards. TETRAETHYLENEPENTAMINE ID: 112-57-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.1000 - 2.0000 GS: LT-P1 RC: None NANO: NO SUBSTANCE ROLE: Activator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

#### DIAMINOPOLYPROPYLENE GLYCOL

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.1000 - 1.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

#### ALKYL (C12, C14) GLYCIDYL ETHER ID: 68609-97-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-05 %: 0.1000 - 0.5000 GS: LT-P1 RC: None NANO: NO SUBSTANCE ROLE: Curing agent HAZARD TYPE AGENCY AND LIST TITLES WARNINGS SKIN IRRITATION EU - GHS (H-Statements) H315 - Causes skin irritation SKIN SENSITIZE EU - GHS (H-Statements) H317 - May cause an allergic skin reaction MULTIPLE German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

## ETHYLENE GLYCOL

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: 0.1000 - 0.2000	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Anti-freeze	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs		Clear Evidence of Adverse Effects - Developmental Toxicity		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
DEVELOPMENTAL	CA EPA - Prop 65		Developmental toxicity		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemica	I and Materials Library	HAZARD SCREE	ENING DATE: 2020-10-05	
%: <b>0.0500 - 0.1000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritatio	n
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious eye	irritation

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

LATICRETE SPECTRALOCK PRO Premium Grout hpdrepository.hpd-collaborative.org ID: 9046-10-0

ID: 107-21-1

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05			
%: <b>0.0500 - 0.2500</b>	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Surfactant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
ENDOCRINE	ChemSec - SIN List		Endocrine Disruption		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters		

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: <b>0.0100 - 0.0500</b>	gs: NoGS	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Activator
HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

# UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	a date: 2020-10-05		
%: 0.0100 - 0.0200	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
REPRODUCTIVE	EU - SVHC Authorisation List		Toxic to reproc	duction - Candidate list	
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes	skin irritation	
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious eye irritation		
DEVELOPMENTAL	EU - GHS (H-Statements)		H360D - May damage the unborn child		
REPRODUCTIVE	EU - REACH Annex XVII CMRs			duction Category 2 - Substances which should be regarded as if tility or cause Developmental Toxicity in humans	
MULTIPLE	ChemSec - SIN List		CMR - Carcino	gen, Mutagen &/or Reproductive Toxicant	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endo	crine Disruptor	
RESTRICTED LIST	US EPA - PPT Chemical Action Plans		TSCA Work Pla	an chemical - ongoing chemical (risk) assessment	
REPRODUCTIVE	EU - Annex VI CMRs		Reproductive 1	Foxicity - Category 1B	
REPRODUCTIVE	GHS - Korea		Reproductive t child]	oxicity - Category 1 [H360 - May damage fertility or the unborn	
REPRODUCTIVE	GHS - New Zealand		6.8A - Known d	or presumed human reproductive or developmental toxicants	
REPRODUCTIVE	GHS - Japan		Toxic to reproc	duction - Category 1A [H360]	
REPRODUCTIVE	GHS - Japan		Toxic to reproc	duction - Category 1B [H360]	
DEVELOPMENTAL	GHS - Australia		H360D - May d	lamage the unborn child	
DEVELOPMENTAL	CA EPA - Prop 65		Developmenta	I toxicity	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2020-10-05	
%: 0.0050 - 0.0100	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING	DATE: 2020-10-05	
%: 0.0005 - 0.0007	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endoc	rine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

BISPHENOL A DIGLYCIDYL ETHEI	A DIGLYCIDYL ETHER (BADGE) ID: 25085-99-8					
HAZARD SCREENING METHOD: Pharos Ch	emical and Materials Library	HAZARD SCREENIN	g date: 2020-10-05			
%: Impurity/Residual	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
ENDOCRINE	EU - Priority Endocrine Disruptor	s	Category 2 Disruption	- In vitro evidence of biological activity related to Endocrine		

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified						
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx? id=16608&t=cs	ISSUE DATE: 2009-07-07	EXPIRY DATE: 2021-07-09	CERTIFIER OR LAB: UL Envirnoment				
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.							
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL: https://cdn.laticrete.com/~/media/support-and- downloads/technical-datasheets/tds251.ashx	ISSUE DATE: 2020-08-12	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE				
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "L	ow Emitting Materials"	VOC Content Requiremen	ts per SCAQMD Rule 1168 (Tile				

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

# 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.

# Section 5: General Notes

LATICRETE® SPECTRALOCK® PRO Premium Grout does not meet Living Building Challenge v4.0 requirements because it does contain a component which is found on the Red Listed Materials or Chemicals. Specifically, LATICRETE SPECTRALOCK PRO Premium Grout contains Bisphenol A Diglycidyl Ether (BADGE) as stated in Section 2 of this HPD in an amount greater than the LBC Small Component Clause maximum threshold.

# MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA WEBSITE: www.laticrete.com CONTACT NAME: Mitch Hawkins TITLE: Senior Manager, Technical Services PHONE: 203.393.4619 EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

#### LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.