STONETECH® Grout Release by LATICRETE International

CLASSIFICATION: -

PRODUCT DESCRIPTION: Water-based grout release designed to facilitate the cleaning of grout during installation and to help minimize grout from staining natural stone. Ideal for use with natural stone such as marble, limestone, tarvertine, slate, sandstone, tumbled stone. Not recommeded foruse on low absorption stone (e.g. granite,etc...) or ceramic and porcelain tile.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

C Material

Product

Threshold level 100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS

C Other

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STONETECH® GROUT RELEASE [WATER BM-4 POTASSIUM METHYLSILANETRIOLATE NoGS UNDISCLOSED BM-2 | EYE | PHY UNDISCLOSED BM-1 | DEL | MAM | MUL | END | REP | PHY]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 7 Regulatory (g/l): 388 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1

did not follow guidance.

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. STONETECH® Grout Release is a low-solids coating which means VOC content is expressed in grams of VOC per liter of material, not grams of VOC per liter of coating, less water (SCAQMD Rule #1113 Table of Standards (cont.) VOC limits). Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

O Yes

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-08-08 PUBLISHED DATE: 2019-01-23 EXPIRY DATE: 2021-08-08

Health Product Declaration v2.1.1

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

STONETECH® GROUT RELEASE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

WATER				ID: 7732-18-5
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library HAZARD SCREENING DATE: 2018-08-08		08	
%: 95.0000 - 99.0000	GS: BM-4	RC: None	NANO: NO	ROLE: Diluent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

GS: NOGS NCY AND LIST TITLES hazards found component may vary based on the plant ical and Materials Library GS: BM-2	RC: None	NANO: No	ROLE: Sealer
hazards found omponent may vary based on the plant ical and Materials Library			
omponent may vary based on the plant ical and Materials Library			
ical and Materials Library			
GS: BM-2	HAZARD SCREENI	NG DATE: 2018-08-	08
	RC: None	NANO: NO	ROLE: Solvent
		RC: None	RC: None NANO: No

I

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-08-08		
%: 0.0400 - 0.0600	GS: BM-1	RC: None	NANO: NO	ROLE: Penetrating Agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
DEVELOPMENTAL	CA EPA - Prop 65	Devel	opmental toxicity	,
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity		
MAMMALIAN	EU - GHS (H-Statements)	H301	- Toxic if swallow	ved
MAMMALIAN	EU - GHS (H-Statements)	H311	- Toxic in contac	t with skin
MAMMALIAN	EU - GHS (H-Statements)	H331	- Toxic if inhaled	
ORGAN TOXICANT	EU - GHS (H-Statements)	H370	- Causes damage	e to organs
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to Wa	iters
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Dis	sruptor
REPRODUCTIVE	Japan - GHS	Toxic	to reproduction -	Category 1B
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225	- Highly flammab	le liquid and vapour

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	N/A		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Applies to All Facilities. CERTIFICATE URL:	ISSUE DATE: 2019- 01-23	EXPIRY DATE:	CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: STONETECH	H® Grout Release h	as not been tested	for VOC emissions.
VOC CONTENT	TDS 251 "Low VOC LATICRETE® Products"		

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4 Credit "Low Emitting Materials" Content Requirements per SCAQMD Rule 1113 (Low Solids Coating) and is calculated based on grams of VOC per liter of material.

😑 Section 4: Accessories

datasheets/tds251.ashx

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

STONETECH® Grout Release meets the Living Building Challenge requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, STONETECH Grout Release does not contain the following: •Alkylphenols* •Asbestos •Bisphenol A (BPA)* •Cadmium •Chlorinated Polyethylene & Chlorosulfonated Polyethylene •Chlorobenzenes* •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)* •Chloroprene (Neoprene) •Chromium VI* •Chlorinated Polyvinyl Chloride (CPVC)* •Formaldehyde (all types - added) •Halogenated Flame Retardants (HFRs) •Lead (added) •Mercury •Polychlorinated Biphenyls (PCBs)* •Perfluorinated Compounds (PFCs)* •Phthalates •Polyvinyl Chloride (PVC) •Polyvinylidene Chloride (PVDC)* •Short Chain Chlorinated Paraffins* •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. STONETECH Grout Release also does not contain the following California-defined Group II toxic exempt solvents: •Methylene Chloride (Dichloromethane) •1,1,1-trichloroethane (methyl chloroform) •Trichlorofluoromethane (CFC-11) •Dichlorofluoromethane (CFC-12) *1,1,2-trichloro-1,2,2-trifluoroethane (CFC-113) *1,2-dichloro-1,1,2,2tetrafluoroethane (CFC-114) •Chloropentafluoroethane (CFC-115) •Cyclic, Branched or Linear, Completely Methylated Siloxanes •(VMS) •Tetrachloroethylene (perchloroethylene) •Ethylfluoride (HFC-161) *1,1,1,3,3,3hexafluoropropane (HFC-236fa) *1,1,2,3,3-pentafluoropropane (HFC-245ca) *1,1,2,3,3-pentafluoropropane (HFC- 245ea) •1,1,1,2,3-pentafluoropropane (HFC-245eb) •1,1,1,3,3-pentafluoropropane (HFC-245fa) •1,1,1,2,3,3hexafluoropropane (HFC-236ea) •1,1,1,3,3-pentafluorobutane (HFC-365mfc) •chlorofluoromethane (HCFC-31) •1,2dichloro-1,1,2-trifluoroethane (HCFC-123a) •1 chloro-1-fluoroethane)HCFC-151a)

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International Address: 1 Laticrete Park North

Bethany CT 06524, USA

WEBSITE: www.laticrete.com

CONTACT NAME: Mitch Hawkins TITLE: Technical Services Manager PHONE: 203-393-4619 EMAIL: wmhawkins@laticrete.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

STONETECH Grout Release hpdrepository.hpd-collaborative.org