

SAFETY DATA SHEET

1. Identification

Product identifier LATAPOXY 300 Stone Adhesive Part B

Other means of identification None.

Recommended use of the chemical and restrictions on use

Recommended use Adhesive.

Restrictions on use Not available.

Details of manufacturer or importer

Manufacturer

Company name LATICRETE International Address 1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010 **Contact person** Steve Fine

Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

Supplier

Company name LATICRETE Australia

Address P.O. Box 508

Virginia Business Mail Centre

29 Telford Street VIRGINIA QLD 4014

Australia

Telephone (61) (7) 3865-1599
Website www.laticrete.com
Emergency phone number 1.703.527.3887

2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A
Sensitization, skin Category 1
Hazardous to the aquatic environment, acute Category 2

Environmental hazards Hazardous to the aquatic environment, acute Cate

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

Label elements, including precautionary statements

Hazard symbol(s)

LATAPOXY 300 Stone Adhesive Part B



Exclamation Environment mark

Signal word Warning

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to Hazard Statement(s)

aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves

and eye/face protection. Avoid release to the environment.

Response IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

> advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.

Storage Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Other hazards which do not result in classification

Not classified.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	25085-99-8	64-75
Reaction product: Bisphenol F-(epichlorohydrin); epoxy resin	28064-14-4	14-25
Alkyl(C12-14) glycidyl ether	68609-97-2	9-15

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Rash. Irritant effects.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash

contaminated clothing before reuse.

Symptoms caused by exposure

Medical attention and special

treatment

Provide general supportive measures and treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

fighters Fire fighting

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk. equipment/instructions

LATAPOXY 300 Stone Adhesive Part B 917048 Version #: 01 Revision date: -Issue date: 27-July-2021

3Z **Hazchem Code**

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

For emergency responders

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation.

Local authorities should be advised if significant spillages cannot be contained.

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS. Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic **Environmental precautions**

environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed

of all releases.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth

and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Other issues relating to spills and releases

Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Persons with epoxy allergy should not work with this product. Wear appropriate personal protective equipment. Provide

adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (See Section 10). Keep container tightly closed. Store in a well-ventilated place.

8. Exposure controls and personal protection

Control parameters

Follow standard monitoring procedures

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance Off-white liquid.

Liquid. Physical state

Viscous liquid. **Form** Colour Off-white. Not available. Odour Not available. **Odour threshold**

LATAPOXY 300 Stone Adhesive Part B

pH Not available.Melting point/freezing point Not available.Initial boiling point and boiling Not available.

range

Flash point Non flammable.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapour pressureNot available.Vapour densityNot available.

Relative density 1.1

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)
Auto-ignition tempe

Auto-ignition temperatureNot available.DecompositiontemperatureNot available.ViscosityNot available.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

Masses of more than 1 pound of product plus an aliphatic amine will cause irreversible

polymerization with considerable heat build up.

Conditions to avoid Excessive heat. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Aldehydes.

11. Toxicological information

Information on possible routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactIrritating to skin. May cause an allergic skin reaction.

Eye contact Irritating to eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to exposure Rash. Irritant effects.

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation No data available.

Skin sensitisationMay cause an allergic skin reaction.Germ cell mutagenicityNot expected to be mutagenic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

No data available.

LATAPOXY 300 Stone Adhesive Part B
917048 Version #: 01 Revision date: - Issue date: 27-July-2021

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard

No data available.

Chronic effects Prolonged or repeated contact may cause drying, cracking, or irritation.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components Species Test results

Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers (CAS 25085-99-8)

Aquatic

Acute

Crustacea EC50 Daphnia 1.8 mg/l, 48 hours

Fish LC50 Fish 1 - 10 mg/l

Reaction product: Bisphenol F-(epichlorohydrin); epoxy resin (CAS 28064-14-4)

Aquatic

Acute

Fish LC50 Fish 1 - 10 mg/l

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product.

Mobility in soil The product is immiscible with water and will spread on the water surface.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal methodsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

ADG

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes
Hazchem Code 3Z

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9

LATAPOXY 300 Stone Adhesive Part B
917048 Version #: 01 Revision date: - Issue date: 27-July-2021

Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards Yes
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number 3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards

Marine pollutant Yes EmS F-A, S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. **sport in bulk according to** This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

General informationIATA classification is not relevant as the material is not transported by air.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Material Safety Data Sheet was prepared in accordance with the Australia National Code of

Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

High Volume Industrial Chemicals (HVIC)

Not listed.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed.

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

LATAPOXY 300 Stone Adhesive Part B

SDS Australia

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Toxic Substances Control Act (TSCA) Inventory

16. Other information

Issue date 27-July-2021

Revision date -

United States & Puerto Rico

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

LATAPOXY 300 Stone Adhesive Part B

SDS Australia

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).