Version number: 01



# SAFETY DATA SHEET

#### 1. Identification

**Product identifier LATAPOXY SP-100 Part B** 

Other means of identification None

Recommended use of the chemical and restrictions on use

Recommended use Grout.

Not available. Restrictions on use

Details of manufacturer or importer

Company name LATICRETE International **Address** 1 Laticrete Park, N

Bethany, CT 06524

(203)-393-0010 **Telephone** Steve Fine **Contact person** 

Website www laticrete com

**Emergency phone number** Call CHEMTREC day or night

> USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

**Supplier** 

Company name LATICRETE Australia

P.O. Box 508 **Address** 

Virginia Business Mail Centre

29 Telford Street VIRGINIA QLD 4014

Australia

**Telephone** (61) (7) 3865-1599 Website www.laticrete.com **Emergency phone number** 1.703.527.3887

## 2. Hazard(s) identification

#### Classification of the hazardous chemical

Not classified. Physical hazards

Category 2 **Health hazards** Skin corrosion/irritation

> Serious eye damage/eye irritation Category 2A Sensitization, skin Category 1 Category 2

**Environmental hazards** Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment,

long-term hazard

Category 2

### Label elements, including precautionary statements

Hazard symbol(s)



**Exclamation Environment** mark

Signal word Warning Hazard Statement(s) Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to

aquatic life with long lasting effects.

**Precautionary Statement(s)** 

**Prevention** Avoid breathing mist or vapour. Wash thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Wear protective gloves and eye/face protection. Avoid

release to the environment.

Response IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixture**

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	25085-99-8	65-75
Bisphenol F epoxy resin	9003-36-5	10 - 15
Alkyl(C12-14) glycidyl ether	68609-97-2	5-10

Composition comments All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

#### 4. First-aid measures

#### Description of necessary first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. In case of

eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash

contaminated clothing before reuse.

Symptoms caused by exposure

Medical attention and special

treatment

Rash. Irritant effects.

Provide general supportive measures and treat symptomatically.

# 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for fire

and precautions for fire fighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do

so without risk.

Hazchem Code 3Z

**General fire hazards** No unusual fire or explosion hazards noted.

LATAPOXY SP-100 Part B SDS Australia

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages

cannot be contained.

For emergency responders

Do not touch damaged containers or spilled material unless wearing appropriate protective

clothing.

**Environmental precautions** 

Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed

of all releases.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth

and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

Other issues relating to spills and releases

Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

Avoid breathing mist or vapour. Avoid contact with eyes, skin, and clothing. Persons with epoxy allergy should not work with this product. Wear appropriate personal protective equipment. Provide

adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Keep container tightly closed. Store in a cool and well-ventilated place. Store away from

incompatible materials (See Section 10).

# 8. Exposure controls and personal protection

**Control parameters** 

Follow standard monitoring procedures.

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Exposure guidelines** 

No exposure standards allocated.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide

eyewash station.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Other Wear appropriate chemical resistant clothing.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

Hygiene measures

Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid. **Form** Liquid.

Slightly opaque. Colour Not available. Odour Not available. **Odour threshold** Not available. Ha

LATAPOXY SP-100 Part B SDS Australia Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Not available.

Flammability (solid, gas)

Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Insoluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.DecompositiontemperatureNot available.ViscosityNot available.

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Masses of more than 1 pound of product plus an aliphatic amine will cause irreversible

reactions

Conditions to avoid

polymerization with considerable heat build up.

Excessive heat. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Aldehydes.

### 11. Toxicological information

### Information on possible routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactIrritating to skin. May cause an allergic skin reaction.

**Eye contact** Irritating to eyes.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to exposure Rash. Irritant effects.

**Acute toxicity** May cause discomfort if swallowed.

Components Species Test results

Bisphenol F epoxy resin (CAS 9003-36-5)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

**Skin corrosion/irritation** Causes skin irritation.

**Serious eye damage/irritation** Causes serious eye irritation.

Respiratory or skin sensitisation

**Respiratory sensitisation** No data available.

Skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Not expected to be mutagenic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard No data available.

**Chronic effects** Prolonged or repeated contact may cause drying, cracking, or irritation.

Other information No other specific acute or chronic health impact noted.

## 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Components Species Test results

Bisphenol F epoxy resin (CAS 9003-36-5)

Aquatic Acute

Fish LC50 Leuciscus idus 5.7 mg/l, 96 hours

Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers (CAS 25085-99-8)

Aquatic

Acute

 Algae
 IC50
 Algae
 11 mg/l, 72 hours

 Crustacea
 EC50
 Daphnia
 1.8 mg/l, 48 hours

 Fish
 LC50
 Fish
 1 - 10 mg/l

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** 

No data available for this product.

Mobility in soil

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal methods**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

**Residual waste** Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

#### 14. Transport information

**ADG** 

UN number 3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Bisphenol F epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III
Environmental hazards Yes
Hazchem Code 3Z

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

LATAPOXY SP-100 Part B SDS Australia

RID

UN number 3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Bisphenol F epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IATA** 

UN number 3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Bisphenol F epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards Yes
ERG Code 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number 3082

**UN proper shipping name** Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Bisphenol F epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards

Marine pollutant Yes
EmS F-A. S-F

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

**General information** IATA classification is not relevant as the material is not transported by air.

## 15. Regulatory information

Safety, health and environmental regulations

National regulations This Safety Data Sheet was prepared in accordance with the Code of Practice on Preparation of

This substance/mixture is not intended to be transported in bulk.

Safety Data Sheets for Hazardous Chemicals.

**High Volume Industrial Chemicals (HVIC)** 

Not listed.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

**Prohibited Carcinogenic Substances** 

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

LATAPOXY SP-100 Part B SDS Australia

### **Restricted Carcinogenic Substances**

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

Country(s) or region

#### **International Inventories**

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

<sup>(</sup>PICCS)

Inventory name

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

#### 16. Other information

Issue date 27-July-2021

Revision date -

References HSDB® - Hazardous Substances Data Bank

Registry of Toxic Effects of Chemical Substances (RTECS)

**Disclaimer**The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

LATAPOXY SP-100 Part B SDS Australia

On inventory (yes/no)\*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).