

# SAFETY DATA SHEET

### 1. Identification

Product identifier LATICRETE Permacolor Select Color Kit

Other means of identification None.

Recommended use of the chemical and restrictions on use

Restrictions on use Grout.

Restrictions on use Not available.

**Details of manufacturer or importer** 

Manufacturer

Company Name

Address

1 Laticrete Park, N

Bethany, CT 06524

Telephone (203)-393-0010
Contact person Steve Fine
Website www.laticrete.com

Emergency phone number Call CHEMTREC day or night

USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

**Supplier** 

Company Name LATICRETE Australia

Address P.O. Box 508

Virginia Business Mail Centre

29 Telford Street VIRGINIA QLD 4014

AUSTRALIA
Telephone (61) (7) 3865-1599
Website www.laticrete.com
Emergency phone number 1.703.527.3887

# 2. Hazard(s) identification

Classification of the hazardous chemical

Physical hazards Not classified.

Health hazards Carcinogenicity

Environmental hazards Not classified.

Label elements, including precautionary statements

Hazard symbol(s)



Health hazard

Signal word Warning

Hazard statement(s) Suspected of causing cancer.

Precautionary statement(s)

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Category 2

**Response** IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

LATICRETE Permacolor Select Color Kit

923652 Version #: 01 Revision date: - Issue date: 1-October-2020

Other hazards which do not result in classification

None known.

# **Supplemental information**

Not applicable.

# 3. Composition/information on ingredients

### **Mixture**

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Calcium-silica-aluminium	65997-17-3	0 - 90
Iron oxide	1309-37-1	0 - 60
Titanium dioxide	13463-67-7	0 - 50
Chromium oxide	1308-38-9	0 - 40
Carbon black	1333-86-4	0 - 15

**Composition comments** 

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in

percent by volume.

# 4. First-aid measures

Description of necessary first aid measures

Inhalation Move injured person into fresh air and keep person calm under observation. Get medical attention

if any discomfort occurs.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. IF exposed or concerned: Get medical advice/attention.

Symptoms caused by exposure

Medical attention and special

treatment

Coughing. Dust may irritate the eyes and the respiratory system. Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

# 5. Fire-fighting measures

**Extinguishing media** 

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

fighters

Fire fighting

equipment/instructions

and precautions for fire

Use standard firefighting procedures and consider the hazards of other involved materials.

Not available. Hazchem code

General fire hazards No unusual fire or explosion hazards noted.

None known.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. Wear appropriate personal protective equipment. For personal protection, see Section

8 of the SDS.

Do not touch damaged containers or spilled material unless wearing appropriate protective For emergency responders

clothing.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable container for disposal. Do not vacuum clean unless vacuum cleaners are equipped with HEPA filter. For waste disposal, see Section 13 of the SDS.

Other issues relating to spills and releases

Clean up in accordance with all applicable regulations.

# 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide appropriate exhaust ventilation at places where dust is formed. Keep formation of airborne dusts to a minimum. Do not breathe dust. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in a cool, dry place out of direct sunlight.

# 8. Exposure controls and personal protection

**Control parameters** 

Follow standard monitoring procedures.

Occupational exposure limits

Australia. National Workplace OELs (Workplace Exposure Standards for Airborne Contaminants, Appendix A)

Components	Туре	Value	Form
Calcium-silica-aluminium (CAS 65997-17-3)	TWA	0.5 fibers/ml	Fiber.
,		0.5 fibers/ml	
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Chromium oxide (CAS 1308-38-9)	TWA	0.5 mg/m3	
Iron oxide (CAS 1309-37-1)	TWA	5 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Inhalable dust.

# Australia. OELs. (Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3 mg/m3	
Chromium oxide (CAS 1308-38-9)	TWA	0.5 mg/m3	
Iron oxide (CAS 1309-37-1)	TWA	5 mg/m3	Fume.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Inspirable dust.

# **US. ACGIH Threshold Limit Values**

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	Inhalable fraction.
Chromium oxide (CAS 1308-38-9)	TWA	0.5 mg/m3	
Iron oxide (CAS 1309-37-1)	TWA	5 mg/m3	Respirable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

# UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Calcium-silica-aluminium (CAS 65997-17-3)	TWA	1 fibers/ml	Fiber.
		5 mg/m3	Fiber.
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
,	TWA	3.5 mg/m3	

LATICRETE Permacolor Select Color Kit

923652 Version #: 01 Revision date: - Issue date: 1-October-2020

# **UK. EH40 Workplace Exposure Limits (WELs)**

Components	Туре	Value	Form
Chromium oxide (CAS 1308-38-9)	TWA	0.5 mg/m3	
Iron oxide (CAS 1309-37-1)	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		4 mg/m3	Respirable.
		10 mg/m3	Inhalable
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
,		10 mg/m3	Inhalable

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Use personal protective equipment as required.

Other Wear suitable protective clothing.

Respiratory protection In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment

with particle filter.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

**Hygiene measures** When using, do not eat, drink or smoke. Do not breathe dust. Keep away from food and drink.

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

# 9. Physical and chemical properties

Appearance Solid, various colors.

Physical stateSolid.FormPowder.ColorVarious colors.

Odor None.

Odor threshold Not applicable.

PH Not applicable.

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable.

range

Flash point Not applicable.

Evaporation rate Not available.

Flammability (solid, gas) Non flammable.

Upper/lower flammability or explosive limits

Flammability limit - lower Not applicable.

Flammability limit - upper

(%)

Not applicable.

Explosive limit - lower (%) Not applicable.

Explosive limit - upper (%) Not applicable.

Vapor pressureNot applicable.Vapor densityNot applicable.Relative densityNot available.

Solubility(ies)

**Solubility (water)** Moderate soluble in water.

Partition coefficient

Not applicable.

(n-octanol/water)

Auto-ignition temperatureNot applicable.Decomposition temperatureNot available.ViscosityNot applicable.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid None under normal conditions.

Incompatible materials None known.

Hazardous decomposition

products

No hazardous decomposition products are known.

# 11. Toxicological information

Information on possible routes of exposure

**Inhalation** Dust may irritate respiratory system.

**Skin contact** May cause irritation through mechanical abrasion.

**Eye contact** Dust may irritate the eyes.

**Ingestion** May cause discomfort if swallowed.

Symptoms related to exposure Coughing. Dust may irritate the eyes and the respiratory system.

Acute toxicity May cause discomfort if swallowed.

**Skin corrosion/irritation** May cause irritation through mechanical abrasion.

Respiratory or skin sensitization

Respiratory sensitization Not classified.

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

**ACGIH Carcinogens** 

Carbon black (CAS 1333-86-4)

A3 Confirmed animal carcinogen with unknown relevance to

humans.

Chromium oxide (CAS 1308-38-9)
Iron oxide (CAS 1309-37-1)
A4 Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

Carbon black (CAS 1333-86-4) 2B Possibly carcinogenic to humans.

Chromium oxide (CAS 1308-38-9) 3 Not classifiable as to carcinogenicity to humans. Iron oxide (CAS 1309-37-1) 3 Not classifiable as to carcinogenicity to humans.

Titanium dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

**Reproductive toxicity** Based on available data, the classification criteria are not met.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

**Aspiration hazard** Due to the physical form of the product it is not an aspiration hazard.

Chronic effects Frequent inhalation of dust over a long period of time increases the risk of developing lung

diseases.

LATICRETE Permacolor Select Color Kit

923652 Version #: 01 Revision date: - Issue date: 1-October-2020

# 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

The product contains inorganic compounds which are not biodegradable. Persistence and degradability

Bioaccumulative potential The product is not expected to bioaccumulate.

Mobility in soil The product is immiscible with water and will sediment in water systems.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation Other adverse effects

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

Disposal methods Dispose of contents/container in accordance with local/regional/national/international regulations.

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

# **ADG**

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

### Safety, health and environmental regulations

This Material Safety Data Sheet was prepared in accordance with the Australia National Code of **National regulations** 

Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

# Australia Medicines & Poisons Appendix A

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix B

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix C

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix D

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix E

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix F

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix G

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix H

Poisons schedule number not allocated. Australia Medicines & Poisons Appendix I

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix J

Poisons schedule number not allocated.

# Australia Medicines & Poisons Appendix K

Poisons schedule number not allocated.

LATICRETE Permacolor Select Color Kit

SDS Australia

# Australia Medicines & Poisons Schedule 2

Iron oxide (CAS 1309-37-1)

applies to all preparations in any concentration Exception may apply, see the regulation for relevance.

### Australia Medicines & Poisons Schedule 3

Poisons schedule number not allocated.

# Australia Medicines & Poisons Schedule 4

Iron oxide (CAS 1309-37-1)

# Australia Medicines & Poisons Schedule 5

Iron oxide (CAS 1309-37-1)

for human use for injection

for the treatment of animals (excluding up to 1 per cent of iron oxides when present as an excipient): in other [unspecified] preparations Exception may apply, see the regulation for relevance.

for the treatment of animals (excluding up to 1 per cent of iron oxides when present as an excipient): in preparations for injection Exception may apply, see the regulation for relevance.

in garden preparations Exception may apply, see the regulation for relevance.

# Australia Medicines & Poisons Schedule 6

Iron oxide (CAS 1309-37-1)

for the treatment of animals Exception may apply, see the regulation for relevance.

### Australia Medicines & Poisons Schedule 7

Poisons schedule number not allocated.

### Australia Medicines & Poisons Schedule 8

Poisons schedule number not allocated.

### Australia Medicines & Poisons Schedule 9

Poisons schedule number not allocated.

# Australia National Pollutant Inventory (NPI): Threshold quantity

10 TONNES/YR Threshold Category: 1 Chromium oxide (CAS 1308-38-9)

### **High Volume Industrial Chemicals (HVIC)**

Carbon black (CAS 1333-86-4)

10000 - 99999 TONNES See the regulation for additional

information.

Chromium oxide (CAS 1308-38-9)

1000 - 9999 TONNES See the regulation for additional information.

100000 - 999999 TONNES See the regulation for additional

Iron oxide (CAS 1309-37-1)

information.

Titanium dioxide (CAS 13463-67-7)

100000 - 999999 TONNES See the regulation for additional

information.

# Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

# National Pollutant Inventory (NPI) substance reporting list

Chromium oxide (CAS 1308-38-9)

2000 TONNES/YR Threshold Category: 2B

# **Prohibited Carcinogenic Substances**

Not regulated.

# Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

# Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

# **Restricted Carcinogenic Substances**

Not regulated.

# International regulations

# **Stockholm Convention**

Not applicable.

# **Rotterdam Convention**

Not applicable.

# **Kyoto protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

923652 Version #: 01 Revision date: -Issue date: 1-October-2020

# **Basel Convention**

Not applicable.

Country(s) or region

# **International Inventories**

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

# 16. Other information

**Issue date** 1-October-2020

Revision date

References HSDB® - Hazardous Substances Data Bank

**Inventory name** 

Registry of Toxic Effects of Chemical Substances (RTECS)

**Disclaimer** This safety data sheet was prepared in accordance with JIS Z 7253:2012. The information in this

(M)SDS was obtained from sources which we believe are reliable but cannot  $\,$  guarantee.

Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.

LATICRETE Permacolor Select Color Kit

SDS Australia

On inventory (yes/no)\*

923652 Version #: 01 Revision date: - Issue date: 1-October-2020

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).