

Safety Data Sheet

Date of Issue: 29/09/2020 Version: 0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: LATICRETE® Prime-N-Bond

1.2. Intended Use of the Product

Use of the Substance/Mixture: Primer

1.3. Name, Address, and Telephone of the Responsible Party

Company

LATICRETE International 1 Laticrete Park, N Bethany, CT 06524 T (203)-393-0010 www.laticrete.com **Company** LATICRETE Australia PO Box 508, Virginia Business Mail Centre 29 Telford Street, Virginia-4014, AUSTRALIA T: (61) (7) 3865-1599

1.4. Emergency Telephone Number

Emergency Number

For Chemical Emergency call ChemTel Inc. day or night: USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada-1.703.527.3887

SECTION 2: HAZARDS IDENTIFICATION

:

2.1.	Classification of the Substance or Mixture
------	--

GHS-US Classification

Repr. 2

Full text of hazard classes and H-statements : see section 16

H361

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)	: Warning
Hazard Statements (GHS-US)	: H361 - Suspected of damaging fertility or the unborn child.
Precautionary Statements (GHS-US)	: P201 - Obtain special instructions before use.
	P202 - Do not handle until all safety precautions have been
	P280 - Wear protective gloves, protective clothing, and eye

P202 - Do not handle until all safety precautions have been read and understood.
P280 - Wear protective gloves, protective clothing, and eye protection.
P308+P313 - If exposed or concerned: Get medical advice/attention.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance Not applicable

Name	Product Identifier	%	GHS-US classification
Limestone	(CAS-No.)1317-65-3	25 - 30	Not classified
Quartz	(CAS-No.)14808-60-7	17.231 - 17.627	Carc. 1A, H350 STOT SE 3, H335 STOT RE 1, H372
Kaolin	(CAS-No.)1332-58-7	1 - 5	Not classified

Safety Data Sheet

Titanium dioxide	(CAS-No.)13463-67-7	1-5	Carc. 2, H351
Octamethylcyclotetrasiloxane	(CAS-No.)556-67-2	0.1 - 1	Flam. Liq. 3, H226
			Repr. 2, H361 Aquatic Chronic 4, H413
Silica, cristobalite	(CAS-No.)14464-46-1	< 0.1	Carc. 1A, H350
			STOT RE 1, H372

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 5 minutes. If exposed or concerned: Get medical advice/attention.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 5 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Suspected of damaging fertility or the unborn child.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of damaging fertility or the unborn child.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Hazardous Combustion Products:** Carbon oxides (CO, CO₂). Acrylic monomers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

LATICRETE® Prime-N-Bond

Safety Data Sheet

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, mist, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store locked up/in a secure area.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Primer

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Limestone (1317-65-3)				
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust)		
		5 mg/m³ (respirable dust)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)		
		5 mg/m ³ (respirable fraction)		
Quartz(14808				
USA ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³ (respirable particulate matter)		
USA ACGIH	ACGIH chemical category	A2 - Suspected Human Carcinogen		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.05 mg/m³ (respirable dust)		
USA IDLH	US IDLH (mg/m³)	50 mg/m³ (respirable dust)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³		
Kaolin (1332-	58-7)			
USA ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³ (particulate matter containing no asbestos and <1%		
		crystalline silica, respirable particulate matter)		
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust)		
		5 mg/m³ (respirable dust)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)		
		5 mg/m ³ (respirable fraction)		
Titanium diox	<u> (ide (13463-67-7)</u>			
USA ACGIH	ACGIH TWA (mg/m³)	10 mg/m ³		
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen		
USA IDLH	US IDLH (mg/m ³)	5000 mg/m ³		
USA OSHA	OSHA PEL (TWA) (mg/m³)	15 mg/m³ (total dust)		
	alite (14464-46-1)			
USA ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m ³ (respirable particulate matter)		
USA ACGIH	ACGIH chemical category	Suspected Human Carcinogen		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.05 mg/m³ (respirable dust)		
USA IDLH	US IDLH (mg/m³)	25 mg/m ³ (respirable dust)		
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³		

Safety Data Sheet

SA AIHA	WEEL TWA (ppm)	10 ppm
lica, crystallir	ne (general form)	
SA OSHA	OSHA PEL (TWA) (mg/m³)	$50 \mu\text{g}/\text{m}^3$ (excludes construction work, agricultural operations, and
		exposures that result from the processing of sorptive clays)
8.2. Expo	osure Controls	
Appropriate	e Engineering Controls	: Suitable eye/body wash equipment should be available in the vicinity of any
		potential exposure. Ensure adequate ventilation, especially in confined areas.
		Ensure all national/local regulations are observed.
PersonalPro	otective Equipment	: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear
		respiratory protection.
Materials fo	or Protective Clothing	: Chemically resistant materials and fabrics.
Hand Protec	ction	: Wear protective gloves.
Eye and Fac	e Protection	: Chemical safety goggles.
	dy Protection	: Wear suitable protective clothing.
Respiratory	Protection	: If exposure limits are exceeded or irritation is experienced, approved respiratory
		protection should be worn. In case of inadequate ventilation, oxygen deficient
		atmosphere, or where exposure levels are not known wear approved respiratory
Other Inform	nation	protection.
		: When using, do not eat, drink or smoke.
	YSICAL AND CHEMICAL	
	ation on Basic Physical an	•
hysical State		: Liquid : White
Appearance		
)dor Nar Threshold	J	: Latex
)dor Threshold	a	: No data available
)H		: 8.02
vaporation Ra	ate	: No data available
Aelting Point		: No data available
reezing Point		: No data available
oiling Point		: No data available
lash Point		: No data available
uto-ignition		: No data available
-	Temperature	: No data available
lammability (solid, gas)	: Not applicable
apor Pressure	2	: No data available
Relative Vapor Density at 20°C		: No data available
elative Densit	ty	: No data available
olubility		: No data available
artition Coeff	icient:N-Octanol/Water	: No data available
/iscosity		: No data available
2. Other I	Information No additional in	nformation available
	TABILITY AND REACTIVI	
		ll not occur under normal conditions.
		commended handling and storage conditions (see section 7).

10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.

10.5. Incompatible Materials: Strong acids, strong bases, strong oxidizers.

10.6. Hazardous Decomposition Products: None expected under normal conditions of use.

LATICRETE® Prime-N-Bond

Safety Data Sheet

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Quartz (14808-60-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
Kaolin (1332-58-7)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 5000 mg/kg
Titanium dioxide (13463-67-7)	
LD50 Oral Rat	> 10000 mg/kg

Skin Corrosion/Irritation: Not classified

pH: 8.02

Serious Eye Damage/Irritation: Not classified

pH: 8.02

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified. (This product is in a liquid form; The (CAS No) 14808-60-7, 13463-67-7, and 14464-46-1 are not able to become airborne and cannot be inhaled. Thus, the hazards usually associated with (CAS No) 14808-60-7, 13463-67-7, and 14464-46-1 are not applicable to this product.)

Quartz(14808-60-7)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Titanium dioxide (13463-67-7)		
IARCgroup	2B	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Silica, cristobalite (14464-46-1)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
Silica, crystalline (general form)		
IARC group	1	
National Toxicology Program (NTP) Status	Known Human Carcinogens.	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
OSHA Specifically Regulated Carcinogen List	In OSHA Specifically Regulated Carcinogen list.	

Reproductive Toxicity: Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified.

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Suspected of damaging fertility or the unborn child.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - General

: Not classified.

12.2. Persistence and Degradability

LATICRETE® Prime-N-Bond		
Persistence and Degradability	Not established.	

Safety Data Sheet

LATICRETE® Prime-N-Bond	1	
Bioaccumulative Potential	Not establ	lished.
Octamethvlcvclotetrasiloxane (556-67-2 BCF Fish 1	12400	
Log Pow	5.1	
2.4. Mobility in Soil No additiona		blo
2.4. Other Adverse Effects		
2.5. Other Adverse Effects Other Information	· Avoid	release to the environment.
CTION 13: DISPOSAL CONSIDERA		
3.1. Waste Treatment Methods		
	spose of contents/c	ontainer in accordance with local, regional, national, and international
egulations.		
cology - Waste Materials: Avoid relea	se to the environme	ent
CTION 14: TRANSPORT INFORM		
		ccordance with certain assumptions at the time the SDS was
•		may or may not have been known at the time the SDS was issued.
4.1. In Accordance with DOT	Not regulated for t	-
4.2. In Accordance with IMDG	Not regulated for t	-
4.3. In Accordance with IATA	Not regulated for t	ransport
CTION 15: REGULATORY INFORM	IATION	
5.1. US Federal Regulations		
ATICRETE [®] Prime-N-Bond SARA Section 311/312 Hazard Classes		Delayed (chronic) health hazard
-		
Limestone (1317-65-3) Listed on the United States TSCA (Toxic S	Substances Control	Act) inventory
		neginventory
Quartz (14808-60-7) Listed on the United States TSCA (Toxic 1	Substances Control	Act) inventory
Kaolin (1332-58-7)		. ,
Listed on the United States TSCA (Toxic S	Substances Control	Act) inventory
Titanium dioxide (13463-67-7)		· ·
Listed on the United States TSCA (Toxic S	Substances Control	Act) inventory
Silica, cristobalite (14464-46-1)		
Listed on the United States TSCA (Toxic S	Substances Control	Act) inventory
Octamethylcyclotetrasiloxane (556-67-2	2)	
isted on the United States TSCA (Toxic	Substances Control	
EPA TSCA Regulatory Flag		T - T - indicates a substance that is the subject of a Section 4 test rule
		under TSCA.
5.2. US State Regulations		
Quartz (14808-60-7)		
J.S California - Proposition 65 - Carci	-	WARNING: This product contains chemicals known to the State of
		California to cause cancer.
Fitanium dioxide (13463-67-7)		
U.S California - Proposition 65 - Carci	-	WARNING: This product contains chemicals known to the State of
		California to cause cancer.
Silica, crystalline (general form)		
U.S California - Proposition 65 - Carci	-	WARNING: This product contains chemicals known to the State of California to cause cancer.

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Safety Data Sheet

Quartz (14808-60-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	
Kaolin (1332-58-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	
Titanium dioxide (13463-67-7)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	
Silica, cristobalite (14464-46-1)	
U.S Massachusetts - Right To Know List	
U.S New Jersey - Right to Know Hazardous Substance List	
U.S Pennsylvania - RTK (Right to Know) List	

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision	: 29/09/2020
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200
	The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

GHS Full Text Phrases:

Aquatic Chronic 4	Hazardous to the aquatic environment - Chronic Hazard Category 4
Carc. 1A	Carcinogenicity Category 1A
Carc. 2	Carcinogenicity Category 2
Flam. Liq. 3	Flammable liquids Category 3
Repr. 2	Reproductive toxicity Category 2
STOT RE 1	Specific target organ toxicity (repeated exposure) Category 1
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H226	Flammable liquid and vapor
H335	May cause respiratory irritation
H350	May cause cancer
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H413	May cause long lasting harmful effects to aquatic life

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.