

SAFETY DATA SHEET

1. Identification

Product identifier STONETECH® Enhancer Pro™ Sealer

Other means of identification None

Recommended use of the chemical and restrictions on use

Recommended use Sealer. Not available. Restrictions on use

Details of manufacturer or importer

Company name LATICRETE International **Address** 1 Laticrete Park, N

Bethany, CT 06524

(203)-393-0010 **Telephone Contact person** Steve Fine

www.laticrete.com Website

Emergency phone number Call CHEMTREC day or night

> USA/Canada - 1.800.424.9300 Mexico - 1.800.681.9531 Outside USA/Canada 1.703.527.3887

Supplier

Company name LATICRETE Australia

P.O. Box 508 **Address**

Virginia Business Mail Centre

29 Telford Street VIRGINIA QLD 4014

Australia

Telephone (61) (7) 3865-1599 Website www.laticrete.com **Emergency phone number** 1.703.527.3887

2. Hazard(s) identification

Environmental hazards

Classification of the hazardous chemical

Category 3 **Physical hazards** Flammable liquids **Health hazards** Skin corrosion/irritation Category 2

Specific target organ toxicity following single

exposure

Category 3 narcotic effects

Hazardous to the aquatic environment, acute Category 2

Hazardous to the aquatic environment,

Category 2

Category 1

long-term hazard

Aspiration hazard

Label elements, including precautionary statements

Hazard symbol(s)









Flame

Exclamation mark

Health hazard

Environment

Signal word Danger

Flammable liquid and vapour. Causes skin irritation. May cause drowsiness or dizziness. May be Hazard Statement(s)

fatal if swallowed and enters airways. Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly

closed. Ground/bond container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe mist or vapour. Wash thoroughly after

handling. Avoid breathing vapours. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with Response

> water/shower. If skin irritation occurs: Get medical advice/attention. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE/doctor if you feel unwell. IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. Do NOT

induce vomiting. Collect spillage.

Storage Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards which do not result in classification

Static accumulating flammable liquid can become electrostatically charged even in bonded and

grounded equipment.

Supplemental information None.

3. Composition/information on ingredients

Mixture

Identity of chemical ingredients	CAS number and other unique identifiers	Concentration of ingredients
Naphtha (petroleum), hydrotreated heavy	64742-48-9	70 - 80

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Description of necessary first aid measures

Inhalation Move into fresh air and keep at rest. If breathing stops, provide artificial respiration. Get medical

attention if any discomfort continues.

Skin contact Flush thoroughly with water for at least 15 minutes. Wash skin with soap and water. Get medical

attention if irritation develops and persists.

Flush thoroughly with water for at least 15 minutes. Remove contact lenses, if present and easy to Eye contact

do. Get medical attention immediately.

Ingestion Immediately rinse mouth and drink plenty of water. Keep person under observation. If person

becomes uncomfortable take to hospital along with these instructions. Get medical attention if

symptoms occur.

Personal protection for first-aid

responders

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Symptoms caused by exposure

Skin irritation. Irritation of nose and throat. Irritating to mucous membranes. Droplets of the product

aspirated into the lungs through ingestion or vomiting may cause a serious chemical pneumonia.

Medical attention and special

treatment

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing

media

Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed. Solvent vapours may form explosive

mixtures with air.

Special protective equipment and precautions for fire fighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

STONETECH® Enhancer Pro™ Sealer

Fire fighting

equipment/instructions

In case of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective

clothing and face mask. Move containers from fire area if you can do it without risk.

Hazchem Code

3Y

General fire hazards

The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Do not breathe mist or vapour. Avoid contact with skin and eyes. Local authorities should be advised if significant spillages cannot be contained. Stay upwind. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak. Ventilate closed spaces before entering. Use personal protection recommended in Section 8 of the

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Environmental precautions

Methods and materials for
containment and cleaning up

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas. Keep combustibles (wood, paper, oil etc) away from spilled material. This product is miscible in water.

Large Spills: Dike the spilled material, where this is possible. Following product recovery, flush area with water. Cover with plastic sheet to prevent spreading. Absorb spillage with non-combustible, absorbent material.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use.

Other issues relating to spills and releases

Clean up in accordance with all applicable regulations.

7. Handling and storage

Precautions for safe handling

The product is flammable, and heating may generate vapours which may form explosive vapour/air mixtures. Do not handle or store near an open flame, heat or other sources of ignition. Do not breathe mist or vapour. Avoid contact with skin, eyes and clothing. Do not smoke. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Use only in well-ventilated areas. Avoid prolonged exposure. Use Personal Protective Equipment recommended in section 8 of the SDS. Wash thoroughly after handling. Handle and open container with care.

Conditions for safe storage, including any incompatibilities

Follow rules for flammable liquids. Keep away from heat, sparks and open flame. Store in cool place. Keep in a well-ventilated place. Keep container tightly closed. Keep in an area equipped with sprinklers. Keep this material away from food, drink and animal feed. Use care in handling/storage. Keep away from sources of ignition - No smoking.

8. Exposure controls and personal protection

Control parameters

Follow standard monitoring procedures.

Occupational exposure limits

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

Components	Туре	Value	
Naphtha (petroleum),	TWA	300 mg/m3	
hydrotreated heavy (CAS			
64742-48-9)			

50 ppm

Biological limit valuesNo biological exposure limits noted for the ingredient(s).

Exposure guidelines Follow standard monitoring procedures.

STONETECH® Enhancer Pro[™] Sealer 922655 Version #: 01 Revision date: - Issue date: 09/10/2025 Appropriate engineering

controls

Explosion proof exhaust ventilation should be used. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Use explosion-proof equipment. Provide easy access to water supply or an emergency

shower.

Individual protection measures, for example personal protective equipment (PPE)

Eye/face protection Wear goggles/face shield.

Skin protection

Hand protection Wear protective gloves. Be aware that the liquid may penetrate the gloves. Frequent change is

advisable. Suitable gloves can be recommended by the glove supplier.

Other Protective shoes or boots. Wear appropriate chemical resistant clothing. Structural firefighters

protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations. Wear chemical protective equipment that is specifically recommended by the Personal

Protective Equipment manufacturer.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. In case of inadequate ventilation or risk

of inhalation of vapours, use suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Handle in accordance with good industrial hygiene and safety practices. Wash hands before Hygiene measures

breaks and immediately after handling the product. When using, do not eat, drink or smoke. Launder contaminated clothing before reuse. Remove and isolate contaminated clothing and

shoes.

9. Physical and chemical properties

Clear liquid. **Appearance** Physical state Liquid.

Form Liquid. Colour Clear.

Odour Slight hydrocarbon.

Odour threshold Not available pН No data available. Melting point/freezing point Not applicable.

Initial boiling point and boiling

range

> 149 °C (> 300.2 °F)

28.0 °C (82.4 °F) Closed cup Flash point

Evaporation rate Not applicable. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

Not available. Vapour pressure Not available. Vapour density

Relative density 0.809

Solubility(ies)

Insoluble in water. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** > 200 °C (> 392 °F)

Not available. Viscosity

Other physical and chemical parameters VOC 632 g/l

10. Stability and reactivity

Reactivity The product is non-reactive under normal conditions of use, storage and transport.

Stable under normal temperature conditions. Risk of ignition. **Chemical stability**

Possibility of hazardous

reactions

Hazardous polymerisation does not occur.

Conditions to avoid Heat, sparks, flames, elevated temperatures. Strong oxidising agents. Strong acids. Incompatible materials

Hazardous decomposition Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or

vapours. products

11. Toxicological information

Information on possible routes of exposure

Inhalation Vapours may cause drowsiness and dizziness.

Causes skin irritation. Skin contact

Eye contact May cause eye irritation on direct contact. Ingestion may cause irritation and malaise. Ingestion

Skin irritation. Irritation of nose and throat. Irritating to mucous membranes. Symptoms related to exposure

May cause discomfort if swallowed. **Acute toxicity**

Test results Components **Species**

Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Inhalation

Rat LC50 > 4.96 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation May cause eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not classified.

Skin sensitisation Not a skin sensitiser. Germ cell mutagenicity Not classified.

Carcinogenicity Not classified. Not classified. Reproductive toxicity

Specific target organ toxicity -

single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard May be fatal if swallowed and enters airways.

Other information Droplets of the product aspirated into the lungs through ingestion or vomiting may cause a serious

chemical pneumonia. Organic solvents may be absorbed into the body by inhalation and cause

permanent damage to the nervous system, including the brain.

12. Ecological information

STONETECH® Enhancer Pro™ Sealer

Ecotoxicity Toxic to aquatic life with long lasting effects.

Components Species Test results Naphtha (petroleum), hydrotreated heavy (CAS 64742-48-9) Aquatic Algae IC50 10 mg/l, 72 hours Algae

EC50 10 mg/l, 48 hours Crustacea Daphnia

922655 Version #: 01 Revision date: -Issue date:09/10/2025 SDS Australia

Components **Species Test results**

Fish LC50 Fish 10 mg/l, 96 hours

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential No data available for this product.

Not available. Mobility in soil

The product is insoluble in water. Mobility in general

No data available. Other adverse effects

13. Disposal considerations

Dispose of this material and its container to hazardous or special waste collection point. Do not Disposal methods

incinerate sealed containers. Do not allow this material to drain into sewers/water supplies.

Dispose in accordance with all applicable regulations.

Dispose of in accordance with local regulations. Residual waste

Dispose of in accordance with local regulations. Empty containers should be taken to an approved Contaminated packaging

waste handling site for recycling or disposal.

14. Transport information

ADG

UN number 3295

Hydrocarbons, liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy) **UN proper shipping name**

Transport hazard class(es)

3 Class Subsidiary risk Ш Packing group **Environmental hazards** Yes **Hazchem Code** 3Y

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

RID

UN number

Hydrocarbons, liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy) **UN proper shipping name**

Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Packing group Ш **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number Hydrocarbons, liquid, n.o.s. (Naphtha (petroleum), hydrotreated heavy)

UN proper shipping name

Transport hazard class(es)

3 Class Subsidiary risk 3 Label(s) Packing group Ш **Environmental hazards** Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

31

IMDG

ERG Code

3295 **UN number**

HYDROCARBONS, LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy) **UN proper shipping name**

Transport hazard class(es)

Class 3 Subsidiary risk 3 Label(s) Ш Packing group **Environmental hazards**

Marine pollutant Yes EmS F-E, S-D

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not available.

the IBC Code

General information IATA classification is not relevant as the material is not transported by air.

15. Regulatory information

Safety, health and environmental regulations

National regulations This Material Safety Data Sheet was prepared in accordance with the Australia National Code of

Practice for the Preparation of Material Safety Data Sheets (NOHSC: 2011.)

Australia Medicines & Poisons Appendix E

HYDROCARBONS, LIQUID (CAS 64742-48-9)

Australia Medicines & Poisons Schedule 5

HYDROCARBONS, LIQUID, INCLUDING KEROSENE, DIESEL (DISTILLATE), MINERAL TURPENTINE, WHITE PETROLEUM SPIRIT, TOLUENE, XYLENE AND LIGHT MINERAL AND PARAFFIN OILS (BUT EXCLUDING THEIR DERIVATIVES) (CAS 64742-48-9)

High Volume Industrial Chemicals (HVIC)

Naphtha (petroleum), hydrotreated heavy (CAS 1000 - 9999 TONNES See the regulation for additional information.

Importation of Ozone Deleting Substances (Customs(Prohibited imports) Regulations 1956, Schedule 10)

Not listed.

National Pollutant Inventory (NPI) substance reporting list

Not listed.

Prohibited Carcinogenic Substances

Not regulated.

Prohibited Substances (National Model Regulation for the control of Workplace Hazardous Substances, Schedule 2 NOHSC:1005 (1994) as amended)

Not listed

Resricted Importation of Organochlorine Chemicals (Customs(Prohibited Imports) Regulations 1956, Schedule 9)

Not listed.

Restricted Carcinogenic Substances

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes

STONETECH® Enhancer Pro[™] Sealer
922655 Version #: 01 Revision date: - Issue date: 09/10/2025

Country(s) or region Inventory name On inventory (yes/no)*

New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date 09/10/2025

Revision date

HSDB® - Hazardous Substances Data Bank References

Registry of Toxic Effects of Chemical Substances (RTECS)

The information in this (M)SDS was obtained from sources which we believe are reliable but Disclaimer

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

SDS Australia 922655 Version #: 01 Revision date: -Issue date: 09/10/2025