



STONETECH® MOLD MILDEW STAIN REMOVER

DS-65315-1220

**Globally Proven
Construction Solutions**



1. PRODUCT NAME

STONETECH® MOLD MILDEW STAIN REMOVER

2. MANUFACTURER

LATICRETE EUROPE S.r.l.

Via Paletti, 1, 41051

Castelnuovo Rangone MO, Italy

Telephone: +39 059557680

Email: info@laticreteeurope.com

Website: laticrete.eu

3. PRODUCT DESCRIPTION

STONETECH® MOLD & MILDEW STAIN REMOVER is a ready-to-use, powerful specialty cleaner specifically formulated to remove mould, mildew and even algae on natural stone, tile, masonry and grout. It quickly dissolves unsightly mould and mildew stains without degrading or harming the surface.

Its unique formula allows the cleaner to adhere well to to distribute evenly and cling onto vertical surfaces without dripping. Great for kitchen countertops, bathroom vanities, showers, patios and more.

Uses

- Bathroom
- Showers
- Bathtubs
- Vanities
- Floors
- Walls
- Interior and exterior

Advantages

- Eliminates unsightly mould and mildew stains
- For natural stone, tile, masonry and grout
- Won't degrade stone or grout
- Uniquely formulated to distribute evenly — clings onto vertical surfaces without dripping
- No VOC — better indoor air quality

Suitable Substrates

- Natural Stone
- Granite
- Marble
- Ceramic Tile
- Porcelain tile
- Grout
- Masonry
- Glass

Packaging

750 ml x 12/box

Coverage / Consumption

5-10 m² / 0.75 liters

Shelf Life

Factory sealed containers of this product are guaranteed to be of first quality for two (2) years if stored at temperatures >50°F (10°C) and <90°F (32°C).>

Cautions

Consult SDS for more safety information.

- Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention or call poison center if any discomfort continues.
- Skin contact: Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Get medical attention or call poison center immediately.
- Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention or call poison center immediately.
- Ingestion: Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical

attention or call poison center if any discomfort continues.

Storage and Handling Instructions: WARNING: HARMFUL IF SWALLOWED. MAY CAUSE PERMANENT EYE INJURY. MAY CAUSE SEVERE SKIN AND RESPIRATORY IRRITATION. Do not ingest. Avoid contact with eyes and skin. Avoid prolonged exposure to vapors. Use protective eyewear, gloves, clothing and face protection. KEEP OUT OF REACH OF CHILDREN. Do not freeze or store above 100 °F (38 °C). Do not mix with other household chemicals or metals. To do so may release hazardous gases. Do not release into natural waterways.

4. TECHNICAL DATA



Physical Properties

Form:	Liquid
Colour:	Colourless / Light Amber
Odour:	Pungent
pH:	14
VOC Content:	0 g/lit

Specifications subject to change without notification. Results shown are typical but reflect test procedures used. Actual field performance will depend on installation methods and site conditions.

5. INSTALLATION

Surface Preparation

Read entire label before using. Use only as directed. Always test in a small inconspicuous area to determine ease of use and desired results. Be sure surfaces to be cleaned are swept or vacuumed to remove loose debris. Avoid skin and eye contact. Wear protective eyewear and gloves. Keep children and pets out of the area during application and drying.

Directions

1. Open valve and spray STONETECH® MOLD & MILDEW STAIN REMOVER directly and evenly on soiled area. Avoid applying product onto unintended surfaces.
2. Wait a few minutes, up to 1-2 hours, depending on dirt to be removed.
3. Clean surface with non-abrasive sponge or stiff nylon brush as needed.
4. Wipe clean with a dry towel or soft lint-free cloth or sponge.
5. Repeat as needed for heavily-soiled area.
6. Rinse area well with clean water.

Note: If subsequently treating or painting surface, rinse with water or with STONETECH® STONE & TILE CLEANER. If outdoors, apply STONETECH® HEAVY DUTY EXTERIOR SEALER after cleaning.

6. AVAILABILITY AND COST

Availability

LATICRETE® materials are available worldwide. For distributor information, please contact LATICRETE EUROPE S.r.l.:

+39 059557680

info@laticreteurope.com

For on-line distributor information, visit www.laticrete.eu.

Cost

Contact LATICRETE EUROPE S.r.l to obtain complete information and cost.

7. WARRANTY

The supplier warrants that the product will not deteriorate under normal conditions and use. The warranty validity of one (1) year. Contact Technical Services for further information. See 10. FILING SYSTEM:

- DS230.13EU: 1 Year Product Warranty (EN)

8. MAINTENANCE

Highly alkaline, acidic, ammoniated, or abrasive cleaners are not necessary for daily maintenance and may also degrade the Sealer, adversely affecting stain resistance. Tile and stone routine cleaning with a neutral pH cleaner such as STONETECH® STONE & TILE CLEANER is recommended.

For tough or difficult to remove soil use STONETECH® KLENZALL™ CLEANER, a nylon scrubbing pad or a long handled stiff bristle brush. Please note: Prior to using any cleaning material on a tile, stone, etc. installation, test a discrete area or scrap piece of tile to insure desired results. For additional information, please refer to the TDS 262 Stone and Tile Care Guide.

9. TECHNICAL SERVICES

Technical Assistance

Information is available by calling or emailing the Technical Service Hotline:

+39 059557680

technicalservices@laticreteurope.com

Technical and Safety Literature

To obtain technical and safety literature, please visit our website at www.laticrete.eu.

Warning

The information and the instructions in the data sheet, although based on knowledge gained through years of applications, are indicative. LATICRETE® is unable to directly control the installation methods and conditions of products and does not assume any liability arising from their implementation. Those who want to use LATICRETE® products should conduct adequate tests to determine the site specifications. Results shown are typical but reflect test procedures used. Actual field performance will depend on installation method and site conditions.

LATICRETE® products are covered by a warranty within the limits of what is established by our general conditions of sale and within the limits of correspondence related to technical specifications and applicable certifications, as expressly indicated in the product data sheets, documentation, or applicable technical documentation.

10. FILING SYSTEM

Additional product information is available on our website at laticrete.eu. The following is a list of related documents:

- DS 230.13EU: 1 Year Product Warranty
- DS 2110: STONETECH STONE & TILE CLEANER
- DS 2125: STONETECH HEAVY DUTY EXTERIOR CLEANER
- DS 2150: STONETECH KLENZALL™ CLEANER
- TDS 262: Stone and Tile Care Guide