

### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# **LATALASTIK Part B** 24-1418-0005-AB



## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

LATALASTIK Part B 1.1 Product identifier: 24-1418-0005-AB

> Other means of identification: UEI: P0J0-503S-Q00V-NUSU

SDF850752-32 Product registration number:

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Relevant uses: Hardener for adhesives. For professional users only.

IDENTIFIED USES: Professional (SU22)

Uses advised against: All uses not specified in this section or in section 7.3

1.3 Details of the supplier of the safety data sheet:

> LATICRETE EUROPE S.r.l. a socio unico Via Paletti snc

41051 Castelnuovo Rangone - Italia

Phone: +39 059 535 540 - Fax: +39 059 538 338

info@laticreteeurope.com https://eu.laticrete.com

Emergency telephone number: NHS Direct (UK): +44 0845 46 47 1.4

Europe's emergency number: 112

Company number (08:00 - 18:00 CET): (+39) 059 535540

## SECTION 2: HAZARDS IDENTIFICATION \*\*

#### 2.1 Classification of the substance or mixture:

#### CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Dam. 1: Serious eye damage, Category 1, H318 Skin Irrit. 2: Skin irritation, Category 2, H315 Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

#### 2.2 Label elements:

# CLP Regulation (EC) No 1272/2008:





### Hazard statements:

Aguatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

# Precautionary statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a poison center/doctor.

### Additional labeling:

Substances that contribute to the classification:3-aminomethyl-3,5,5-trimethylcyclohexylamine, reaction product of fatty acids, C18 alkyl with amines, polyethylene fraction, polytetraethylenepentamine, fatty acids, C18-unsaturated, dimers, oligomeric reaction products with fatty acids from tall oil and triethylenetetramine

#### 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

- CONTINUED ON NEXT PAGE -Date of compilation: 30/01/2023 Revised: 02/05/2024 Version: 6 (Replaced 5) Page 1/11

Changes with regards to the previous version



### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substance:

Non-applicable

#### 3.2 Mixture:

Chemical description: Solution composed of amines

### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification	Concentration
CAS: EC:	Non-applicable	Reaction product of Fa	atty acids, C18 alkyl with amines, polyethylenepoly-tetraethylenepentam Self-classified	
Index: REACH:	701-046-0 Non-applicable 01-2119972321-42-XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Danger	17 - <22 %
CAS:	68082-29-1	Fatty acids, C18-unsat	d., dimers, oligomeric reaction products with tall-oil fatty acids and triet Self-classified	
EC: Index: REACH:	500-191-5 Non-applicable 01-2119972320-44-XXXX	Regulation 1272/2008	Aquatic Chronic 2: H411; Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1A: H317 - Danger	10 - <15 %
CAS: EC:	90-72-2 202-013-9	2,4,6-tris(dimethylami	nomethyl)phenol <sup>(1)</sup> ATP CLP00	
Index: REACH:	603-069-00-0 01-2119560597-27-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315 - Warning	<5 %
CAS: EC:	2855-13-2 220-666-8	3-aminomethyl-3,5,5-	trimethylcyclohexylamine <sup>(1)</sup> ATP ATP17	
Index: REACH:	612-067-00-9 01-2119514687-32-XXXX	Regulation 1272/2008	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Corr. 1B: H314; Skin Sens. 1A: H317 - Danger	<3 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### Other information:

Identification	Specific concentration limit	
3-aminomethyl-3,5,5-trimethylcyclohexylamine CAS: 2855-13-2 EC: 220-666-8	% (w/w) >=0,001: Skin Sens. 1A - H317	

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acu	Genus	
2,4,6-tris(dimethylaminomethyl)phenol	LD50 oral	1200 mg/kg	Rat
CAS: 90-72-2	LD50 dermal	Not relevant	
EC: 202-013-9	LC50 inhalation	Not relevant	
3-aminomethyl-3,5,5-trimethylcyclohexylamine	LD50 oral	1030 mg/kg	Rat
CAS: 2855-13-2	LD50 dermal	Not relevant	
EC: 220-666-8	LC50 inhalation	Not relevant	

## **SECTION 4: FIRST AID MEASURES**

### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

### By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

### By eve contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.



### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



# SECTION 4: FIRST AID MEASURES (continued)

### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

## 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### **SECTION 5: FIREFIGHTING MEASURES**

### 5.1 Extinguishing media:

# Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

### Unsuitable extinguishing media:

Non-applicable

## 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

#### Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures:

# For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

### For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# 6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

# 6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

### 6.4 Reference to other sections:

See sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### 7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Date of compilation: 30/01/2023 Revised: 02/05/2024 Version: 6 (Replaced 5) Page 3/11



### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



## SECTION 7: HANDLING AND STORAGE (continued)

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

### 7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

### DNEL (Workers):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Reaction product of Fatty acids, C18 alkyl with amines, polyethylenepoly-tetraethylenepentamine fraction	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: Non-applicable	Dermal	Not relevant	Not relevant	1,1 mg/kg	Not relevant
EC: 701-046-0	Inhalation	Not relevant	Not relevant	3,9 mg/m³	Not relevant
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall- oil fatty acids and triethylenetetramine	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 68082-29-1	Dermal	Not relevant	Not relevant	1,1 mg/kg	Not relevant
EC: 500-191-5	Inhalation	Not relevant	Not relevant	3,9 mg/m³	Not relevant
2,4,6-tris(dimethylaminomethyl)phenol	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 90-72-2	Dermal	Not relevant	Not relevant	0,15 mg/kg	Not relevant
EC: 202-013-9	Inhalation	Not relevant	Not relevant	0,53 mg/m³	Not relevant
3-aminomethyl-3,5,5-trimethylcyclohexylamine	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 2855-13-2	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 220-666-8	Inhalation	Not relevant	Not relevant	Not relevant	0,073 mg/m³

# DNEL (General population):

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Reaction product of Fatty acids, C18 alkyl with amines, polyethylenepoly-tetraethylenepentamine fraction	Oral	Not relevant	Not relevant	0,56 mg/kg	Not relevant
CAS: Non-applicable	Dermal	Not relevant	Not relevant	0,56 mg/kg	Not relevant
EC: 701-046-0	Inhalation	Not relevant	Not relevant	0,97 mg/m³	Not relevant
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall- oil fatty acids and triethylenetetramine	Oral	Not relevant	Not relevant	0,56 mg/kg	Not relevant
CAS: 68082-29-1	Dermal	Not relevant	Not relevant	0,56 mg/kg	Not relevant
EC: 500-191-5	Inhalation	Not relevant	Not relevant	0,97 mg/m³	Not relevant
2,4,6-tris(dimethylaminomethyl)phenol	Oral	Not relevant	Not relevant	0,075 mg/kg	Not relevant
CAS: 90-72-2	Dermal	Not relevant	Not relevant	0,075 mg/kg	Not relevant
EC: 202-013-9	Inhalation	Not relevant	Not relevant	0,13 mg/m³	Not relevant

- CONTINUED ON NEXT PAGE -





# This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
3-aminomethyl-3,5,5-trimethylcyclohexylamine	Oral	Not relevant	Not relevant	0,526 mg/kg	Not relevant
CAS: 2855-13-2	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 220-666-8	Inhalation	Not relevant	Not relevant	Not relevant	Not relevant

## PNEC:

Identification				
Reaction product of Fatty acids, C18 alkyl with amines, polyethylenepoly -tetraethylenepentamine fraction	STP	7,21 mg/L	Fresh water	0,003 mg/L
CAS: Non-applicable	Soil	52,58 mg/kg	Marine water	0 mg/L
EC: 701-046-0	Intermittent	0,026 mg/L	Sediment (Fresh water)	263,01 mg/kg
	Oral	Not relevant	Sediment (Marine water)	26,301 mg/kg
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall- oil fatty acids and triethylenetetramine	STP	3,84 mg/L	Fresh water	0,004 mg/L
CAS: 68082-29-1	Soil	86,78 mg/kg	Marine water	0 mg/L
EC: 500-191-5	Intermittent	0,043 mg/L	Sediment (Fresh water)	434,02 mg/kg
	Oral	Not relevant	Sediment (Marine water)	43,4 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	STP	0,2 mg/L	Fresh water	0,046 mg/L
CAS: 90-72-2	Soil	0,025 mg/kg	Marine water	0,005 mg/L
EC: 202-013-9	Intermittent	0,46 mg/L	Sediment (Fresh water)	0,262 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,026 mg/kg
3-aminomethyl-3,5,5-trimethylcyclohexylamine	STP	3,18 mg/L	Fresh water	0,06 mg/L
CAS: 2855-13-2	Soil	1,121 mg/kg	Marine water	0,006 mg/L
EC: 220-666-8	Intermittent	0,23 mg/L	Sediment (Fresh water)	5,784 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,578 mg/kg

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

# B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

# C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Chemical protective gloves (Material: Butyl, Breakthrough time: > 480 min)	CAT III	EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

### D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CATII	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

# E.- Body protection



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CATII	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

# F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	<b>→</b>	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

### Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply): 0 % weight
V.O.C. density at 20 °C: 0 kg/m³ (0 g/L)
Average carbon number: Not relevant
Average molecular weight: Not relevant

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties:

# Appearance:

Physical state at 20 °C:

Appearance:

Colour:

Brown

Odour:

Aminic

Odour threshold:

Not relevant \*

### Volatility:

Boiling point at atmospheric pressure: >180 °C

Vapour pressure at 20 °C: 4,934E-1 Pa

Vapour pressure at 50 °C: 11,36 Pa (0,01 kPa)

Evaporation rate at 20 °C: Not relevant \*

# Product description:

Density at 20 °C: 1000 - 1500 kg/m³

Relative density at 20 °C: 1 - 1,5

Dynamic viscosity at 20 °C: 4000 - 6000 cP

Kinematic viscosity at 20 °C: Not relevant \*

Kinematic viscosity at 40 °C: >20,5 mm²/s

Concentration: Not relevant \*

pH: Not relevant \*

Vapour density at 20 °C: Not relevant \*

\*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Date of compilation: 30/01/2023 Revised: 02/05/2024 Version: 6 (Replaced 5) Page 6/11



### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Partition coefficient n-octanol/water 20 °C:

Solubility in water at 20 °C:

Not relevant \*

Solubility properties:

Not relevant \*

Decomposition temperature:

Not relevant \*

Melting point/freezing point:

Not relevant \*

Flammability:

Flash Point: >110 °C (ASTM D-93)

Flammability (solid, gas):

Autoignition temperature:

Lower flammability limit:

Upper flammability limit:

Not relevant \*

Not relevant \*

Particle characteristics:

Median equivalent diameter: Non-applicable

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:

Oxidising properties:

Not relevant \*

Corrosive to metals:

Not relevant \*

Heat of combustion:

Aerosols-total percentage (by mass) of flammable components:

Not relevant \*

Other safety characteristics:

Surface tension at 20 °C:

Refraction index:

Not relevant \*

Not relevant \*

Not relevant of the product, not providing information property of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

# 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

# 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

# 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

# 10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Precaution	Not applicable	Avoid alkalis or strong bases

# 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:



### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
  - Corrosivity/Irritability: The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.
- B- Inhalation (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
  - Contact with the skin: Produces skin inflammation.
  - Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
  - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Not relevant

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
  - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
  - Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
  - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
  - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Not relevant

# Specific toxicology information on the substances:

Identification	Acu	Genus	
2,4,6-tris(dimethylaminomethyl)phenol	LD50 oral	1200 mg/kg (ATEi)	Rat
CAS: 90-72-2	LD50 dermal		
EC: 202-013-9	LC50 inhalation		
3-aminomethyl-3,5,5-trimethylcyclohexylamine	LD50 oral	1030 mg/kg (ATEi)	Rat
CAS: 2855-13-2	LD50 dermal		
EC: 220-666-8	LC50 inhalation		

# 11.2 Information on other hazards:

# **Endocrine disrupting properties**

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

- CONTINUED ON NEXT PAGE -





# This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



# SECTION 11: TOXICOLOGICAL INFORMATION (continued)

Not relevant

# **SECTION 12: ECOLOGICAL INFORMATION**

The experimental information related to the eco-toxicological properties of the product itself is not available Harmful to aquatic life with long lasting effects.

## 12.1 Toxicity:

# Acute toxicity:

Identification	Concentration		Species	Genus
Reaction product of Fatty acids, C18 alkyl with amines, polyethylenepoly- tetraethylenepentamine fraction	LC50	7,1 mg/L (96 h)	Danio rerio	Fish
CAS: Non-applicable	EC50	5,2 mg/L (48 h)	Daphnia magna	Crustacean
EC: 701-046-0	EC50	2,6 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	LC50	7 mg/L (96 h)	Danio rerio	Fish
CAS: 68082-29-1	EC50	7 mg/L (48 h)	Daphnia magna	Crustacean
EC: 500-191-5	EC50	4 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
2,4,6-tris(dimethylaminomethyl)phenol	LC50	345 mg/L (96 h)	QSAR	Fish
CAS: 90-72-2	EC50	Not relevant		
EC: 202-013-9	EC50	Not relevant		
3-aminomethyl-3,5,5-trimethylcyclohexylamine	LC50	110 mg/L (96 h)	Leuciscus idus	Fish
CAS: 2855-13-2	EC50	388 mg/L (48 h)	N/A	Crustacean
EC: 220-666-8	EC50	Not relevant		

# Chronic toxicity:

Identification	Concentration		Species	Genus
3-aminomethyl-3,5,5-trimethylcyclohexylamine	NOEC	Not relevant		
CAS: 2855-13-2 EC: 220-666-8	NOEC	3 mg/L	Daphnia magna	Crustacean

## 12.2 Persistence and degradability:

# Substance-specific information:

Identification	Degradability		Biodegradability	
3-aminomethyl-3,5,5-trimethylcyclohexylamine	BOD5	Not relevant	Concentration	7 mg/L
CAS: 2855-13-2	COD	Not relevant	Period	28 days
EC: 220-666-8	BOD5/COD	Not relevant	% Biodegradable	8 %

# 12.3 Bioaccumulative potential:

# Substance-specific information:

Identification	Bioaccumulation potential		
Fatty acids, C18-unsatd., dimers, oligomeric reaction products with tall-oil fatty acids and triethylenetetramine	BCF	77	
CAS: 68082-29-1	Pow Log		
EC: 500-191-5	Potential	Moderate	
2,4,6-tris(dimethylaminomethyl)phenol	BCF	3	
CAS: 90-72-2	Pow Log	0.77	
EC: 202-013-9	Potential	Low	

# 12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
2,4,6-tris(dimethylaminomethyl)phenol	Koc	15130	Henry	9,312E-12 Pa·m³/mol
CAS: 90-72-2	Conclusion	Immobile	Dry soil	No
EC: 202-013-9	Surface tension	Not relevant	Moist soil	No
3-aminomethyl-3,5,5-trimethylcyclohexylamine	Koc	928	Henry	4,46E-4 Pa·m³/mol
CAS: 2855-13-2	Conclusion	Low	Dry soil	No
EC: 220-666-8	Surface tension	Not relevant	Moist soil	No

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

Date of compilation: 30/01/2023 Revised: 02/05/2024 Version: 6 (Replaced 5) Page 9/11



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



Page 10/11

## SECTION 12: ECOLOGICAL INFORMATION (continued)

# 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

#### 12.7 Other adverse effects:

Not described

# **SECTION 13: DISPOSAL CONSIDERATIONS**

### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances	Hazardous

### Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP13 Sensitising, HP4 Irritant — skin irritation and eye damage

### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

#### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

# **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated for transport (ADR/RID,IMDG,IATA)

### **SECTION 15: REGULATORY INFORMATION**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

### Seveso III:

Not relevant

### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

Shall not be used in:

- —ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- -tricks and jokes,
- —games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

## Other legislation:

The product could be affected by sectorial legislation

## 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

# **SECTION 16: OTHER INFORMATION**

Legislation related to safety data sheets:

- CONTINUED ON NEXT PAGE -



### This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

# LATALASTIK Part B 24-1418-0005-AB



## SECTION 16: OTHER INFORMATION (continued)

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

## Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- · Precautionary statements
- · Supplementary information

### Texts of the legislative phrases mentioned in section 2:

H315: Causes skin irritation.

H318: Causes serious eye damage.

H412: Harmful to aquatic life with long lasting effects.

H317: May cause an allergic skin reaction.

### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

### Classification procedure:

Skin Irrit. 2: Calculation method Eye Dam. 1: Calculation method Aquatic Chronic 3: Calculation method Skin Sens. 1A: Calculation method

### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

# Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

# Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon

UFI: unique formula identifier

IARC: International Agency for Research on Cancer

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product which should not be used for needs other than those specified.