

LATICRETE

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

### PERMACOLOR 24-034XX-E6025-M



_		UBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1	Product identifier:	PERMACOLOR 24-034XX-E6025-M
	Other means of identification:	
	UFI:	JXF0-00J8-D000-SNT9
.2	Relevant identified uses of the substar	nce or mixture and uses advised against:
	Relevant uses: Mortar. For professional u	users only.
	PROC 19: manuel blanding med direkte I	kontakt, med kun brug af personlige værnemidler (PPE).
	Uses advised against: All uses not specif	ied in this section or in section 7.3
.3	Details of the supplier of the safety da	ta sheet:
	LATICRETE EUROPE SRL Via Paletti Snc 41051 Castelnuovo Rangone - ITALY Phone: 059535540 info@laticreteeurope.com https://eu.laticrete.com/	
.4		Direct (UK): +44 0845 46 47 ie's emergency number: 112 iany number (08:00 - 18:00 CET): (+39) 059 535540
SEC 2.1	TION 2: HAZARDS IDENTIFICATION Classification of the substance or mixt	
	Classification of the substance or mixit This product contains less than 1% of cry	<b>ture:</b> /stalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU)
	Classification of the substance or mixi This product contains less than 1% of cry 1272/2008 of the European Parliament a	ture:
	Classification of the substance or mixt This product contains less than 1% of cry 1272/2008 of the European Parliament an amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008:	<b>ture:</b> rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an
	Classification of the substance or mixt This product contains less than 1% of cry 1272/2008 of the European Parliament an amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008:	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008.
2.1	Classification of the substance or mixt This product contains less than 1% of cry 1272/2008 of the European Parliament ar amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been ca	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008.
2.1	Classification of the substance or mixi This product contains less than 1% of cry 1272/2008 of the European Parliament an amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been ca Eye Dam. 1: Serious eye damage, Catego	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008.
	Classification of the substance or mixit This product contains less than 1% of cry 1272/2008 of the European Parliament at amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been ca Eye Dam. 1: Serious eye damage, Catego Label elements:	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008.
2.1	Classification of the substance or mixit This product contains less than 1% of cry 1272/2008 of the European Parliament and amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been can Eye Dam. 1: Serious eye damage, Catego Label elements: CLP Regulation (EC) No 1272/2008:	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008.
.1	Classification of the substance or mixit This product contains less than 1% of cry 1272/2008 of the European Parliament and amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been can Eye Dam. 1: Serious eye damage, Catego Label elements: CLP Regulation (EC) No 1272/2008:	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008.
.1	Classification of the substance or mixt This product contains less than 1% of cry 1272/2008 of the European Parliament at amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been ca Eye Dam. 1: Serious eye damage, Categ Label elements: CLP Regulation (EC) No 1272/2008: Danger	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008. gory 1, H318
2.1	Classification of the substance or mixt This product contains less than 1% of cry 1272/2008 of the European Parliament at amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been ca Eye Dam. 1: Serious eye damage, Catego Label elements: CLP Regulation (EC) No 1272/2008: Danger CLP Regulation (EC) No 1272/2008: Danger Hazard statements:	ture: rstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006. arried out in accordance with CLP Regulation (EC) No 1272/2008. gory 1, H318
2.1	Classification of the substance or mixit This product contains less than 1% of cry 1272/2008 of the European Parliament at amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been ca Eye Dam. 1: Serious eye damage, Categ Label elements: CLP Regulation (EC) No 1272/2008: Danger Weight Statements: Eye Dam. 1: H318 - Causes serious eye Precautionary statements: P280: Wear protective gloves/protective	ture:   vstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.   arried out in accordance with CLP Regulation (EC) No 1272/2008.   gory 1, H318   damage.   clothing/respiratory protection/eye protection/protective footwear.   autiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
2.1	Classification of the substance or mixit This product contains less than 1% of cry 1272/2008 of the European Parliament and amending and repealing Directives 67/54 CLP Regulation (EC) No 1272/2008: Classification of this product has been can Eye Dam. 1: Serious eye damage, Categon Label elements: CLP Regulation (EC) No 1272/2008: Danger Hazard statements: Eye Dam. 1: H318 - Causes serious eye Precautionary statements: P280: Wear protective gloves/protective P305+P351+P338: IF IN EYES: Rinse ca	ture:   vstalline silica breathable fraction, so it does not require classification based on the provisions of Regulation (EU) nd of the Council, of December 16, 2008, on classification, labeling and packaging of substances and mixtures, an 8/EEC and 1999/45/EC and amending Regulation (EC) No 1907/2006.   arried out in accordance with CLP Regulation (EC) No 1272/2008.   gory 1, H318   damage.   clothing/respiratory protection/eye protection/protective footwear.   autiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. loctor.

UFI: JXF0-00J8-D000-SNT9

#### 2.3 Other hazards:

Product does not meet PBT/vPvB criteria

Endocrine-disrupting properties: The product does not meet the criteria.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substance:

Non-applicable

#### Mixture: 3.2

Chemical description: Mixture of hydraulic binders, lime, aggregates and additives



### PERMACOLOR 24-034XX-E6025-M



### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

#### Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification	Chemical name/Classification			
CAS: 65997-16-2 Cement, alumina, chemicals <sup>(1)</sup>		nicals <sup>(1)</sup>	Self-classified		
EC: Index: REACH:	266-045-5 Non-applicable 01-2119989490-26-XXXX	-XXXX Regulation 1272/2008 Eye Irrit. 2: H319 - Warning		(1)	20 - <25 %
CAS: EC:	65997-15-1 266-043-4	Cement, portland, chemica cement) <sup>(1)</sup>	Is (contains less than 0,0002 $\%$ soluble chromium (VI) of the total dry weight of the	Self-classified	
Index: REACH:	Non-applicable Non-applicable	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315; STOT SE 3: H335 - Danger	()	3 - <5 %

<sup>(1)</sup> Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

#### To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

### SECTION 4: FIRST AID MEASURES

#### 4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

### By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

#### By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor. By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

#### By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

### 4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

### 4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

### SECTION 5: FIREFIGHTING MEASURES

#### 5.1 Extinguishing media:

#### Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. **Unsuitable extinguishing media:** 

Non-applicable

#### 5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

### 5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC. Additional provisions:



## PERMACOLOR 24-034XX-E6025-M



### SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures:

### For non-emergency personnel:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

# 6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal

### 6.4 Reference to other sections:

See sections 8 and 13.

### SECTION 7: HANDLING AND STORAGE

### 7.1 Precautions for safe handling:

- A.- General precautions for safe use
  - Use in ventilated areas. Avoid the build up of dust
- B.- Technical recommendations for the prevention of fires and explosions

12 Months

Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

### 7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
  - Maximum time:
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Keep the container tightly sealed and protected from open air and humidity.

### 7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):



# PERMACOLOR 24-034XX-E6025-M



## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short ex	xposure	Long ex	xposure
Identification		Systemic	Local	Systemic	Local
Cement, alumina, chemicals	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 65997-16-2	Dermal	Not relevant	Not relevant	Not relevant	Not relevant
EC: 266-045-5	Inhalation	5 mg/m³	Not relevant	2,5 mg/m³	Not relevant

### **DNEL (General population):**

### Not relevant

PNEC:

Identification				
Cement, alumina, chemicals	STP	10 mg/L	Fresh water	260 mg/L
CAS: 65997-16-2	Soil	Not relevant	Marine water	Not relevant
EC: 266-045-5	Intermittent	260 mg/L	Sediment (Fresh water)	Not relevant
	Oral	Not relevant	Sediment (Marine water)	Not relevant

### 8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

### B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Compulsory use of face mask	Filter mask for particles (Filter type: FFP2)		EN 149:2001+A1:2009	Replace when an increase in resistence to breathing is observed.

### C - Specific protection for the hands

Pictogra	m	PPE	Labelling	CEN Standard	Remarks
Mandatory	nand	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks	
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.	

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods o prolonged exposure to the product for professional/industria users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007





### PERMACOLOR 24-034XX-E6025-M



### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Emergency measure	Standards	Emergency measure	Standards
+	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011		DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011
Emergency shower		Eyewash stations	

Eksponeringsscenarie: PROC19 Professionel brug af hydrauliske materialer til byggeri og konstruktion (indvendigt, udvendigt).

Professionel anvendelse af højpolerede faste stoffer / pulvere af kalkbaserede stoffer.

Eksponering: <240 minutter.

Lokaliserede kontroller: Lokaliserede kontroller er ikke anvendelige. Behandles kun i godt ventilerede eller udendørs miljøer (effektivitet: 50%). Åndedrætsværn (RPE): FFP2 maske

RPE-effektivitet - tildelt beskyttelsesfaktor APF = 20

Yderligere personlige værnemidler (PPE): Øjenværn bør bæres, medmindre, på grund af arten og typen af anvendelse (dvs. lukket proces), potentiel kontakt med øjnene ikke kan udelukkes. Bær også ansigtsbeskyttelse, beskyttelsestøj, beskyttelseshandsker og passende sikkerhedssko

### Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

# Volatile organic compounds:


With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0 % weight
V.O.C. density at 20 °C:	0 kg/m³ (0 g/L)
Average carbon number:	Not relevant
Average molecular weight:	Not relevant

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1	Information on basic physical and chemical proper	ties:
	Appearance:	
	Physical state at 20 °C:	Solid
	Appearance:	Powdery
	Colour:	According to the markings on the package
	Odour:	Odourless
	Odour threshold:	Not relevant *
	Volatility:	
	Boiling point at atmospheric pressure:	Not relevant *
	Vapour pressure at 20 °C:	Not relevant *
	Vapour pressure at 50 °C:	Not relevant *
	Evaporation rate at 20 °C:	Not relevant *
	Product description:	
	Density at 20 °C:	1200 kg/m³
	Relative density at 20 °C:	1,2
	Dynamic viscosity at 20 °C:	Not relevant *
	Kinematic viscosity at 20 °C:	Not relevant *
	Kinematic viscosity at 40 °C:	Not relevant *
	Concentration:	Not relevant *
	pH:	9,5 - 10,5 (at 50 %)
	Vapour density at 20 °C:	Not relevant *
	Partition coefficient n-octanol/water 20 °C:	Not relevant *
	Solubility in water at 20 °C:	Not relevant *
	Solubility properties:	Water miscible
	*Not relevant due to the nature of the product, not providing inform	ation property of its hazards.

- CONTINUED ON NEXT PAGE -





## PERMACOLOR 24-034XX-E6025-M



SECT	ION 9: PHYSICAL AND CHEMICAL PROPERTIES (contin	nued)
	Decomposition temperature:	Not relevant *
	Melting point/freezing point:	Not relevant *
	Flammability:	
	Flash Point:	Non-applicable
	Flammability (solid, gas):	Not relevant *
	Autoignition temperature:	430 °C
	Lower flammability limit:	Not relevant *
	Upper flammability limit:	Not relevant *
	Explosive (Solid):	
	Lower explosive limit:	Not relevant *
	Upper explosive limit:	Not relevant *
	Particle characteristics:	
	Median equivalent diameter:	Not relevant *
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Not relevant *
	Oxidising properties:	Not relevant *
	Corrosive to metals:	Not relevant *
	Heat of combustion:	Not relevant *
	Aerosols-total percentage (by mass) of flammable components:	Not relevant *
	Other safety characteristics:	
	Surface tension at 20 °C:	Not relevant *
	Refraction index:	Not relevant *
	*Not relevant due to the nature of the product, not providing information property	of its hazards.

# SECTION 10: STABILITY AND REACTIVITY

### 10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

### 10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

### 10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

#### 10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Avoid direct impact

### 10.5 Incompatible materials:


· ·				
Acids	Water	Oxidising materials	Combustible materials	Others
Incompatible	Silicate formation and calcium hydroxide	Not applicable	Not applicable	Base metal salts (Al, NH4,)

### 10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide ( $CO_2$ ), carbon monoxide and other organic compounds.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:





### PERMACOLOR 24-034XX-E6025-M



### SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

#### Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
  - Acute toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for consumption. For more information see section 3
  - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for
  - this effect. For more information see section 3.
- B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Produces serious eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.

IARC: Polyvinyl acetate (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

### Other information:

Contact with human skin, without adequate protection, can result in skin thickening, cracking, or fissuring

### Specific toxicology information on the substances:

Not available

#### 11.2 Information on other hazards:

#### Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

#### Other information

Not relevant



### PERMACOLOR 24-034XX-E6025-M



### SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

12.1 Toxicity:

Not available

#### 12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

Insoluble in water, soluble in organic solvents

# 12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

# 12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

### 12.7 Other adverse effects:

Not described

### SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	Hazardous	

Product - Cement that has exceeded its shelf life: 10 13 99

Product - Unused residue or dry spillage: 10 13 06

Product - after addition of water, hardened: 10 13 14, 17 01 01

Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant - skin irritation and eye damage

#### Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. Waste should not be disposed of to drains. See paragraph 6.2.

### Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

### SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

#### SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- Article 95, REGULATION (EU) No 528/2012: Not relevant

- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:



PERMACOLOR 24-034XX-E6025-M



## SECTION 15: REGULATORY INFORMATION (continued)

### Not relevant

#### Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc ....):

1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

Laboral exposure to respirable crystalline silica must be controlled in accordance with Directive (EU) 2022/431, of the European Parliament and of the Council, of March 9, 2022, amending Directive 2004/37/EC, relating to the protection of workers against risks related to exposure to carcinogens or mutagens during work.

#### Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

### Other legislation:

The product could be affected by sectorial legislation

#### 15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

### SECTION 16: OTHER INFORMATION

#### Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks:

Not relevant

#### Texts of the legislative phrases mentioned in section 2:

H318: Causes serious eye damage.

#### Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

#### CLP Regulation (EC) No 1272/2008:

Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. Skin Irrit. 2: H315 - Causes skin irritation. STOT SE 3: H335 - May cause respiratory irritation.

### Classification procedure:

Eye Dam. 1: Calculation method

#### Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

#### Principal bibliographical sources:

http://echa.europa.eu

# http://eur-lex.europa.eu

### Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Dose 50 LC50: Effective concentration 50 EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UE1: unique formula identifier

Date of compilation: 13/02/2024 Version: 1

IARC: International Agency for Research on Cancer



## PERMACOLOR 24-034XX-E6025-M



The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.