



Profiles & Trims Catalog

2025

Take Your Design to the Edge™

www.laticrete.com

A modern interior space featuring large, vertical wood-grain wall panels in a dark grey or black finish. To the right, a wall is covered in square stone tiles with a natural, speckled texture. In the foreground, a dark wood console table holds two large, teal-colored ceramic vases. A white built-in shelf is mounted on the wood-grain wall, displaying three wireframe vases and some dried branches. The floor is made of light-colored wood planks. A teal-colored sofa is partially visible in the bottom right corner.

LATICRETE offers a comprehensive line of profiles and trims including a broad range of materials, finishes and colors in a multitude of shapes and sizes, making it easy to find the right product for the job. German-engineered and manufactured, **LATICRETE® Profiles & Trims** meet the highest quality of standards to ensure the best installation experience and final appearance for years to come.

Available in a variety of colors, perfectly matched for a flawless finish with grout, caulks, and sealants.

See product pages for details.

**ABOUT LATICRETE**

4 - 13

Brand Promises	4
Warranties	5
Customer Support	6
Training	7
Installation Systems	8 - 11
LATICRETE Portfolio	12 - 13

**TILE PROFILES**

14 - 51

L-Shape Edge Profiles	15 - 24
Finishing Profiles	25
Square Edge Profiles	26 - 33
Round Edge Profiles	34 - 48
Decorative Border Profiles	49
Cove Profiles	50
T-Shape Profiles	51

**STAIR NOSING & TRANSITION PROFILES**


52 - 55

Stair Nosing Profiles	53
Transition Profiles	54 - 55

**SKIRTING PROFILES**

56 - 57

Skirting Profiles	57
-------------------------	----

**EXPANSION & MOVEMENT JOINT PROFILES**

58 - 61

Expansion & Movement Joint Profiles	59 - 61
---	---------

**INFORMATION**

62 - 70

Part Number Explanation & Codes	62 - 63
Finish/Color Swatches	64 - 66
Profiles Material Characteristics & Maintenance	67
Service Terms	68 - 69
Coordinating Profile/Grout Colors	70



Icon indicates a standard LATICRETE color available in LATICRETE Grouts, Profiles & Trims, and Caulks & Sealants.



Additional Profiles & Trims available at laticrete.me

Consult our website at www.laticrete.me for the most current version of product data sheets, warranties, and MSDS sheets. The content of this catalog is for informational purposes only. Refer to individual product data sheets and warranties for complete information. Finishes and color swatches are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types/color of the product used, and may vary from the finishes/colors shown. Verify actual appearance and compatibility before installing. No claims for color shade variations will be honored. The colors and finishes shown may not be available in all profile materials, shapes, and sizes. Contact customer service or your LATICRETE Sales Representative for confirmation.



OUR PROMISE TO YOU

The LATICRETE Brand Promises are a company-wide global initiative that builds upon our legacy of research and development of innovative installation products, systems and solutions.

They serve as a call-to-action and highlight six strategic areas of focus:

- Developing innovative solutions,
- Committing to sustainability,
- Enabling iconic design,
- Fostering trust for life,
- Providing the best installer experience, and
- Serving customers as family.

These promises are the cornerstone of our company mission.



Laticrete® offers the best system warranties* in the industry

Unmatched Peace of Mind

LATICRETE takes pride in delivering comprehensive system warranty packages and superior service through industry-leading support. With training from our highly experienced technical support team and quick, easy access to supportive online tools, we provide everything you need to ensure high-performance solutions.



LATICRETE 10 Year System Warranty. Data Sheet 230.10	
APPLICATION	PRODUCTS
Underlayment / Surface Preparation	3701 Fortified Mortar Bed Level with Level Primer 226 Thick Bed Mortar with 3701 Mortar Admix
Vapor Reduction	LATICRETE® Moisture Vapor Barrier
Waterproofing Membrane	9237 Waterproofing Membrane 302 Waterproof Slurry 9235 Waterproofing Membrane
Sound Control/Anti fracture	170 Sound & Crack Isolation Mat 125 Sound & Crack Adhesive
Thin bed method	345 254 Platinum 254 Platinum Rapid 335 Premium + Tile Adhesive 325 Premium Tile Adhesive 4237 Latex Thin-Set Mortar Additive with any of the following: 211 Crete Filler Powder/ 317 Floor N' Wall Thin-Set Mortar 3701 Mortar Admix or Laticrete 282 Mortar Admix with any of the following: 315 Tile Adhesive Thin-Set Mortar / 317 Floor & Wall Thin-Set Mortar (Exterior use limited to Residential/Light Commercial applications. Do not use in areas not subject to water immersion) 255 MultiMax Multipurpose Thin-Set Mortar (US Patent No. 6,784,229 B2) LATAPOXY® 300 Epoxy Adhesive
Thick Bed Adhesive	220 Marble & Granite Thick Bed Adhesive
Spot Bonding	LATAPOXY® 310 Stone Adhesive -Standard and Rapid Grade
Grouting	SPECTRALOCK® PRO Premium Grout* (non-industrial applications) LATAPOXY® 2000 Industrial Epoxy Grout PermaColor™ Grout 1776 Grout Admix Plus mixed with any of the following: 1500 Sanded Grout OR 1600 Unsanded Grout
Sealant†	LATASIL™ LATASIL™ 9118 Primer
Sealer (Stone care and Maintenance)	STONETECH® Bulletproof® Sealer STONETECH® Impregnator Pro® Sealer STONETECH® Heavy Duty Sealer
Profiles & Trims	Aluminum Brass Stainless Steel

LIMITED WARRANTY

Subject to the conditions and limitations stated below, LATICRETE MIDDLE EAST LLC. ("LATICRETE") warrants that the products listed on this document will be free from manufacturing defects and will not break down or deteriorate under normal usage for a period of ten (10) years from the date of purchase when installed in accordance with LATICRETE's written specifications and industry standard guidelines. For this limited warranty to apply, the applications that comprise the installation must be performed with the products listed in this document for each application

(Refer to chart).

DISCLAIMER: THIS LIMITED WARRANTY IS GIVEN IN LIEU OF ANY OTHER WARRANTY, EXPRESSED OR IMPLIED. THERE ARE NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES BASED ON SAMPLES OR ORAL STATEMENTS, WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE OF THIS DOCUMENT. IMPLIED WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE ARE EXCLUDED.

EXCLUSIVE REMEDY

The sole and exclusive remedy for a breach of this limited warranty is replacement of only the specific portion of the installation that is proven to be defective*. LATICRETE will pay for replacement of its own products and replacement of finishing materials, as well as for labor for the replacement installation, but LATICRETE will not pay more, calculated on a square-foot basis, for the replacement than the original purchase price of the portion being replaced. LATICRETE will not pay for replacement of any portion of the installation that is not proven to be defective. In the event that the sole and exclusive remedy described above fails of its essential purpose, LATICRETE's liability is limited to the dollar value, on a square-foot basis, of the original purchase price of the portion being replaced. Notwithstanding the previous paragraphs, exterior facades with ceramic tile or stone installed over substrates with steel or wood framing do not qualify for this limited warranty – see Data Sheet 230.15 for such applications.

EXCLUSIONS

LATICRETE is not responsible for workmanship not in accordance with LATICRETE's instructions and industry standard guidelines. Cracking due to structural movement, excessive deflection or other failure in the substrate is also not covered.

LATICRETE IS NOT LIABLE FOR ANY INCIDENTAL DAMAGES OR CONSEQUENTIAL DAMAGES, INCLUDING LOSSES DUE TO DELAYS, INCURRED BY THE PURCHASER OR ANY OTHER PARTY.

***NOTE:** Efflorescence is a normal condition of portland cement mortars and is not a defective condition.

NO ASSIGNMENT

This limited warranty is not transferable or assignable

HOW TO MAKE A CLAIM

To make a claim under this limited warranty, you must notify LATICRETE in writing within thirty (30) days of the discovery of the alleged manufacturing defect. At LATICRETE's option, you may be required, as a condition of this limited warranty, to provide proof of product purchase and use.

Address your claim to:
LATICRETE MIDDLE EAST LLC.,
P.O. Box: 86028, Ras Al Khaimah, U.A.E.
Attn: Technical Service Department

TECHNICAL INFORMATION

Technical assistance and information is available by calling the LATICRETE Technical Service Line:
Toll free 800 5632 (within UAE),
Telephone: + 971 7 244 6396, Fax: +971 7 244 5915

†Use of suitable flexible sealant is required per Tile Council of America Detail EJ171 for use in expansion joints, coves, corners, changes in plane and other joints or wherever tile or stone abuts dissimilar materials or restraining surfaces.

* Contact LATICRETE Middle East Technical service department for any specific product / system warranty not covered above.

WORLD CLASS TECHNICAL SUPPORT

You're never alone when working with LATICRETE. Our Technical Services team is available to answer any and all questions you may have when it comes to installing our products. Reach out anytime, and one of our in-house experts will get you the answers you're looking for.




Call Us
+971 72 446 396



Email Us
technicalservice@laticrete.me



Solutions for You




EDUCATION & TRAINING MADE EASY

Take advantage of FREE training engineered with your needs in mind. Stay up to date with the latest products, industry standards, and help get new employees up to speed fast. We offer a variety of convenient programs, and if there is a topic or product you need more training on, let us know.



LATICRETE University

Learn industry standards and the latest product information in short, self-guided lessons available 24/7. Check them out at laticreteuniversity.com.



On-Site Demos & Training

Need training for associates or customers? Schedule a demo to help improve the knowledge of your team or boost in-store sales with customers. Reach out to a sales rep to schedule.



PROFIT THROUGH KNOWLEDGE TRAINING

Profit Through Knowledge

Get hands-on with LATICRETE products and learn step by step installations from our expert installers. Contact our technical services team to discuss potential trainings.



YouTube Videos

Tips and tricks, product announcements, how-tos and more! Be sure to subscribe to the LATICRETE channel to stay up to date on the latest videos.



American Institute of Architects Certified Courses

Earn AIA credits, and learn the latest industry standards, how to avoid installation failures, and get tools designed to streamline the specification process. Full course listing at laticrete.com/aiaces.



APPROVED COURSE

ASID • IDC • IDEC • IIDA

International Design Continuing Education Council

Strengthen your understanding and skills in designing a project, creating boldly unique projects that will stand the test of time.



Scan to learn more about Education & Training

Unlock a World of

LATICRETE® Now Offers Profiles & Trims!

Profile: Square Edge, Texture Coated Aluminum in Matte Black

Caulk & Sealant: LATASIL™

Grout: SPECTRALOCK® 1

Tile Adhesive: 254 PLATINUM™

Waterproofing Membrane: HYDRO BAN® Board

Drain: HYDRO BAN Drains

Self-Leveling Underlayment: NXT® Level Plus


Radiant Floor Heating Components:

STRATA_HEAT™ Mat and STRATA_HEAT Spliceless Wire

With an extensive selection of shapes, sizes, and finishes for profiles and trims, we make it even easier for you to find a complete system solution from the substrate up.



Possibilities




Learn more at laticrete.com/profiles



ONE SOURCE. LIMITLESS CAPABILITIES.

From Profiles to the Complete LATICRETE® System.


LATICRETE provides an extensive range of profiles and trims designed for edging, nosing, and seamless transitions. Compatible with various floor coverings such as tile, stone, terrazzo, wood, LVT, and more, these products can be effortlessly installed both indoors and outdoors. Whether in kitchens, bathrooms, commercial spaces, or residential settings, you can **Take Your Design to the Edge™** with LATICRETE and ensure a reliable installation.



Specify, design, install, or sell a complete single source installation system from the substrate up — all backed by a 100% labor and materials system warranty. Let our experience, product quality, and technical support assist you on your next project — whatever the application.


FLOOR INSTALLATION SYSTEMS

Design seamless transitions for tile to wood or carpet flooring.




WALL INSTALLATION SYSTEM


Protect tile edges and elevate your design.



TRANSITION PROFILE



ROUNDED EDGE PROFILE



BUILDING SYSTEM SOLUTIONS

Since 1956, LATICRETE has been at the forefront of the industry, leading with pioneering advancements that redefine high-performance tile and stone installation systems and building finishing solutions. We strive to empower architects and construction professionals worldwide with top-notch support and building material solutions.

Tile & Stone Installation Systems



CSI Division 9

Ensure a successful installation each and every time with the most comprehensive assortment of innovative tile and stone installation materials available worldwide. Our industry-leading products offer complete system solutions from the substrate up through the grout for virtually any type of tile or stone installation in commercial, industrial, and residential applications.

Product categories include surface preparation, waterproofing, shower systems, sound control, anti-fracture, floor heating, adhesive mortars, grouts, sealers, cleaners, profiles & trims — all designed to work together, providing a comprehensive installation solution.

Shower Installation Systems



CSI Division 9

The HYDRO BAN® shower system provides everything needed for a worry-free installation. As a single-source supplier for shower installation systems, we offer waterproof membranes, shower pans, benches, niches and drains all with the trusted performance expected from the HYDRO BAN waterproofing line.

Complete your shower by choosing from our adhesives, grouts, sealants and caulks for a beautiful installation that is backed by the industry's best warranty.

Radiant Floor Heating



CSI Division 9

The STRATA_HEAT™ floor heating system is the most advanced radiant floor heating system available in the world. Consisting of a high-performance floor heating wire, an uncoupling mat, two Wi-Fi enabled thermostats and the world's first heat conductive thin-set additive — the system provides you with the most advanced and efficient floor heating system for your next installation.

Concrete & Substrate Preparation



CSI Division 3 & 9

A quality finished floor starts with a properly prepared surface — one that guarantees a long-lasting, durable installation. Our time-tested surface preparation products are formulated to preserve quality by protecting installations from water vapor transmission, sound transmission and cracks. They provide a perfectly level and flat substrate to accommodate a variety of floor finishes including vinyl, wood, carpet and tile.

When combined with the SUPERCAP® System, a high-volume, time-saving delivery system that can pump material up to 50 stories high, you can expect predictable quality results. L&M™ curing and sealing treatments, floor hardeners, densifiers, and polished concrete systems further ensure your floors are safe, resilient, and easy to maintain.

Reliable time-tested classics to groundbreaking innovations, our extensive product portfolio offers superior quality and unbeatable support. We are fully committed to a complete system approach, and our offerings align seamlessly with CSI specification sections.

Profiles & Trims



CSI Division 9

Whether looking for a sleek, modern look or a more traditional design, this line offers the flexibility and versatility to achieve any aesthetic in commercial and residential applications. Available in aluminum, stainless steel, brass, and PVC, these profiles and trim pieces are crafted with the utmost precision, to create premium-quality and a consistent appearance from piece to piece.

Our profiles and trims can protect tile edges and enhance safety all while providing a decorative finishing touch to any room. The comprehensive line includes edging in various shapes, coves, stair nosing, skirting, transitions, and expansion joints - and is compatible with various flooring such as tile, carpet, vinyl, wood and more.

Tile, Stone & Surface Care



CSI Division 9

Reliable and high-performing surface care solutions branded STONETECH®, are designed to clean, protect, restore and enhance. Highly effective at preventing oil, water and stain damage, this range offers natural-look sealers that protect porous stone and tile surfaces but do not alter the surface appearance as well as enhancing sealers that can revive the color or finish of a surface all while protecting.

STONETECH cleaners ranging from daily to heavy duty problem-solving solutions will eliminate everyday spills and restore the appearance without harming the intended surface. Preserve the beauty of stone, tile, and grout with STONETECH.

Adhered Façade & Wall Finish Systems



CSI Division 4 & 7

Keep up with the increasing popularity of adhered masonry veneers. Trust your installations to a complete productivity-boosting system designed to deliver superior, long-term performance on masonry projects of all types including residential, commercial, and industrial applications.

Unlike traditional methods and materials, our Masonry Veneer Installation System (MVIS™) is engineered to create permanent, high-strength installations that use a revolutionary waterproofing technology to protect against weather and water intrusion, as well as provide freeze/thaw stability. MVIS is designed for thin-brick, manufactured stone and natural stone veneers for interior and exterior applications.

Resinous Coating & Floor Finish Systems



CSI Division 3 & 9


Offer unparalleled integral colors, textures, and finishes with high-performance coatings, overlayments, and restoration solutions that give owners exceptionally attractive, durable floors. With the SPARTACOTE® system, the decorative finishes allow you to deliver vivid color and gloss with high impact and wear resistance, quick turnaround, and low maintenance.



TILE PROFILES

PAGE 14 - 51

Tile profiles are designed to protect and visually enhance any finished tiled floor, wall or countertop. Ranging from multiple decorative shaped edges to coves, borders, transitions and more, LATICRETE® tile profiles come in many different materials, finishes and colors that can create a unique, sharp look to any room. The design possibilities are endless.



L-SHAPE EDGE PROFILES MADE OF STAINLESS STEEL 304

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS5-E080GLO-01
3/8	10.0	LS5-E100GLO-01
1/2	12.5	LS5-E125GLO-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS5-E080BRU-01
3/8	10.0	LS5-E100BRU-01
1/2	12.5	LS5-E125BRU-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS6-E080CRP-01
3/8	10.0	LS6-E100CRP-01
1/2	12.5	LS6-E125CRP-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS6-E080GLG-01
3/8	10.0	LS6-E100GLG-01
1/2	12.5	LS6-E125GLG-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS6-E080BLG-01
3/8	10.0	LS6-E100BLG-01
1/2	12.5	LS6-E125BLG-01





L-SHAPE EDGE PROFILES MADE OF ALUMINUM


Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS1-A080NAT-01
3/8	10.0	LS1-A100NAT-01
1/2	12.5	LS1-A125NAT-01



L-SHAPE EDGE PROFILES MADE OF ANODIZED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080SAT-01
3/8	10.0	LS2-A100SAT-01
1/2	12.5	LS2-A125SAT-01
Length: 10' (3.0 m)		
3/8	10.0	LS2-A100SAT-02
1/2	12.5	LS2-A125SAT-02





L-SHAPE EDGE PROFILES MADE OF ANODIZED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080PCR-01
3/8	10.0	LS2-A100PCR-01
1/2	12.5	LS2-A125PCR-01
Length: 10' (3.0 m)		
5/16	8.0	LS2-A080PCR-02
3/8	10.0	LS2-A100PCR-02
1/2	12.5	LS2-A125PCR-02



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080BCR-01
3/8	10.0	LS2-A100BCR-01
1/2	12.5	LS2-A125BCR-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080SNI-01
3/8	10.0	LS2-A100SNI-01
1/2	12.5	LS2-A125SNI-01
Length: 10' (3.0 m)		
5/16	8.0	LS2-A080SNI-02
3/8	10.0	LS2-A100SNI-02
1/2	12.5	LS2-A125SNI-02



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080BNI-01
3/8	10.0	LS2-A100BNI-01
1/2	12.5	LS2-A125BNI-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080PNI-01
3/8	10.0	LS2-A100PNI-01
1/2	12.5	LS2-A125PNI-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080SBR-01
3/8	10.0	LS2-A100SBR-01
1/2	12.5	LS2-A125SBR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080BBR-01
3/8	10.0	LS2-A100BBR-01
1/2	12.5	LS2-A125BBR-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080ABB-01
3/8	10.0	LS2-A100ABB-01
1/2	12.5	LS2-A125ABB-01
Length: 10' (3.0 m)		
5/16	8.0	LS2-A080ABB-02
3/8	10.0	LS2-A100ABB-02
1/2	12.5	LS2-A125ABB-02





L-SHAPE EDGE PROFILES MADE OF ANODIZED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080BGR-01
3/8	10.0	LS2-A100BGR-01
1/2	12.5	LS2-A125BGR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080BCU-01
3/8	10.0	LS2-A100BCU-01
1/2	12.5	LS2-A125BCU-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080HGB-01
3/8	10.0	LS2-A100HGB-01
1/2	12.5	LS2-A125HGB-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS2-A080BBL-01
3/8	10.0	LS2-A100BBL-01
1/2	12.5	LS2-A125BBL-01





L-SHAPE EDGE PROFILES MADE OF COLOR COATED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS3-A080BWH-01
3/8	10.0	LS3-A100BWH-01
1/2	12.5	LS3-A125BWH-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS3-A100SPE-01
1/2	12.5	LS3-A125SPE-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS3-A080MUS-01
3/8	10.0	LS3-A100MUS-01
1/2	12.5	LS3-A125MUS-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS3-A100LBE-01
1/2	12.5	LS3-A125LBE-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS3-A080FRO-01
3/8	10.0	LS3-A100FRO-01
1/2	12.5	LS3-A125FRO-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS3-A100MHG-01
1/2	12.5	LS3-A125MHG-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS3-A100GRE-01
1/2	12.5	LS3-A125GRE-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS3-A100BLB-01
1/2	12.5	LS3-A125BLB-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS3-A080MBL-01
3/8	10.0	LS3-A100MBL-01
1/2	12.5	LS3-A125MBL-01





L-SHAPE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080MBW-01
3/8	10.0	LS4-A100MBW-01
1/2	12.5	LS4-A125MBW-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080BRW-01
3/8	10.0	LS4-A100BRW-01
1/2	12.5	LS4-A125BRW-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080SAU-01
3/8	10.0	LS4-A100SAU-01
1/2	12.5	LS4-A125SAU-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100ALM-01
1/2	12.5	LS4-A125ALM-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080IVO-01
3/8	10.0	LS4-A100IVO-01
1/2	12.5	LS4-A125IVO-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080MBE-01
3/8	10.0	LS4-A100MBE-01
1/2	12.5	LS4-A125MBE-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100FOS-01
1/2	12.5	LS4-A125FOS-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080STS-01
3/8	10.0	LS4-A100STS-01
1/2	12.5	LS4-A125STS-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100HOC-01
1/2	12.5	LS4-A125HOC-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100MUS-01
1/2	12.5	LS4-A125MUS-01





L-SHAPE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100SIL-01
1/2	12.5	LS4-A125SIL-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100BUC-01
1/2	12.5	LS4-A125BUC-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100TAL-01
1/2	12.5	LS4-A125TAL-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100PAR-01
1/2	12.5	LS4-A125PAR-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100SAB-01
1/2	12.5	LS4-A125SAB-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080ANW-01
3/8	10.0	LS4-A100ANW-01
1/2	12.5	LS4-A125ANW-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080LIP-01
3/8	10.0	LS4-A100LIP-01
1/2	12.5	LS4-A125LIP-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080NAG-01
3/8	10.0	LS4-A100NAG-01
1/2	12.5	LS4-A125NAG-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100LAT-01
1/2	12.5	LS4-A125LAT-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080DKH-01
3/8	10.0	LS4-A100DKH-01
1/2	12.5	LS4-A125DKH-01





L-SHAPE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080WAL-01
3/8	10.0	LS4-A100WAL-01
1/2	12.5	LS4-A125WAL-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080SMG-01
3/8	10.0	LS4-A100SMG-01
1/2	12.5	LS4-A125SMG-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080GRG-01
3/8	10.0	LS4-A100GRG-01
1/2	12.5	LS4-A125GRG-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080SIS-01
3/8	10.0	LS4-A100SIS-01
1/2	12.5	LS4-A125SIS-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080FRO-01
3/8	10.0	LS4-A100FRO-01
1/2	12.5	LS4-A125FRO-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100STE-01
1/2	12.5	LS4-A125STE-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100IRO-01
1/2	12.5	LS4-A125IRO-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080MIN-01
3/8	10.0	LS4-A100MIN-01
1/2	12.5	LS4-A125MIN-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100TEC-01
1/2	12.5	LS4-A125TEC-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100QUR-01
1/2	12.5	LS4-A125QUR-01





L-SHAPE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100ESP-01
1/2	12.5	LS4-A125ESP-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100SAS-01
1/2	12.5	LS4-A125SAS-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100HEM-01
1/2	12.5	LS4-A125HEM-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100STG-01
1/2	12.5	LS4-A125STG-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080MOC-01
3/8	10.0	LS4-A100MOC-01
1/2	12.5	LS4-A125MOC-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080CBR-01
3/8	10.0	LS4-A100CBR-01
1/2	12.5	LS4-A125CBR-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100AUG-01
1/2	12.5	LS4-A125AUG-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080SGR-01
3/8	10.0	LS4-A100SGR-01
1/2	12.5	LS4-A125SGR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080DUG-01
3/8	10.0	LS4-A100DUG-01
1/2	12.5	LS4-A125DUG-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100TWB-01
1/2	12.5	LS4-A125TWB-01





L-SHAPE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080PLA-01
3/8	10.0	LS4-A100PLA-01
1/2	12.5	LS4-A125PLA-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	LS4-A100SLG-01
1/2	12.5	LS4-A125SLG-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080RAV-01
3/8	10.0	LS4-A100RAV-01
1/2	12.5	LS4-A120RAV-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080MIB-01
3/8	10.0	LS4-A100MIB-01
1/2	12.5	LS4-A125MIB-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS4-A080MBL-01
3/8	10.0	LS4-A100MBL-01
1/2	12.5	LS4-A125MBL-01



L-SHAPE EDGE PROFILES MADE OF PVC

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS8-P080BWH-01
3/8	10.0	LS8-P100BWH-01
1/2	12.5	LS8-P125BWH-01
Length: 10' (3.0 m)		
5/16	8.0	LS8-P080BWH-02
3/8	10.0	LS8-P100BWH-02
1/2	12.5	LS8-P125BWH-02



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS8-P080ALM-01
3/8	10.0	LS8-P100ALM-01
1/2	12.5	LS8-P125ALM-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS8-P080FRO-01
3/8	10.0	LS8-P100FRO-01
1/2	12.5	LS8-P125FRO-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	LS8-P080BLK-01
3/8	10.0	LS8-P100BLK-01
1/2	12.5	LS8-P125BLK-01






FINISHING PROFILES MADE OF STAINLESS STEEL 304
inclined version 135°

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	FP1-E090GLO-01
3/8	10.0	FP1-E110GLO-01
1/2	12.5	FP1-E125GLO-01




FINISHING PROFILES MADE OF ANODIZED ALUMINUM
inclined version 135°

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125SAT-01




FINISHING PROFILES MADE OF TEXTURE COATED ALUMINUM
inclined version 135°

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125ANW-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125DKH-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125CBR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125MOC-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125RAV-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1/2	12.5	FP1-A125DUG-01



SQUARE EDGE PROFILES MADE OF STAINLESS STEEL 304

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ5-E080GLO-01
3/8	10.0	SQ5-E100GLO-01
1/2	12.5	SQ5-E125GLO-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ5-E080GLO-11
3/8	10.0	SQ5-E100GLO-11
1/2	12.5	SQ5-E125GLO-11

GLOSS



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ5-E080BRU-01
3/8	10.0	SQ5-E100BRU-01
1/2	12.5	SQ5-E125BRU-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ5-E080BRU-11
3/8	10.0	SQ5-E100BRU-11
1/2	12.5	SQ5-E125BRU-11


BRUSHED



* All corner pieces can be used both as internal and external corners.


SQUARE EDGE PROFILES MADE OF ANODIZED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ2-A080SAT-01
3/8	10.0	SQ2-A100SAT-01
1/2	12.5	SQ2-A125SAT-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ2-A080SAT-11
3/8	10.0	SQ2-A100SAT-11
1/2	12.5	SQ2-A125SAT-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ2-A080PCR-01
3/8	10.0	SQ2-A100PCR-01
1/2	12.5	SQ2-A125PCR-01
Length: 10' (3.0 m)		
1/2	12.5	SQ2-A125PCR-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ2-A080PCR-11
3/8	10.0	SQ2-A100PCR-11
1/2	12.5	SQ2-A125PCR-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ2-A100BCR-01
1/2	12.5	SQ2-A125BCR-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ2-A100BCR-11
1/2	12.5	SQ2-A125BCR-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ2-A100SNI-01
1/2	12.5	SQ2-A125SNI-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ2-A100SNI-11
1/2	12.5	SQ2-A125SNI-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ2-A080BNI-01
3/8	10.0	SQ2-A100BNI-01
1/2	12.5	SQ2-A125BNI-01


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ2-A080BNI-11
3/8	10.0	SQ2-A100BNI-11
1/2	12.5	SQ2-A125BNI-11



* All corner pieces can be used both as internal and external corners.

SQUARE EDGE PROFILES MADE OF ANODIZED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ2-A080PNI-01
3/8	10.0	SQ2-A100PNI-01
1/2	12.5	SQ2-A125PNI-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ2-A080PNI-11
3/8	10.0	SQ2-A100PNI-11
1/2	12.5	SQ2-A125PNI-11

POLISHED
NICKEL



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ2-A100ABB-01
1/2	12.5	SQ2-A125ABB-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ2-A100ABB-11
1/2	12.5	SQ2-A125ABB-11

ANTIQUE
BRUSHED
BRONZE



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ2-A100BCU-01
1/2	12.5	SQ2-A125BCU-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ2-A100BCU-11
1/2	12.5	SQ2-A125BCU-11

BRUSHED
COPPER



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ2-A100BBL-01


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ2-A100BBL-11

BRUSHED
HIGH
GLOSS
BLACK



SQUARE EDGE PROFILES MADE OF COLOR COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ3-A100MBL-01
1/2	12.5	SQ3-A125MBL-01


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ3-A100MBL-11
1/2	12.5	SQ3-A125MBL-11

MATTE
BLACK




SQUARE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ4-A100MBW-01
1/2	12.5	SQ4-A125MBW-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100MBW-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ4-A100MBW-11
1/2	12.5	SQ4-A125MBW-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080BRW-01
3/8	10.0	SQ4-A100BRW-01
1/2	12.5	SQ4-A125BRW-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100BRW-02
1/2	12.5	SQ4-A125BRW-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080BRW-11
3/8	10.0	SQ4-A100BRW-11
1/2	12.5	SQ4-A125BRW-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080SAU-01
3/8	10.0	SQ4-A100SAU-01
1/2	12.5	SQ4-A125SAU-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080SAU-11
3/8	10.0	SQ4-A100SAU-11
1/2	12.5	SQ4-A125SAU-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080MBE-01
3/8	10.0	SQ4-A100MBE-01
1/2	12.5	SQ4-A125MBE-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080MBE-11
3/8	10.0	SQ4-A100MBE-11
1/2	12.5	SQ4-A125MBE-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080STS-01
3/8	10.0	SQ4-A100STS-01
1/2	12.5	SQ4-A125STS-01


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080STS-11
3/8	10.0	SQ4-A100STS-11
1/2	12.5	SQ4-A125STS-11



* All corner pieces can be used both as internal and external corners.


SQUARE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080ANW-01
3/8	10.0	SQ4-A100ANW-01
1/2	12.5	SQ4-A125ANW-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100ANW-02
1/2	12.5	SQ4-A125ANW-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080ANW-11
3/8	10.0	SQ4-A100ANW-11
1/2	12.5	SQ4-A125ANW-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080LIP-01
3/8	10.0	SQ4-A100LIP-01
1/2	12.5	SQ4-A125LIP-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080LIP-11
3/8	10.0	SQ4-A100LIP-11
1/2	12.5	SQ4-A125LIP-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080NAG-01
3/8	10.0	SQ4-A100NAG-01
1/2	12.5	SQ4-A125NAG-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080NAG-11
3/8	10.0	SQ4-A100NAG-11
1/2	12.5	SQ4-A125NAG-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080DKH-01
3/8	10.0	SQ4-A100DKH-01
1/2	12.5	SQ4-A125DKH-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100DKH-02
7/16	11.0	SQ4-A110DKH-02
1/2	12.5	SQ4-A125DKH-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080DKH-11
3/8	10.0	SQ4-A100DKH-11
1/2	12.5	SQ4-A125DKH-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080WAL-01
3/8	10.0	SQ4-A100WAL-01
1/2	12.5	SQ4-A125WAL-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080WAL-11
3/8	10.0	SQ4-A100WAL-11
1/2	12.5	SQ4-A125WAL-11



SQUARE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080SMG-01
3/8	10.0	SQ4-A100SMG-01
1/2	12.5	SQ4-A125SMG-01

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ4-A100GRG-01
1/2	12.5	SQ4-A125GRG-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100GRG-02
1/2	12.5	SQ4-A125GRG-02

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080SIS-01
3/8	10.0	SQ4-A100SIS-01
1/2	12.5	SQ4-A125SIS-01

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080FRO-01
3/8	10.0	SQ4-A100FRO-01
1/2	12.5	SQ4-A125FRO-01

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080MIN-01
3/8	10.0	SQ4-A100MIN-01
1/2	12.5	SQ4-A125MIN-01

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	SQ4-A100STG-01
1/2	12.5	SQ4-A125STG-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100STG-02
1/2	12.5	SQ4-A125STG-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080SMG-11
3/8	10.0	SQ4-A100SMG-11
1/2	12.5	SQ4-A125SMG-11


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ4-A100GRG-11
1/2	12.5	SQ4-A125GRG-11

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080SIS-11
3/8	10.0	SQ4-A100SIS-11
1/2	12.5	SQ4-A125SIS-11



Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080FRO-11
3/8	10.0	SQ4-A100FRO-11
1/2	12.5	SQ4-A125FRO-11

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080MIN-11
3/8	10.0	SQ4-A100MIN-11
1/2	12.5	SQ4-A125MIN-11


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
3/8	10.0	SQ4-A100STG-11
1/2	12.5	SQ4-A125STG-11

SMOKE
GREY



GREIGE

SILVER
SHADOW

FROSTY




MINK

STONE
GREY


SQUARE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080MOC-01
3/8	10.0	SQ4-A100MOC-01
1/2	12.5	SQ4-A125MOC-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100MOC-02
7/16	11.0	SQ4-A110MOC-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080MOC-11
3/8	10.0	SQ4-A100MOC-11
1/2	12.5	SQ4-A125MOC-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080CBR-01
3/8	10.0	SQ4-A100CBR-01
1/2	12.5	SQ4-A125CBR-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100CBR-02
1/2	12.5	SQ4-A125CBR-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080CBR-11
3/8	10.0	SQ4-A100CBR-11
1/2	12.5	SQ4-A125CBR-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080SGR-01
3/8	10.0	SQ4-A100SGR-01
1/2	12.5	SQ4-A125SGR-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080SGR-11
3/8	10.0	SQ4-A100SGR-11
1/2	12.5	SQ4-A125SGR-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080DUG-01
3/8	10.0	SQ4-A100DUG-01
1/2	12.5	SQ4-A125DUG-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100DUG-02
1/2	12.5	SQ4-A125DUG-02


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080DUG-11
3/8	10.0	SQ4-A100DUG-11
1/2	12.5	SQ4-A125DUG-11



* All corner pieces can be used both as internal and external corners.


SQUARE EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080PLA-01
3/8	10.0	SQ4-A100PLA-01
1/2	12.5	SQ4-A125PLA-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080PLA-11
3/8	10.0	SQ4-A100PLA-11
1/2	12.5	SQ4-A125PLA-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080RAV-01
3/8	10.0	SQ4-A100RAV-01
1/2	12.5	SQ4-A125RAV-01
Length: 10' (3.0 m)		
3/8	10.0	SQ4-A100RAV-02
1/2	12.5	SQ4-A125RAV-02

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080RAV-11
3/8	10.0	SQ4-A100RAV-11
1/2	12.5	SQ4-A125RAV-11




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080MIB-01
3/8	10.0	SQ4-A100MIB-01
1/2	12.5	SQ4-A125MIB-01

Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080MIB-11
3/8	10.0	SQ4-A100MIB-11
1/2	12.5	SQ4-A125MIB-11



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	SQ4-A080MBL-01
3/8	10.0	SQ4-A100MBL-01
1/2	12.5	SQ4-A125MBL-01
Length: 10' (3.0 m)		
5/16	8.0	SQ4-A080MBL-02
3/8	10.0	SQ4-A100MBL-02
1/2	12.5	SQ4-A125MBL-02


Height (in)	Height (mm)	Item Number
Square Edge Corner Pieces*		
5/16	8.0	SQ4-A080MBL-11
3/8	10.0	SQ4-A100MBL-11
1/2	12.5	SQ4-A125MBL-11



* All corner pieces can be used both as internal and external corners.

ROUND EDGE PROFILES MADE OF STAINLESS STEEL 304

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R05-E080GLO-01
3/8	10.0	R05-E100GLO-01
1/2	12.5	R05-E125GLO-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R05-E080GLO-04
3/8	10.0	R05-E100GLO-04
1/2	12.5	R05-E125GLO-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R05-E080GLO-08
3/8	10.0	R05-E100GLO-08
1/2	12.5	R05-E125GLO-08

GLOSS



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R05-E080BRU-01
3/8	10.0	R05-E100BRU-01
1/2	12.5	R05-E125BRU-01


Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R05-E080BRU-04
3/8	10.0	R05-E100BRU-04
1/2	12.5	R05-E125BRU-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R05-E080BRU-08
3/8	10.0	R05-E100BRU-08
1/2	12.5	R05-E125BRU-08

BRUSHED



ROUND EDGE PROFILES MADE OF ANODIZED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080SAT-01
3/8	10.0	R02-A100SAT-01
1/2	12.5	R02-A125SAT-01
Length: 10' (3.0 m)		
3/8	10.0	R02-A100SAT-02
1/2	12.5	R02-A125SAT-02



Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R02-A080SAT-04
3/8	10.0	R02-A100SAT-04
1/2	12.5	R02-A125SAT-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080SAT-08
3/8	10.0	R02-A100SAT-08
1/2	12.5	R02-A125SAT-08



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080PCR-01
3/8	10.0	R02-A100PCR-01
1/2	12.5	R02-A125PCR-01
Length: 10' (3.0 m)		
5/16	8.0	R02-A080PCR-02
3/8	10.0	R02-A100PCR-02
1/2	12.5	R02-A125PCR-02




Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R02-A080PCR-04
3/8	10.0	R02-A100PCR-04
1/2	12.5	R02-A125PCR-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080PCR-08
3/8	10.0	R02-A100PCR-08
1/2	12.5	R02-A125PCR-08



ROUND EDGE PROFILES MADE OF ANODIZED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080BCR-01
3/8	10.0	R02-A100BCR-01
1/2	12.5	R02-A125BCR-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R02-A080BCR-04
3/8	10.0	R02-A100BCR-04
1/2	12.5	R02-A125BCR-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080BCR-08
3/8	10.0	R02-A100BCR-08
1/2	12.5	R02-A125BCR-08

BRUSHED
CHROME



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080SNI-01
3/8	10.0	R02-A100SNI-01
1/2	12.5	R02-A125SNI-01
Length: 10' (3.0 m)		
5/16	8.0	R02-A080SNI-02
3/8	10.0	R02-A100SNI-02
1/2	12.5	R02-A125SNI-02

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R02-A080SNI-04
3/8	10.0	R02-A100SNI-04
1/2	12.5	R02-A125SNI-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080SNI-08
3/8	10.0	R02-A100SNI-08
1/2	12.5	R02-A125SNI-08

SATIN
NICKEL



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080PNI-01
3/8	10.0	R02-A100PNI-01
1/2	12.5	R02-A125PNI-01


Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R02-A080PNI-04
3/8	10.0	R02-A100PNI-04
1/2	12.5	R02-A125PNI-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080PNI-08
3/8	10.0	R02-A100PNI-08
1/2	12.5	R02-A125PNI-08

POLISHED
NICKEL



ROUND EDGE PROFILES MADE OF ANODIZED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080BNI-01
3/8	10.0	R02-A100BNI-01
1/2	12.5	R02-A125BNI-01
Outside Corners		
5/16	8.0	R02-A080BNI-04
3/8	10.0	R02-A100BNI-04
1/2	12.5	R02-A125BNI-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080BNI-08
3/8	10.0	R02-A100BNI-08
1/2	12.5	R02-A125BNI-08



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R02-A080SBR-01
3/8	10.0	R02-A100SBR-01
1/2	12.5	R02-A125SBR-01
Outside Corners		
5/16	8.0	R02-A080-SBR-01
3/8	10.0	R02-A100SBR-04
1/2	12.5	R02-A125SBR-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R02-A080SBR-08
3/8	10.0	R02-A100SBR-08
1/2	12.5	R02-A125SBR-08




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R02-A100BBR-01
1/2	12.5	R02-A125BBR-01
Outside Corners		
8-Mar	10.0	R02-A100BBR-04
1/2	12.5	R02-A125BBR-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R02-A100BBR-08
1/2	12.5	R02-A125BBR-08



ROUND EDGE PROFILES MADE OF ANODIZED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R02-A100HGB-01
1/2	12.5	R02-A125HGB-01
Outside Corners		
3/8	10.0	R02-A100HGB-04
1/2	12.5	R02-A125HGB-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R02-A100HGB-08
1/2	12.5	R02-A125HGB-08



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R02-A100BBL-01
1/2	12.5	R02-A125BBL-01
Outside Corners		
3/8	10.0	R02-A100BBL-04
1/2	12.5	R02-A125BBL-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R02-A100BBL-08
1/2	12.5	R02-A125BBL-08

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R02-A100ABB-01
1/2	12.5	R02-A125ABB-01
Outside Corners		
3/8	10.0	R02-A100ABB-04
1/2	12.5	R02-A125ABB-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R02-A100ABB-08
1/2	12.5	R02-A125ABB-08




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R02-A100BCU-01
1/2	12.5	R02-A125BCU-01
Outside Corners		
3/8	10.0	R02-A100BCU-04
1/2	12.5	R02-A125BCU-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R02-A100BCU-08
1/2	12.5	R02-A125BCU-08



ROUND EDGE PROFILES MADE OF COLOR COATED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R03-A080BWH-01
3/8	10.0	R03-A100BWH-01
1/2	12.5	R03-A125BWH-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R03-A080BWH-04
3/8	10.0	R03-A100BWH-04
1/2	12.5	R03-A125BWH-04


Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R03-A080BWH-08
3/8	10.0	R03-A100BWH-08
1/2	12.5	R03-A125BWH-08



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R03-A080FRO-01
3/8	10.0	R03-A100FRO-01
1/2	12.5	R03-A125FRO-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R03-A080FRO-04
3/8	10.0	R03-A100FRO-04
1/2	12.5	R03-A125FRO-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R03-A080FRO-08
3/8	10.0	R03-A100FRO-08
1/2	12.5	R03-A125FRO-08




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R03-A100MHG-01
1/2	12.5	R03-A125MHG-01

Height (in)	Height (mm)	Item Number
Outside Corners		
3/8	10.0	R03-A100MHG-04
1/2	12.5	R03-A125MHG-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R03-A100MHG-08
1/2	12.5	R03-A125MHG-08



ROUND EDGE PROFILES MADE OF PVC
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R08-P080SPE-01
3/8	10.0	R08-P100SPE-01
1/2	12.5	R08-P125SPE-01

SAND
PEBBLE




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R08-P080FRO-01
3/8	10.0	R08-P100FRO-01
1/2	12.5	R08-P125FRO-01

FROSTY



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R04-A100MBW-01
1/2	12.5	R04-A125MBW-01
Length: 10' (3.0 m)		
3/8	10.0	R04-A100MBW-02
Outside Corners		
3/8	10.0	R04-A100MBW-04
1/2	12.5	R04-A125MBW-04

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080BRW-01
3/8	10.0	R04-A100BRW-01
1/2	12.5	R04-A125BRW-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080BRW-04
3/8	10.0	R04-A100BRW-04
1/2	12.5	R04-A125BRW-04

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080SAU-01
3/8	10.0	R04-A100SAU-01
1/2	12.5	R04-A125SAU-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080SAU-04
3/8	10.0	R04-A100SAU-04
1/2	12.5	R04-A125SAU-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R04-A100MBW-08
1/2	12.5	R04-A125MBW-08


Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080BRW-08
3/8	10.0	R04-A100BRW-08
1/2	12.5	R04-A125BRW-08

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080SAU-08
3/8	10.0	R04-A100SAU-08
1/2	12.5	R04-A125SAU-08



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080MBE-01
3/8	10.0	R04-A100MBE-01
1/2	12.5	R04-A125MBE-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080MBE-04
3/8	10.0	R04-A100MBE-04
1/2	12.5	R04-A125MBE-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080MBE-08
3/8	10.0	R04-A100MBE-08
1/2	12.5	R04-A125MBE-08

MARBLE
BEIGE



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080STS-01
3/8	10.0	R04-A100STS-01
1/2	12.5	R04-A125STS-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080STS-04
3/8	10.0	R04-A100STS-04
1/2	12.5	R04-A125STS-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080STS-08
3/8	10.0	R04-A100STS-08
1/2	12.5	R04-A125STS-08

STERLING
SILVER



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080ANW-01
3/8	10.0	R04-A100ANW-01
1/2	12.5	R04-A125ANW-01

Length: 10' (3.0 m)		
5/16	8.0	R04-A080ANW-02
3/8	10.0	R04-A100ANW-02
1/2	12.5	R04-A125ANW-02


Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080ANW-04
3/8	10.0	R04-A100ANW-04
1/2	12.5	R04-A125ANW-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080ANW-08
3/8	10.0	R04-A100ANW-08
1/2	12.5	R04-A125ANW-08

ANTIQUE
WHITE



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	RO4-A080LIP-01
3/8	10.0	RO4-A100LIP-01
1/2	12.5	RO4-A125LIP-01
Outside Corners		
5/16	8.0	RO4-A080LIP-04
3/8	10.0	RO4-A100LIP-04
1/2	12.5	RO4-A125LIP-04

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	RO4-A080NAG-01
3/8	10.0	RO4-A100NAG-01
1/2	12.5	RO4-A125NAG-01
Outside Corners		
5/16	8.0	RO4-A080NAG-04
3/8	10.0	RO4-A100NAG-04
1/2	12.5	RO4-A125NAG-04

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	RO4-A080DKH-01
3/8	10.0	RO4-A100DKH-01
1/2	12.5	RO4-A125DKH-01
Length: 10' (3.0 m)		
5/16	8.0	RO4-A080DKH-02
3/8	10.0	RO4-A100DKH-02
1/2	12.5	RO4-A125DKH-02
Outside Corners		
5/16	8.0	RO4-A080DKH-04
3/8	10.0	RO4-A100DKH-04
1/2	12.5	RO4-A125DKH-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	RO4-A080LIP-08
3/8	10.0	RO4-A100LIP-08
1/2	12.5	RO4-A125LIP-08


Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	RO4-A080NAG-08
3/8	10.0	RO4-A100NAG-08
1/2	12.5	RO4-A125NAG-08

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	RO4-A080DKH-08
3/8	10.0	RO4-A100DKH-08
1/2	12.5	RO4-A125DKH-08



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080WAL-01
3/8	10.0	R04-A100WAL-01
1/2	12.5	R04-A125WAL-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080WAL-04
3/8	10.0	R04-A100WAL-04
1/2	12.5	R04-A125WAL-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080WAL-08
3/8	10.0	R04-A100WAL-08
1/2	12.5	R04-A125WAL-08



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080SMG-01
3/8	10.0	R04-A100SMG-01
1/2	12.5	R04-A125SMG-01

Height (in)	Height (mm)	Item Number
Outside Corners		
5/16	8.0	R04-A080SMG-04
3/8	10.0	R04-A100SMG-04
1/2	12.5	R04-A125SMG-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080SMG-08
3/8	10.0	R04-A100SMG-08
1/2	12.5	R04-A125SMG-08




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R04-A100GRG-01
1/2	12.5	R04-A125GRG-01
Length: 10' (3.0 m)		
3/8	10.0	R04-A100GRG-02

Height (in)	Height (mm)	Item Number
Outside Corners		
3/8	10.0	R04-A100GRG-04
1/2	12.5	R04-A125GRG-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R04-A100GRG-08
1/2	12.5	R04-A125GRG-08



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080SIS-01
3/8	10.0	R04-A100SIS-01
1/2	12.5	R04-A125SIS-01
Outside Corners		
5/16	8.0	R04-A080SIS-04
3/8	10.0	R04-A100SIS-04
1/2	12.5	R04-A125SIS-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080SIS-08
3/8	10.0	R04-A100SIS-08
1/2	12.5	R04-A125SIS-08

SILVER
SHADOW



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080FRO-01
3/8	10.0	R04-A100FRO-01
1/2	12.5	R04-A125FRO-01
Outside Corners		
5/16	8.0	R04-A080FRO-04
3/8	10.0	R04-A100FRO-04
1/2	12.5	R04-A125FRO-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080FRO-08
3/8	10.0	R04-A100FRO-08
1/2	12.5	R04-A125FRO-08

FROSTY



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080MIN-01
3/8	10.0	R04-A100MIN-01
1/2	12.5	R04-A125MIN-01
Outside Corners		
5/16	8.0	R04-A080MIN-04
3/8	10.0	R04-A100MIN-04
1/2	12.5	R04-A125MIN-04


Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080MIN-08
3/8	10.0	R04-A100MIN-08
1/2	12.5	R04-A125MIN-08

MINK



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM

with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R04-A100STG-01
1/2	12.5	R04-A125STG-01
Length: 10' (3.0 m)		
3/8	10.0	R04-A100STG-02
Outside Corners		
3/8	10.0	R04-A100STG-04
1/2	12.5	R04-A125STG-04

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R04-A100STG-08
1/2	12.5	R04-A125STG-08

STONE GREY



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080MOC-01
3/8	10.0	R04-A100MOC-01
1/2	12.5	R04-A125MOC-01
Length: 10' (3.0 m)		
5/16	8.0	R04-A080MOC-02
3/8	10.0	R04-A100MOC-02
1/2	12.5	R04-A125MOC-02
Outside Corners		
5/16	8.0	R04-A080MOC-04
3/8	10.0	R04-A100MOC-04
1/2	12.5	R04-A125MOC-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080MOC-08
3/8	10.0	R04-A100MOC-08
1/2	12.5	R04-A125MOC-08

MOCHA




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080CBR-01
3/8	10.0	R04-A100CBR-01
1/2	12.5	R04-A125CBR-01
Length: 10' (3.0 m)		
5/16	8.0	R04-A080CBR-02
3/8	10.0	R04-A100CBR-02
1/2	12.5	R04-A125CBR-02
Outside Corners		
5/16	8.0	R04-A080CBR-04
3/8	10.0	R04-A100CBR-04
1/2	12.5	R04-A125CBR-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080CBR-08
3/8	10.0	R04-A100CBR-08
1/2	12.5	R04-A125CBR-08

CHESTNUT BROWN



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM
with corner pieces




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080SGR-01
3/8	10.0	R04-A100SGR-01
1/2	12.5	R04-A125SGR-01
Outside Corners		
5/16	8.0	R04-A080SGR-04
3/8	10.0	R04-A100SGR-04
1/2	12.5	R04-A125SGR-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080SGR-08
3/8	10.0	R04-A100SGR-08
1/2	12.5	R04-A125SGR-08



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080DUG-01
3/8	10.0	R04-A100DUG-01
1/2	12.5	R04-A125DUG-01
Length: 10' (3.0 m)		
3/8	10.0	R04-A100DUG-02
1/2	12.5	R04-A125DUG-02
Outside Corners		
5/16	8.0	R04-A080DUG-04
3/8	10.0	R04-A100DUG-04
1/2	12.5	R04-A125DUG-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080DUG-08
3/8	10.0	R04-A100DUG-08
1/2	12.5	R04-A125DUG-08




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080PLA-01
3/8	10.0	R04-A100PLA-01
1/2	12.5	R04-A125PLA-01
Outside Corners		
5/16	8.0	R04-A080PLA-04
3/8	10.0	R04-A100PLA-04
1/2	12.5	R04-A125PLA-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080PLA-08
3/8	10.0	R04-A100PLA-08
1/2	12.5	R04-A125PLA-08



ROUND EDGE PROFILES MADE OF TEXTURE COATED ALUMINUM
with corner pieces



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080RAV-01
3/8	10.0	R04-A100RAV-01
1/2	12.5	R04-A125RAV-01
Length: 10' (3.0 m)		
5/16	8.0	R04-A080RAV-02
3/8	10.0	R04-A100RAV-02
1/2	12.5	R04-A125RAV-02
Outside Corners		
5/16	8.0	R04-A080RAV-04
3/8	10.0	R04-A100RAV-04
1/2	12.5	R04-A125RAV-04

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	R04-A080MIB-01
3/8	10.0	R04-A100MIB-01
1/2	12.5	R04-A125MIB-01
Outside Corners		
5/16	8.0	R04-A080MIB-04
3/8	10.0	R04-A100MIB-04
1/2	12.5	R04-A125MIB-04


Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	R04-A100MBL-01
1/2	12.5	R04-A125MBL-01
Length: 10' (3.0 m)		
3/8	10.0	R04-A100MBL-02
Outside Corners		
3/8	10.0	R04-A100MBL-04
1/2	12.5	R04-A125MBL-04

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080RAV-08
3/8	10.0	R04-A100RAV-08
1/2	12.5	R04-A125RAV-08

Height (in)	Height (mm)	Item Number
Inside Corners		
5/16	8.0	R04-A080MIB-08
3/8	10.0	R04-A100MIB-08
1/2	12.5	R04-A125MIB-08

Height (in)	Height (mm)	Item Number
Inside Corners		
3/8	10.0	R04-A100MBL-08
1/2	12.5	R04-A125MBL-08





DECORATIVE BORDER PROFILES MADE OF ANODIZED ALUMINUM
visible surface: 1" (25 mm), installation depth: 5/16" (8 mm)


Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250SAT-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250PCR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250BCR-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250SNI-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250BNI-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250PNI-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250SBR-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250BBR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
1	25.0	DB1-A250BCU-01



COVE PROFILES MADE OF ANODIZED ALUMINUM

two-sided connection




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	C02-A080SAT-01
3/8	10.0	C02-A100SAT-01
1/2	12.5	C02-A125SAT-01



Height (in)	Height (mm)	Item Number
Outside Corners		
Fits all sizes		C02-AXXSAT-04
Inside Corners		
Fits all sizes		C02-AXXSAT-08
End Cap		
Fits all sizes		C02-AXXSAT-15
Connector		
Fits all sizes		C02-AXXXXX-14



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	C02-A100SNI-01
1/2	12.5	C02-A125SNI-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	C02-A100BNI-01
1/2	12.5	C02-A125BNI-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	C02-A080PCR-01
15/32	12.0	C02-A120PCR-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	C02-A100BCR-01
1/2	12.5	C02-A125BCR-01



COVE PROFILES MADE OF COLOR COATED ALUMINUM

two-sided connection




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	C02-A080BWH-01
15/32	12.0	C02-A120BWH-01




T-SHAPE PROFILES MADE OF ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
17/32	14.0	TS1-A147NAT-01
1	25.0	TS1-A259NAT-01



T-SHAPE PROFILES MADE OF ANODIZED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
17/32	14.0	TS1-A147SAT-01
1	25.0	TS1-A259SAT-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
17/32	14.0	TS1-A147SNI-01
1	25.0	TS1-A259SNI-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
17/32	14.0	TS1-A147SBR-01
1	25.0	TS1-A259SBR-01



STAIR NOSING AND TRANSITION PROFILES


PAGE 52 - 55

STAIR NOSING PROFILES MADE OF ANODIZED ALUMINUM
with Florentine design




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
11/32	9.0	SN1-A090SAT-01
7/16	11.0	SN1-A110SAT-01







TRANSITION AND COMPENSATION PROFILES MADE OF STAINLESS STEEL 304

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	TR1-E080GLO-01
3/8	10.0	TR1-E100GLO-01
1/2	12.5	TR1-E125GLO-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	TR1-E080BRU-01
3/8	10.0	TR1-E100BRU-01
1/2	12.5	TR1-E125BRU-01




TRANSITION AND COMPENSATION PROFILES MADE OF ANODIZED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	TR1-A080SAT-01
3/8	10.0	TR1-A100SAT-01
1/2	12.5	TR1-A125SAT-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
3/8	10.0	TR1-A100ABB-01





TRANSITION AND COMPENSATION PROFILES MADE OF ANODIZED ALUMINUM

Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	TR2-A080SAT-01
3/8	10.0	TR2-A100SAT-01
1/2	12.5	TR2-A125SAT-01


SATIN



SKIRTING PROFILES
PAGE 56 - 57

SKIRTING PROFILES MADE OF ANODIZED ALUMINUM

with accessories/corners



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
2-3/8	60.0	SK1-A060SAT-01
3-1/8	80.0	SK1-A080SAT-01

Height (in)	Height (mm)	Item Number
Outside Corners		
2-3/8	60.0	SK1-A060SAT-04
3-1/8	80.0	SK1-A080SAT-04

Height (in)	Height (mm)	Item Number
Inside Corners		
2-3/8	60.0	SK1-A060SAT-08
3-1/8	80.0	SK1-A080SAT-08

SATIN



OUTSIDE
CORNERS



INSIDE
CORNERS



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
2-3/8	60.0	SK1-A060SNI-01
3-1/8	80.0	SK1-A080SNI-01

Height (in)	Height (mm)	Item Number
Outside Corners		
2-3/8	60.0	SK1-A060SNI-04
3-1/8	80.0	SK1-A080SNI-04

Height (in)	Height (mm)	Item Number
Inside Corners		
2-3/8	60.0	SK1-A060SNI-08
3-1/8	80.0	SK1-A080SNI-08

SATIN
NICKEL



OUTSIDE
CORNERS



INSIDE
CORNERS



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
2-3/8	60.0	SK1-A060BSL-01
3-1/8	80.0	SK1-A080BSL-01

Height (in)	Height (mm)	Item Number
Outside Corners		
2-3/8	60.0	SK1-A060BSL-04
3-1/8	80.0	SK1-A080BSL-04

Height (in)	Height (mm)	Item Number
Inside Corners		
2-3/8	60.0	SK1-A060BSL-08
3-1/8	80.0	SK1-A080BSL-08

BRUSHED
STAINLESS
STEEL
LOOK



OUTSIDE
CORNERS




INSIDE
CORNERS



EXPANSION & MOVEMENT JOINT PROFILES
PAGE 58 - 61

EXPANSION & MOVEMENT JOINT PROFILES MADE OF STAINLESS STEEL 304

For thin bed applications. EPDM infill, visible widths:
5/16" (8 mm), (heights 1/8" - 9/16") / 11/32" (9 mm), (heights 43/64" - 1-3/16")




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ1-E080GRE-01
3/8	10.0	EJ1-E100GRE-01
1/2	12.5	EJ1-E125GRE-01

STAINLESS STEEL
W/ GREY INFILL



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ1-E080LBE-01
3/8	10.0	EJ1-E100LBE-01
1/2	12.5	EJ1-E125LBE-01

STAINLESS STEEL W/
LIGHT BEIGE INFILL




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ1-E080BLK-01
3/8	10.0	EJ1-E100BLK-01
1/2	12.5	EJ1-E125BLK-01

STAINLESS STEEL
W/ BLACK INFILL




EXPANSION & MOVEMENT JOINT PROFILES MADE OF ALUMINUM

For thin bed applications. EPDM infill, visible width: 3/8" (10 mm)



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ1-A080LBE-01
3/8	10.0	EJ1-A100LBE-01
1/2	12.5	EJ1-A125LBE-01



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ1-A080GRE-01
3/8	10.0	EJ1-A100GRE-01
1/2	12.5	EJ1-A125GRE-01




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ1-A080BLK-01
3/8	10.0	EJ1-A100BLK-01
1/2	12.5	EJ1-A125BLK-01




EXPANSION & MOVEMENT JOINT PROFILES MADE OF HARD-SOFT PVC

For thin bed applications. Visible width: 5/16" (8 mm)



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ2-P080MUS-01
3/8	10.0	EJ2-P100MUS-01
1/2	12.5	EJ2-P125MUS-01

MUSHROOM



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ2-P080GRE-01
3/8	10.0	EJ2-P100GRE-01
1/2	12.5	EJ2-P125GRE-01

GREY




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ2-P100GGR-01
3/8	10.0	EJ2-P125GGR-01
1/2	12.5	EJ2-P150GGR-01

GROUT GREY



Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ2-P100RAV-01
3/8	10.0	EJ2-P125RAV-01
1/2	12.5	EJ2-P150RAV-01

RAVEN




Height (in)	Height (mm)	Item Number
Length: 8' 2-1/2" (2.5 m)		
5/16	8.0	EJ2-P080BLK-01
3/8	10.0	EJ2-P100BLK-01
1/2	12.5	EJ2-P125BLK-01

BLACK



PART NUMBER EXPLANATION & CODES

Part Number Example
LS2-A100PCR-01



Code for Shape Type

CODE	SHAPE DESCRIPTION
LS1	L-SHAPE EDGE PROFILE MADE OF ALUMINUM
LS2	L-SHAPE EDGE PROFILE MADE OF ANODIZED ALUMINUM
LS3	L-SHAPE EDGE PROFILE MADE OF COLOR COATED ALUMINUM
LS4	L-SHAPE EDGE PROFILE MADE OF TEXTURE COATED ALUMINUM
LS5	L-SHAPE EDGE PROFILE MADE OF STAINLESS STEEL
LS6	L-SHAPE EDGE PROFILE MADE OF PLATED STAINLESS STEEL
LS8	L-SHAPE EDGE PROFILE MADE OF PVC
SQ2	SQUARE EDGE PROFILE MADE OF ANODIZED ALUMINUM
SQ3	SQUARE EDGE PROFILE MADE OF COLOR COATED ALUMINUM
SQ4	SQUARE EDGE PROFILE MADE OF TEXTURE COATED ALUMINUM
SQ5	SQUARE EDGE PROFILE MADE OF STAINLESS STEEL
RO2	ROUND EDGE PROFILE MADE OF ANODIZED ALUMINUM
RO3	ROUND EDGE PROFILE MADE OF COLOR COATED ALUMINUM
RO4	ROUND EDGE PROFILE MADE OF TEXTURE COATED ALUMINUM
RO5	ROUND EDGE PROFILE MADE OF STAINLESS STEEL
RO8	ROUND EDGE PROFILE MADE OF PVC

CODE	SHAPE DESCRIPTION
FP1	FINISHING PROFILES - STYLE 1 (135° INCLINE)
DB1	DECORATIVE BORDER PROFILES - STYLE 1 (1" WIDE)
CO2	COVE PROFILES - STYLE 2 (SINGLE MOUNTING LEG)
TS1	T-SHAPE PROFILES
SN1	STAIR NOSING PROFILE - STYLE 1 (FLORENTINE)
SK1	SKIRTING PROFILE
TR1	TRANSITION PROFILE - STYLE 1 (ABUTTING)
TR2	TRANSITION PROFILE - STYLE 2 (OVERHANGING)
EJ1	EXPANSION & MOVEMENT JOINT PROFILE - STYLE 1 (7/16" WIDE)
EJ2	EXPANSION & MOVEMENT JOINT PROFILE - STYLE 2 (3/16" WIDE)

PART NUMBER EXPLANATION & CODES

Code for Material Type

CODE	TYPE OF MATERIAL
A	ALUMINUM
E	STAINLESS STEEL 304
M	BRASS
P	PVC

Code for Profile Height

CODE	INCHES	MILLIMETERS
020	5/64	2.0
030	1/8	3.0
045	3/16	4.5
060	1/4	6.0
070	9/32	7.0
080	5/16	8.0
090	11/32	9.0
100	3/8	10.0
110	7/16	11.0
120	15/32	12.0
125	1/2	12.5
150	9/16	15.0
160	5/8	16.0
175	11/16	17.5
200	3/4	20.0
210	13/16	21.0
225	7/8	22.5
250	1	25.0
300	1-3/16	30.0

Code for Part Type

CODE	PART DESCRIPTION
01	8'-2.5" PROFILE
02	10' PROFILE
04	OUTSIDE CORNER
08	INSIDE CORNER
11	INSIDE/OUTSIDE CORNER
14	ENDCAP
15	CONNECTOR

FINISH AND COLOR SWATCHES & CODES

STAINLESS STEEL

GLOSS
GLO



BRUSHED
BRU



CHROME
PLATED
CRP



GOLD GLOSS
GLG



BLACK GLOSS
BLG



ALUMINUM

NATURAL
NAT



ANODIZED ALUMINUM

SATIN
SAT



POLISHED CHROME
PCR



BRUSHED
CHROME
BCR



SATIN NICKEL
SNI



POLISHED
NICKEL
PNI



BRUSHED
NICKEL
BNI




BRUSHED
STAINLESS
STEEL LOOK
BSL



SATIN BRASS
SBR



BRUSHED
BRASS
BBR



BRUSHED
COPPER
BCU



ANTIQUE
BRUSHED
BRONZE
ABB



BRUSHED
GRAPHITE
BGR



HIGH GLOSS
BLACK
HGB



BRUSHED
HIGH GLOSS
BLACK
BBL




Finishes and color swatches are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types/color of the product used, and may vary from the finishes/colors shown. Verify actual appearance and compatibility before installing. No claims for color shade variations will be honored.

The colors and finishes shown may not be available in all profile materials, shapes, and sizes. Contact customer service or your LATICRETE Sales Representative for confirmation.

FINISH AND COLOR SWATCHES & CODES


COLOR COATED ALUMINUM, TEXTURED COATED ALUMINUM, AND PVC FINISHES

BRILLIANT WHITE BWH		MATTE BRILLIANT WHITE MBW		BRIGHT WHITE BRW	
SAUTERNE SAU		FOSSIL FOS		IRON IRO	
LIGHT PEWTER LIP		ALMOND ALM		SILK SIL	
ANTIQUE WHITE ANW		IVORY IVO		MUSHROOM MUS	
WALNUT WAL		SAND PEBBLE SPE		BUTTER CREAM BUC	
TOASTED ALMOND TAL		MARBLE BEIGE MBE		LATTE LAT	
PARCHMENT PAR		SAND BEIGE SAB		DESERT KHAKI DKH	
GREIGE GRG		HEMP HEM		LIGHT BEIGE LBE	
HOT COCOA HOC		TERRA COTTA TEC		QUARRY RED QUR	
CHESTNUT BROWN CBR		ESPRESSO ESP		MOCHA MOC	
AUTUMN GREEN AUG		TWILIGHT BLUE TWB		PLATINUM PLA	

Finishes and color swatches are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types/color of the product used, and may vary from the finishes/colors shown. Verify actual appearance and compatibility before installing. No claims for color shade variations will be honored. The colors and finishes shown may not be available in all profile materials, shapes, and sizes. Contact customer service or your LATICRETE Sales Representative for confirmation.

FINISH AND COLOR SWATCHES & CODES

COLOR COATED ALUMINUM, TEXTURED COATED ALUMINUM, AND PVC FINISHES CONTINUED

SLATE GREY SLG		FROSTY FRO		MINK MIN	
MANHATTAN GREY MHG		SILVER SHADOW SIS		STEAMSHIP STE	
SMOKE GREY SMG		STORMY GREY SGR		GROUT GREY GGR	
STERLING SILVER STS		NATURAL GREY NAG		STONE GREY STG	
SANDSTONE SAS		DUSTY GREY DUG		RAVEN RAV	
MIDNIGHT BLACK MIB		BLACK BROWN BLB		MATTE BLACK MBL	
BLACK BLK					

INFILL COLORS FOR EXPANSION & MOVEMENT JOINT PROFILES

LIGHT BEIGE LBE		GREY GRE		BLACK BLK	
--------------------	---	-------------	--	--------------	---

Finishes and color swatches are guides only. LATICRETE does not warrant color matching to this color chart or to any color guide produced. Actual shade and texture will depend on job site conditions, lighting, installation techniques and types/color of the product used, and may vary from the finishes/colors shown. Verify actual appearance and compatibility before installing. No claims for color shade variations will be honored. The colors and finishes shown may not be available in all profile materials, shapes, and sizes. Contact customer service or your LATICRETE Sales Representative for confirmation.

PROFILES MATERIAL CHARACTERISTICS & MAINTENANCE

STAINLESS STEEL 304

The ultimate in durability, stainless steel exhibits superior resistance to a range of chemicals including diluted acids and alkalis. Caution should be exercised to prevent contact with hydrochloric acid. Always use tools specifically designed for cutting stainless steel and avoid cross-contamination from other ferrous materials. Prompt removal of burrs is imperative to mitigate the risk of potential flash rusting. For applications where superior corrosion and chemical resistance are necessary, stainless steel profiles are available in grade 316L.



ALUMINUM

Engineered for balanced strength and resilience, natural aluminum profiles are designed to excel in a range of applications. The material's adaptability and sleek appearance make it a popular choice. Natural aluminum profiles are sensitive to alkaline chemicals found in cementitious mortars and grouts resulting in oxidation spots that are very difficult to remove. Immediately after installation, remove any mortar or grout residue from visible surfaces using soap and clean water. For regular maintenance, opt for pH-neutral cleaning solutions and avoid the use of acidic or abrasive cleaners.



ANODIZED ALUMINUM

Anodizing is a surfacing technique that elevates aluminum profiles to new heights of visual appeal. With an array of popular finishes, anodized aluminum can transform ordinary spaces, however, they are sensitive to scratches and potential discoloration when exposed to alkaline chemicals found in cementitious mortars and grouts. Immediately after installation, remove any mortar or grout residue from visible surfaces using soap and clean water. For regular maintenance, opt for pH-neutral cleaning solutions and avoid the use of acidic or abrasive cleaners.



COLOR AND TEXTURE COATED ALUMINUM

The pinnacle in design and color selection, color-coated profiles have a sleek glossy finish while texture-coated have an elegant textured matte surface. Both use a specialized powder coating process that produces durable, UV-stable, and good chemical-resistant profiles but they can be susceptible to scratches. Immediately after installation, remove any mortar or grout residue from visible surfaces using soap and clean water. For regular maintenance, opt for pH-neutral cleaning solutions and avoid the use of acidic or abrasive cleaners.



BRASS

Designed for durability, brass exudes timeless elegance. While it naturally develops a charming patina over time, its beauty remains unmatched. In humid or damp areas or when subject to aggressive cleaning, oxidation will increase, and staining may occur. For those seeking to restore its lustrous shine, specialized cleaning pastes are available, ensuring your brass profiles maintain their exquisite allure. Immediately after installation, remove any mortar or grout residue from visible surfaces using soap and clean water. For regular maintenance, opt for pH-neutral cleaning solutions and avoid the use of acidic or abrasive cleaners.



PVC

Ideal for use in areas subject to light impact and minimal wear, PVC profiles are for indoor applications only. PVC profiles offer moderate chemical resistance against diluted acids and alkalis including chlorinated water. Consistent UV exposure may cause fading and color differences. Immediately after installation, remove any mortar or grout residue from visible surfaces using soap and clean water. For regular maintenance, opt for pH-neutral cleaning solutions and avoid the use of acidic or abrasive cleaners.



- When laying and grouting metal profiles and trims (aluminum, stainless steel and brass), adhesive and grouting materials must be removed immediately with fresh clear water and a soft, non-scratching sponge in order to avoid corrosion damage to the profiles.
- Do not use acidic (e.g. cement residue remover) or alkaline cleaning agents in combination with all metal profiles.
- Clean with clear water and dry a linen cloth.

SERVICE TERMS

ORDER PLACEMENT

- Purchases for LATICRETE Profiles & Trims **must be placed on a separate purchase order** and cannot be combined on purchase orders with other LATICRETE products.
- Purchase orders are accepted via EDI and E-Mail at enquiry@laticrete.me.
- Purchase orders must contain the following:
 1. Purchase order number (required)
 2. Ship to full name, address and phone number
 3. Purchasing agent contact name and phone number
 4. LATICRETE item numbers, quantity, unit of measure & unit price
 5. Customer requested ship date if needed
 6. Detailed shipping instructions or special requests (ex. Next day air, lift gate)

PAYMENT TERMS

- Follow existing customer specific payment terms.
- Past due accounts are subject to a 1.5% per month charge and will be placed on Collect on Delivery, or Collect in Advance.

DELIVERY TERMS

- Orders returned to LATICRETE due to Customer's inability to accept or unload are subject to re-consignment, detention or holding fees to be charged back to the customer
- FOB LATICRETE Plant

SPECIAL ORDER, CUSTOM OR ANYCOLOR ITEMS

- A written purchase order is required.
- Special order, Custom or AnyColor items are not cancelable or returnable.
- Special Order, Custom or AnyColor orders ship directly to Distributor and may not be picked-up or drop shipped to end user.

CHANGES TO PURCHASE ORDERS PLACED

- **Additions** of another item or quantity from existing purchase orders must be made to Customer Service via email at ProfileOrders@laticrete.com, additions will be processed as a separate order.
- **Removal/Cancellations** for same day shipments are not available.
- **Change requests** after purchase orders are processed are very limited and will not be possible after the order has been released to the shipping department. If possible, the ship date will be "reset" to ship the next business day.
 - May be subject to a 10% fee & carrier cancellation fee if picked, packed and/or scheduled.

BACKORDERS

- Communicated to customers via automatic electronic backorder notifications email.
- Once the backorder becomes available, items will ship via freight prepaid.
- All backorders will remain open unless requested to cancel via email to the customer service department at laticrete.me.

CLAIMS / RETURNS

- LATICRETE shall not accept any returns unless specifically authorized in writing, which may be granted or withheld in LATICRETE's sole and absolute discretion.
- Claims submission about shortages, overages, or damages are required to be reported to Customer Service at ProfileOrders@laticrete.me within 72 hours from receipt of shipment, any claims made after 72 hours of receipt will be denied.
- Claims require the following information:
 1. Purchase order number
 2. LATICRETE item #
 3. Quantity
 4. Reason for claim
 - a. **If damaged claim** – Must provide a supporting photo(s) of the damaged product, a copy of the delivery receipt noting damage, and must note damage on the carrier's copy of the delivery receipt.
 - b. **If shortage claim** – Receiver must sign the carrier's copy of the delivery receipt noting shortage of the product.
 - c. **If wrong product received** – Must provide a supporting photo(s) of the product received. The Customer Service Department will send you an RMA for the wrong product and enter a new order to be shipped as soon as possible.
 5. Any returns exceeding a total of 18K AED are subject to review prior to the issuance of a return material authorization back to LATICRETE (RMA). Return authorizations expire if not returned within 30 days of issuance.

SERVICE TERMS CONTINUED

6. Returns are subject to the lowest invoice price charged

7. Customer is responsible for cost of freight on returns

All Credits are subject to approval and will be issued as an A/R credit

RETURN GUIDELINES

- Material returns require an RMA/RGA request for a return #
- Return request must contain the following information for processing:
 1. Purchase order number
 2. LATICRETE item number
 3. Quantity
 4. Reason for return
- No restocking fee for returns requested within 72 hours from invoice date
- 30% restocking fee applies for returns greater than 72 hours from invoice date.
- 10% additional restocking fee applies if repackaging or rework is required.
- 100% restocking fee applies for any return product that is identified as scrap.
- Returns denied if:
 - Greater than 3 months from invoice date
 - Discontinued or obsolete material
 - Damaged or expired material
- Customer is responsible for cost of freight on returns.
- No Credit or Refund will be given on any returned product that is identified as scrap.

NOTIFICATIONS

- Electronic Order Confirmation, Shipping & Backorder Acknowledgments are available, contact Customer Service at ProfileOrders@laticrete.com to request or update your contact information.
- Electronic invoices are available, contact Accounts Receivable at accounts.rec@laticrete.me to request or update existing contacts.
- For any of your customer service needs relating to LATICRETE Profiles & Trims, please contact customer service at media@laticrete.me
- Terms and conditions are subject to change. Please contact your Sales or Customer Service Representative for the latest version.

COMPLIANCE

You shall comply with all laws, rules, orders and regulations of governmental authorities applicable to the sale of products by LATICRETE to customer, including all applicable anti-corruption and export control laws of the United States and any other jurisdiction applicable to your activities.



Create a Cohesive Look.

Choose from 40 popular colors to coordinate LATICRETE® Profiles & Trims, Grouts, and Caulks & Sealants.




44 Bright White	18 Sauterne	93 Fossil
97 Iron	90 Light Pewter	85 Almond
03 Silk	23 Antique White	39 Mushroom
94 Walnut	81 Butter Cream	52 Toasted Almond
17 Marble Beige	40 Latte	61 Parchment
30 Sand Beige	56 Desert Khaki	27 Hemp
57 Hot Cocoa	58 Terra Cotta	46 Quarry Red
66 Chestnut Brown	59 Espresso	35 Mocha
67 Autumn Green	53 Twilight Blue	42 Platinum
91 Slate Grey	09 Frosty	95 Mink
88 Silver Shadow	96 Steamship	89 Smoke Grey
87 Stormy Grey	78 Sterling Silver	24 Natural Grey
34 Sandstone	60 Dusty Grey	45 Raven
22 Midnight Black		



**GROUT
COLOR**

Take Your Design to the Edge™

*Now offering
Profiles & Trims!*



One Source. Limitless Capabilities.

With an extensive selection of shapes, sizes, and finishes for profiles and trims, we make it even easier for you to find a complete system solution from the substrate up. Unlock a world of possibilities with LATICRETE.



Learn more at
laticrete.com/profiles
or scan for more information.





For more information
visit laticrete.com/profiles



LATICRETE Middle East LLC. P.O. Box. 86028, Rak, UAE Tel. :+971 (7) 244 6396 , Toll Free (Within UAE) 8005632 Fax: + 971 7 244 5915 Mail : enquiry@laticrete.me
Headquarters : LATICRETE International, Inc. One LATICRETE Park North Bethany, CT 06524-3423, USA Tel. : +1.203.393.0010
© 2025 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.