



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** LATAPOXY 310 Stone Adhesive Part A Cartridge  
**Other means of identification** Not available.  
**Recommended use** Adhesive.  
**Recommended restrictions** None known.  
**Manufacturer**  
**Company Name** LATICRETE International  
**Address** 1 Laticrete Park, N  
Bethany, CT 06524  
**Telephone** (203)-393-0010  
**Contact person** Steve Fine  
**Website** [www.laticrete.com](http://www.laticrete.com)  
**Emergency phone number** Call CHEMTREC day or night  
USA/Canada - 1.800.424.9300  
Mexico - 1.800.681.9531  
Outside USA/Canada  
1.703.527.3887

### Importer/ Supplier/ Distributor information Company

**Name** LATICRETE MIDDLE EAST LLC  
**Address** P.O. Box. 86028, Ras Al Khaimah, United Arab Emirates  
**Telephone** +971 7 244 6396  
**Contact person** Mohmed Rafiq. M  
**Website** [www.laticrete.me](http://www.laticrete.me)

## 2. Hazard(s) identification

**Physical hazards** Not classified.  
**Health hazards** Skin corrosion/irritation Category 1B  
Serious eye damage/eye irritation Category 1  
Sensitization, skin Category 1  
Reproductive toxicity Category 2  
**OSHA defined hazards** Not classified.

### Label elements



**Signal word** Danger  
**Hazard statement** Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

### Precautionary statement

**Prevention** Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors.

**Response** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

**Storage** Store locked up.  
**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.  
**Hazard(s) not otherwise classified (HNOC)** Not classified.

**Environmental hazards** Hazardous to the aquatic environment, acute Category 2 hazard  
Hazardous to the aquatic environment, long-term hazard Category 2

**Supplemental information**  
**Hazard symbol**



**Hazard statement** Toxic to aquatic life with long lasting effects.

**Precautionary statement**

**Prevention** Avoid release to the environment.

**Response** Collect spillage.

### 3. Composition/information on ingredients

**Mixtures**

Chemical Composition	WT %	CAS No
Calcium carbonate	60 - 70	471-34-1
fatty acids, tall-oil, reaction product with tetraethylenepentamine	10 -20	68953-36-6
2-piperazin-1-ylethylamine	1 - 5	140-31-8
Nonylphenol	1 -9	25154-52-3
Benzyl alcohol 2,4,6-tris {(dimethylamino)methyl} phenol	2 -8	100-51-6
tetraethylene pentamine	4 – 10	112-57-2
methylamine	4 – 10	1477-55-0

**Composition comments** All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

**Skin contact** Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. Get medical attention immediately.

**Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if any discomfort continues.

**Most important symptoms/effects, acute and delayed** Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**Indication of immediate medical attention and special treatment needed** Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

### 5. Fire-fighting measures

**Suitable extinguishing media** Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

**Unsuitable extinguishing media**  
**Fire-fighting equipment/instructions**

**Specific hazards arising from the chemical**

**Special protective equipment and precautions for firefighters**

D  
o  
n  
ot  
u  
s  
e  
w  
at  
e  
r  
je  
t  
a  
s  
a  
n  
e  
xt  
in  
g  
ui  
s  
h  
e  
r,  
a  
s  
th  
is  
w  
ill  
s  
p  
r  
e  
a  
d  
th  
e  
fir

e. Heating may cause the release of ammonia vapors.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

**Methods and materials for Large Spills:** Stop the flow of material, if this is without risk. Dike the spilled material, where this is containment and cleaning up possible. Absorb in vermiculite, dry sand or earth and place into containers. Following

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

### Environmental precautions

Avoid release to the environment. Do not discharge into drains, water courses or onto the ground. Environmental manager must be informed of all major releases.

## 7. Handling and storage

### Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, on clothing. Persons susceptible for allergic reactions should not handle this product. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool and well-ventilated place. Store away from incompatible materials.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	PEL	5 mg/m <sup>3</sup>	Respirable fraction.
		15 mg/m <sup>3</sup>	Total dust.

#### US NIOSH Pocket Guide to Chemical Hazards: Recommended exposure limit (REL)

Components	Type	Value	Form
Calcium carbonate (CAS 471-34-1)	TWA	5 mg/m <sup>3</sup>	Respirable.
		10 mg/m <sup>3</sup>	Total

#### US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Tetraethyl ene pentamine (CAS 112-57-2)	TWA	5 mg/m <sup>3</sup>	Aerosol.
		1 ppm	Aerosol.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Exposure guidelines

#### US WEEL Guides: Skin designation

Tetraethylene pentamine (CAS 112-57-2)

Can be absorbed through the skin.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles). Face-shield. Wear a full-face respirator, if needed.

#### Skin protection

##### Hand protection

Wear appropriate chemical resistant gloves.

##### Other

Wear appropriate chemical resistant clothing.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

Physical state	Solid.
Form	Paste.
Color	Light red.
Odor	Ammonia.
Odor threshold	Not available.
pH	Not applicable
Melting point/freezing point	Not applicable .
Initial boiling point and boiling range	Not available.
Flash point	Non flammable.
Evaporation rate	Not applicable
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not applicable.
Vapor density	Not applicable
Relative density	1.5
Solubility(ies)	Insoluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

## 10. Stability and reactivity

Reactivity	Corrosive to certain metals. Copper Aluminum. Zinc.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. Contact with incompatible materials.
Incompatible materials	Alkaline metals. Oxidizing agents. Strong acids.
Hazardous decomposition products	Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide. Nitrogen oxides.

## 11. Toxicological information

### Information on likely routes of exposure

Ingestion	May cause burns of the gastrointestinal tract if swallowed.
Inhalation	May cause respiratory irritation.
Skin contact	Causes skin burns. May cause an allergic skin reaction.
Eye contact	Causes serious eye damage.
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

**Information on toxicological effects**

**Acute toxicity** May cause discomfort if swallowed.

Components	Species	Test Results
Calcium carbonate (CAS 471-34-1)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	> 2000 mg/kg 6450 mg/kg
Components	Species	Test Results

Fatty acids, tall-oil, reaction products with tetraethylenepentamine (CAS 68953-36-6)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Rat	
Nonylphenol (CAS 25154-52-3) <b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	0.66 g/kg 2140 mg/kg
<i>Oral</i>		
LD50	Rat	2606 mg/kg
Tetraethylene pentamine (CAS 112-57-2) <b>Acute</b>		
<i>Dermal</i>		
LD50	Rabbit	
<i>Oral</i>		
LD50	Rat	

<b>Skin corrosion/irritation</b>	Causes severe skin burns and eye damage.
<b>Serious eye damage/eye irritation</b>	Causes serious eye damage.
<b>Respiratory sensitization</b>	No data available.
<b>Skin sensitization</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
<b>Carcinogenicity</b>	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
<b>Reproductive toxicity</b>	Suspected of damaging fertility or the unborn child.
<b>Specific target organ toxicity - single exposure</b>	No data available.
<b>Specific target organ toxicity - repeated exposure</b>	No data available.
<b>Aspiration hazard</b>	Not classified.
<b>Chronic effects</b>	No data available.

**13. Disposal considerations**

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
<b>Waste from residues / unused</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some

**products** product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## 14. Transport information

### DOT

**UN number** UN3263  
**UN proper shipping name** Corrosive solid, basic, organic, n.o.s. (Nonylphenol, Tetraethylene pentamine)  
**Transport hazard class(es)** 8  
**Subsidiary class(es)** -  
**Packing group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.  
**Special provisions** IB8, IP3, T1, TP33  
**Packaging exceptions** 154  
**Packaging non bulk** 213  
**Packaging bulk** 240

### IATA

**UN number** UN3263  
**UN proper shipping name** Corrosive solid, basic, organic, n.o.s. (Nonylphenol, Tetraethylene pentamine)  
**Transport hazard class(es)** 8  
**Subsidiary class(es)** -  
**Packaging group** III  
**Environmental hazards** Yes  
**Labels required** 8  
**ERG Code** 8L  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

### IMDG

**UN number** UN3263  
**UN proper shipping name** CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. (Nonylphenol, Tetraethylene pentamine)  
**Transport hazard class(es)** 8  
**Subsidiary class(es)** -  
**Packaging group** III  
**Environmental hazards**  
**Marine pollutant** Yes  
**Labels required** 8  
**EmS** F-A, S-B  
**Special precautions for user** Read safety instructions, SDS and emergency procedures before handling.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** This substance/mixture is not intended to be transported in bulk.

**General information** IATA classification is not relevant as the material is not transported by air.

## 15. Regulatory information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - Yes  
Delayed Hazard - Yes  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** No

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**  
Not regulated.

## Other federal regulations

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs)**  
List Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)** Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

## US state regulations

### US. Massachusetts RTK - Substance List

Calcium carbonate (CAS 471-34-1)  
Nonylphenol (CAS 25154-52-3)  
Tetraethylene pentamine (CAS 112-57-2)

### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

### US. Pennsylvania RTK - Hazardous Substances

Calcium carbonate (CAS 471-34-1)  
Nonylphenol (CAS 25154-52-3)  
Tetraethylene pentamine (CAS 112-57-2)

### US. Rhode Island RTK

Not regulated.

### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

**US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance** Not listed.

## International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes


\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).



## 16. Other information, including date of preparation or last revision

Issue date 25/04/2017  
Revision date -  
Version # 01  
NFPA Ratings



**References** HSDB® - Hazardous Substances Data Bank  
Registry of Toxic Effects of Chemical Substances (RTECS)

**Disclaimer** The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.