

Version No:02

Issue Date: 26-Jan-2023

LATICRETE® 325 Plus Premium Flexible Adhesive

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name 325 Plus Premium Flexible Adhesive

Recommended use Cement-based, Tile & Stone Adhesive (For professional use).

Company Name: LATICRETE MIDDLE EAST LLC

Manufacturer/ Importer/ Supplier/ Distributor information Address P.O. Box. 86028, Ras Al Khaimah, United Arab Emirates

Telephone: +971 7 244 6396

2. HAZARD (s) IDENTIFICATION		
Classification	Skin Corr./Irritation:. Eye Dam./Irritation:. Sensitization, skin: Specific target organ toxicity, single exposure Category 1 Category 1 Category 1 Category 3 respiratory tract irritation	
Label Element		
Signal Words	Corrosive, Harmful, Health Hazard	
Hazard Statement(s)	H318 Causes serious eye damage. H315 Causes skin irritation. H335 May cause respiratory irritation. H372 Causes damage to organs (Lung) through prolonged or repeated exposure (inhalation)	
Precautionary Statement(s) Prevention	P280 Wear protective gloves and eye/face protection. P271 Use only outdoors or in a well-ventilated area. P260 Do not breath dust/gas/mist/vapors. P270 Do not eat, drink or smoke when using this product. P264 Wash with plenty of water and soap thoroughly after handling.	
Precautionary Statement(s) Response	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. P362 + P364 Take off contaminated clothing and wash before reuse.	
Precautionary Statement(s) Storage	P403 + P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up.	
Precautionary Statement(s) Disposal	P501 Dispose of contents/container to hazardous or special waste collection point.	
Other hazards which do not result in classification	None known.	
Supplemental information	In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns	
Emergency overview	IRRITANT. Irritating to eyes, respiratory system and skin.	



Version No:02

Issue Date: 26-Jan-2023

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Ingestion

Hazardous components within the meaning of GHS and related classification:

Name	CAS No	CLP Classification	Content (% by wt)
Ordinary Portland Cement	65997-15-1	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335	30-40

4. FIRST-A	ID MEAS	Sures
------------	---------	-------

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get Inhalation

medical attention if any discomfort continues

Take off immediately all contaminated clothing. Chemical burns must be treated by a Skin contact

physician. Wash contaminated clothing before reuse. Get medical attention

immediately

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact Eye contact

lenses, if present and easy to do. Continue rinsing. Get medical attention immediately

Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that

stomach content doesn't get into the lungs. Get medical attention if any discomfort

continues.

Ensure that medical personnel are aware of the material(s) involved, and take Personal protection for first-aid responders

precautions to protect themselves

Ensure that medical personnel are aware of the material(s) involved, and take Symptoms caused by exposure

precautions to protect themselves.

Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling,

and blurred vision. Permanent eye damage including blindness could result.

Provide general supportive measures and treat symptomatically. Symptoms may be Medical attention and special treatment

delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing

during transport to hospital.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2). Suitable extinguishing media

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire

Hazards during fire-fighting: carbon monoxide, carbon dioxide, harmful vapours Specific hazards arising from the chemical

Evolution of fumes/fog. The substances/groups of substances mentioned can be

released in case of fire. Product is not combustible or explosive.

Special protective equipment and precautions for fire

fighters

Self-contained breathing apparatus and full protective clothing must be worn in case

of fire.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire Firefighting equipment/instructions

conditions. Dispose of fire debris and contaminated extinguishing water in accordance

with official regulations.

General fire hazards No unusual fire or explosion hazards noted.

325 Plus Premium Flexible Adhesive



Version No:02 Issue Date: 26-Jan-2023

6.ACCIDENTAL RELEASE MEASURES

Methods and materials for containment and cleaning

For non-emergency personnel

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak.

Wear appropriate protective equipment and clothing during clean-up. Ensure

adequate ventilation. Local authorities should be advised if significant spillages cannot

be contained.

For emergency responders wearing appropriate protective clothing.

Environmental precautions

Avoid release to the environment. Do not discharge into drains, water courses or onto

the ground. Environmental manager must be informed of all major releases

Large Spills: Pick up with suitable appliance and dispose of. Pack in tightly closed

containers for disposal..

Small Spills: Pick up with suitable appliance and dispose off.

Other issues relating to spills and releases

Never return spills in original containers for re-use. For waste disposal, see Section 13

of the SDS. Clean up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Segregate from metals. Segregate from acids. Segregate from lyes. Segregate from

oxidants. Segregate from foods and animal feeds.

Conditions for safe storage, including any

incompatibilities

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Containers should be stored tightly sealed in a

dry place.

8. EXPOSURE CONTROL	S/PERSONAL PROTECTION
---------------------	-----------------------

Control parameters	Follow standard monitoring procedures.
Occupational exposure limits	Portland Cement: PEL 15 mg/m³ EVA Co-Polymer: OEL (USA) Ceiling limit: 5 mg/m³
Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.



Version No:02 Issue Date: 26-Jan-2023

Individual protection measures, for example personal protective equipment (PPE)

Wear safety glasses with side shields Eye/face protection (or goggles). Face-shield. Wear a full-

face respirator, if needed





Skin protection Hand protection

Wear appropriate chemical resistant gloves.



Others	Body protection must be chosen based on level of activity and exposure.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Powder

Colour Grey, White & Bright White

Odorless Odour рΗ Not applicable Melting point/ freezing point Not available Initial boiling point and boiling range Not available Flash point Not flammable Evaporation rate Not applicable Flammability (solid, gas) Not applicable Vapor pressure Not applicable

Bulk density Approx.. 1600 gms/cc

Solubility (water) Insoluble

Auto-ignition temperature Not available

10. STABILITY AND REACTIVITY

Reactivity No hazardous reactions if stored and handled as prescribed/indicated

Chemical stability Material is stable under normal conditions

Possibility of hazardous reactions

The product is stable if stored and handled as prescribed/indicated. Strong bases are

formed on the addition of water.

Conditions to avoid Avoid dust formation. Avoid humidity

Incompatible materials Strong Bases. Strong acids.

Hazardous decomposition products No hazardous decomposition products if stored and handled as prescribed/indicated

325 Plus Premium Flexible Adhesive Page 4 of 6



Version No:02 Issue Date: 26-Jan-2023

11. TOXICOLOGICAL INFORMATION Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or Information on possible routes of exposure skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases. Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic Acute toxicity/ Effects after a single skin contact. Virtually nontoxic by inhalation. The statement has been derived from the properties of the individual components. Oral Swallowing may cause gastrointestinal irritation Inhalation Dust irritates the respiratory system, and may cause coughing and difficulties in breathing Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet Derma cement/mixture may cause burns. Causes serious eye damage. Prolonged contact with wet cement/mixture may cause Eye Assessment of sensitization: Causes skin irritation. Sensitization Reproductive toxicity This product is not expected to cause reproductive or developmental effects. Aspiration hazard Due to the physical form of the product it is not an aspiration hazard. Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The Other Information product has not been tested. The statements on toxicology have been derived from the properties of the individual components. 12. ECOLOGICAL INFORMATION Aquatic-toxicity Not expected to be harmful to aquatic organisms Persistence and degradability No data is available on the degradability of this product. Bioaccumulative potential No data available for this product Mobility in soil The product is not mobile in soil. No other adverse environmental effects (e.g. ozone depletion, photochemical ozone Additional information creation potential, endocrine disruption, global warming potential) are expected from this comp 13. DISPOSAL CONSIDERATIONS Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product. Disposal methods Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions) Contaminated packaging Completely emptied packaging can be given for recycling. 14. TRANSPORT INFORMATION **ADG** Not classified as a dangerous good under transport regulations

Not classified as a dangerous good under transport regulations

Not classified as a dangerous good under transport regulations

IMDG

IATA/ ICAO



Version No:02

Issue Date: 26-Jan-2023

15. REGULATORY INFORMATION

Safety, health and environmental regulations

Followed National regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication International regulations

Standard, 29 CFR 1910.1200.

16. OTHER INFORMATION

Disclaimer: The information in this (M) SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.