

Emergency overview

SAFETY DATA SHEET

Version No:02

Issue Date: 19-Dec-2022

Bond

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING	
Product Name	Bond
Recommended use	Cement base Tile Adhesive (For professional use).
Manufacturer/ Importer/ Supplier/ Distributor information	Company Name: LATICRETE MIDDLE EAST LLC Address P.O. Box. 86028, Ras Al Khaimah, United Arab Emirates Telephone: +971 7 244 6396
2. HAZARD (s) IDENTIFICATION	
Classification	Skin Corr./Irritation:. Eye Dam./Irritation:. Sensitization, skin: Specific target organ toxicity, single exposure Category 1 Category 1 Category 1 Category 3 respiratory tract irritation
Label Element	
Signal Words	Corrosive, Harmful, Health Hazard
Hazard Statement(s)	H318 Causes serious eye damage. H315 Causes skin irritation. H335 May cause respiratory irritation. H372 Causes damage to organs (Lung) through prolonged or repeated exposure (inhalation)
Precautionary Statement(s) Prevention	P280 Wear protective gloves and eye/face protection. P271 Use only outdoors or in a well-ventilated area. P260 Do not breath dust/gas/mist/ vapours. P270 Do not eat, drink or smoke when using this product. P264 Wash with plenty of water and soap thoroughly after handling.
Precautionary Statement(s) Response	P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P303 + P352 IF ON SKIN (or hair): Wash with plenty of soap and water. P362 + P364 Take off contaminated clothing and wash before reuse.
Precautionary Statement(s)	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
Storage	P405 Store locked up.
Precautionary Statement(s) Disposal	P501 Dispose of contents/container to hazardous or special waste collection point.
Other hazards which do not result in classification	None known.
Supplemental information	In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns

IRRITANT. Irritating to eyes, respiratory system and skin.



Version No:02

Issue Date: 19-Dec-2022

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixtures:

Hazardous components within the meaning of GHS and related classification:

IdZdidou				
	Name	CAS No	CLP Classification	Content (% by wt)
Ordina	ry Portland Cement	65997-15-1	Skin Irrit. 2, H315; Skin Sens. 1B, H317; Eye Dam. 1, H318; STOT SE 3, H335	20- 40

4. FIRST-AID MEASURES	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if any discomfort continues
Skin contact	Take off immediately all contaminated clothing. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse. Get medical attention immediately
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately
Ingestion	Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical attention if any discomfort continues.
Personal protection for first-aid responders	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves
Symptoms caused by exposure	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Rash. Corrosive effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Provide general supportive measures and treat symptomatically. Symptoms may be delayed. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

5. FIRE-FIGHTING MEASURES

Medical attention and special treatment

Extinguishing media

Suitable extinguishing media Alcohol resistant foam. Water fog. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire

Hazards during fire-fighting: carbon monoxide, carbon dioxide, harmful vapours Evolution of fumes/fog. The substances/groups of substances mentioned can be Specific hazards arising from the chemical

released in case of fire. Product is not combustible or explosive.

Special protective equipment and precautions for fire

fighters

Self-contained breathing apparatus and full protective clothing must be worn in case

of fire.

Product itself is non-combustible; fire extinguishing method of surrounding areas must be considered. The degree of risk is governed by the burning substance and the fire Firefighting equipment/instructions conditions. Dispose of fire debris and contaminated extinguishing water in accordance

with official regulations.

General fire hazards No unusual fire or explosion hazards noted.



Version No:02

Issue Date: 19-Dec-2022

6.ACCIDENTAL RELEASE MEASURES

For non-emergency personnel

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak.

Wear appropriate protective equipment and clothing during clean-up. Ensure

adequate ventilation. Local authorities should be advised if significant spillages cannot

be contained.

For emergency responders wearing appropriate protective clothing.

Environmental precautions

Avoid release to the environment. Do not discharge into drains, water courses or onto

the ground. Environmental manager must be informed of all major releases

Methods and materials for containment and cleaning

up

Large Spills: Pick up with suitable appliance and dispose of. Pack in tightly closed

containers for disposal..

Small Spills: Pick up with suitable appliance and dispose off.

Other issues relating to spills and releases

Never return spills in original containers for re-use. For waste disposal, see Section 13

of the SDS. Clean up in accordance with all applicable regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid dust formation. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Avoid inhalation of dusts. Avoid skin contact. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Segregate from metals. Segregate from acids. Segregate from lyes. Segregate from

oxidants. Segregate from foods and animal feeds.

Conditions for safe storage, including any

incompatibilities

Suitable materials for containers: High density polyethylene (HDPE)

Further information on storage conditions: Containers should be stored tightly sealed in a

dry place.

8 EXPOSURE C	ONTROLS/PERSONA	I PROTECTION
O. LAFOGUILL C	JIN I INOLO/F LINOUNA	LFIXUILGIIUN

Control parameters Follow standard monitoring procedure	Follow standard moni	toring procedures.
---	----------------------	--------------------

Occupational exposure limits Portland Cement: PEL 15 mg/m³

EVA Co-Polymer: OEL (USA) Ceiling limit: 5 mg/m³

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.



Version No:02

Issue Date: 19-Dec-2022

Individual protection measures, for example personal protective equipment (PPE)

Wear safety glasses with side shields Eye/face protection (or goggles). Face-shield. Wear a full-

face respirator, if needed





Skin protection Hand protection

Wear appropriate chemical resistant gloves.



Others	Body protection must be chosen based on level of activity and exposure.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Powder Colour Grey & White Odour Odorless рΗ Not applicable Melting point/ freezing point Not available Initial boiling point and boiling range Not available Flash point Not flammable Evaporation rate Not applicable Flammability (solid, gas) Not applicable Vapor pressure Not applicable Approx.. 1600 gms/cc Bulk density

Solubility (water) Insoluble Not available Auto-ignition temperature

10. STABILITY AND REACTIVITY

No hazardous reactions if stored and handled as prescribed/indicated Reactivity

Chemical stability Material is stable under normal conditions

The product is stable if stored and handled as prescribed/indicated. Strong bases are Possibility of hazardous reactions

formed on the addition of water. Avoid dust formation. Avoid humidity

Conditions to avoid

Incompatible materials Strong Bases. Strong acids.

No hazardous decomposition products if stored and handled as prescribed/indicated Hazardous decomposition products



Oral

Derma

Other Information

SAFETY DATA SHEET

Version No:02

Issue Date: 19-Dec-2022

11. TOXICOLOGICAL INFORMATION

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or Information on possible routes of exposure

skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact

may be a route of entry for liquefied gases.

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic Acute toxicity/ Effects

after a single skin contact. Virtually nontoxic by inhalation. The statement has been

derived from the properties of the individual components.

Swallowing may cause gastrointestinal irritation

Inhalation Dust irritates the respiratory system, and may cause coughing and difficulties in breathing

Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet

cement/mixture may cause burns.

Causes serious eye damage. Prolonged contact with wet cement/mixture may cause Eye

Assessment of sensitization: Causes skin irritation. Sensitization

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Due to the physical form of the product it is not an aspiration hazard. Aspiration hazard

> Based on our experience and the information available, no adverse health effects are expected if handled as recommended with suitable precautions for designated uses. The product has not been tested. The statements on toxicology have been derived from the

properties of the individual components.

Not expected to be harmful to aquatic organisms

12. ECOLOGICAL INFORMATION Aquatic-toxicity

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available for this product Mobility in soil The product is not mobile in soil.

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone Additional information

creation potential, endocrine disruption, global warming potential) are expected from this

comp



Version No:02

Issue Date: 19-Dec-2022

13. DISPOSAL CONSIDERATIONS	
Disposal methods	Observe national and local legal requirements. Residues should be disposed of in the same manner as the substance/product.
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Completely emptied packaging can be given for recycling.

14. TRANSPORT INFORMATION	
ADG	Not classified as a dangerous good under transport regulations
IMDG	Not classified as a dangerous good under transport regulations
IATA/ ICAO	Not classified as a dangerous good under transport regulations
15. REGULATORY INFORMATION	
Safety, health and environmental	regulations
National regulations	Followed
International regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

16. OTHER INFORMATION

Disclaimer: The information in this (M) SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.