SAFETY DATA SHEET

1. Identification

Recommended use

Product identifier **DRYTEK Moisture Vapor Barrier Part B** None.

Other means of identification

Vapor reduction membrane.

Recommended restrictions None known.

Manufacturer/ Importer/ Supplier/ Distributor information Company

Name LATICRETE MIDDLE EAST LLC

Address P.O. Box. 86028, Ras Al Khaimah, United Arab Emirates

+971 7 244 6396 Telephone Contact person Mohmed Rafiq. M

Website www.laticrete.com www.laticrete.me

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2A Category 1 Sensitization, skin

Environmental hazards Hazardous to the aquatic environment, acute Category 2

Category 2 Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Warning Signal word

Hazard statement Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to

aquatic life with long lasting effects.

Precautionary statement

Prevention Wear protective gloves and eve/face protection. Avoid release to the environment, Wash

thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.

Avoid breathing mist or vapor.

If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Response

> Take off contaminated clothing and wash it before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention. Collect spillage.

Storage Store away from incompatible materials.

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

Not classified.

DRYTEK Moisture Vapor Barrier Part B 916890 Version #: 02 Revision date: 28-January-2015 Issue date: 25-February-2014

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%	
Propane, 2,2-bis[p-(2,3-epoxypropoxy)ph enyl]-, polymers	25085-99-8	60 - 75	
Reaction product: Bisphenol F-(epichlorohydrin); epoxy resin	28064-14-4	14 - 24	
Alkyl(C12-14) glycidyl ether	68609-97-2	9 - 20	
1,4-Bis(2,3-epoxypropoxy)buta ne	2425-79-8	2 - 10	

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Rash. Irritant effects.

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. If you feel unwell, seek medical advice (show the label where possible). Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

DRYTEK Moisture Vapor Barrier Part B

916890 Version #: 02 Revision date: 28-January-2015 Issue date: 25-February-2014

Environmental precautions Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic

environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. Environmental manager must be informed

of all releases.

7. Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Persons with epoxy

allergy should not work with this product. Wear appropriate personal protective equipment. Provide

adequate ventilation. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a well-ventilated place. Store away from incompatible

materials (See Section 10).

8. Exposure controls/personal protection

Occupational exposure limits No exposure limits noted for ingredient(s).

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Wear appropriate chemical resistant clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid.
Form Liquid.
Color Yellow.
Odor Mild.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not applicable.

Initial boiling point and boiling Not applicable.

range

Flash point > 350.6 °F (> 177.0 °C)

Evaporation rate Not applicable.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure0.06 mm Hg (21 °C)Vapor densityNot applicable.

Relative density 1.12

SDS US

916890 Version #: 02 Revision date: 28-January-2015 Issue date: 25-February-2014

Solubility(ies)

Solubility (water) Insoluble in water.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity 1120 cP (21°C)

Other information

Bulk density 1.13

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

Conditions to avoid

Masses of more than 1 pound of product plus an aliphatic amine will cause irreversible polymerization with considerable heat build up.

reactions

Excessive heat. Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

At thermal decomposition temperatures, carbon monoxide and carbon dioxide. Aldehydes.

11. Toxicological information

Information on likely routes of exposure

InhalationNo adverse effects due to inhalation are expected.Skin contactIrritating to skin. May cause an allergic skin reaction.

Eye contact Irritating to eyes.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Rash. Irritant effects.

Information on toxicological effects

Acute toxicity May cause discomfort if swallowed.

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

irritation

Causes serious eve irritation.

Respiratory or skin sensitization

Respiratory sensitization No data available.

Skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity Not expected to be mutagenic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

No data available.

Specific target organ toxicity -

repeated exposure

No data available.

Aspiration hazard No data available.

Chronic effects Prolonged or repeated contact may cause drying, cracking, or irritation.

12. Ecological information

Ecotoxicity Toxic to aquatic life with long lasting effects.

DRYTEK Moisture Vapor Barrier Part B
916890 Version #: 02 Revision date: 28-January-2015 Issue date: 25-February-2014

Components Species Test Results

Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers (CAS 25085-99-8)

Aquatic

Acute

 Algae
 IC50
 Algae
 11 mg/l, 72 hours

 Crustacea
 EC50
 Daphnia
 1.8 mg/l, 48 hours

Fish LC50 Fish 1 - 10 mg/l

Reaction product: Bisphenol F-(epichlorohydrin); epoxy resin (CAS 28064-14-4)

Aquatic

Acute

Fish LC50 Fish 1 - 10 mg/l

Persistence and degradability N

No data is available on the degradability of this product.

Bioaccumulative potential

No data available for this product.

Mobility in soil

Not available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. This material

and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose of in accordance with local regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III

Environmental hazards Yes **ERG Code** 9L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Propane,

2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers, Reaction product: Bisphenol F-(epichlorohydrin);

epoxy resin)

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) Ш Packing group

Environmental hazards

Yes Marine pollutant F-A. S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

This substance/mixture is not intended to be transported in bulk.

IATA classification is not relevant as the material is not transported by air. **General information**

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - Yes **Hazard categories**

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

US. Massachusetts RTK - Substance List

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Not listed.

US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

Not Listed.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

16. Other information, including date of preparation or last revision

25-February-2014 Issue date 28-January-2015 **Revision date**

Version # 02

NFPA ratings



HSDB® - Hazardous Substances Data Bank References

Registry of Toxic Effects of Chemical Substances (RTECS)

Disclaimer The information in this (M)SDS was obtained from sources which we believe are reliable but

cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or

warranty express or implied.

DRYTEK Moisture Vapor Barrier Part B

916890 Version #: 02 Revision date: 28-January-2015 7/7 Issue date: 25-February-2014

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).