

SAFETY DATA SHEET

1. Identification

Product identifier	Spartacote Polyaspartic Pigment
Other means of identification	None.
Recommended use	Pigment.
Recommended restrictions	None known.

Manufacturer/ Importer/ Supplier/ Distributor information Company

Name	LATICRETE MIDDLE EAST LLC
Address	P.O. Box. 86028, Ras Al Khaimah, United Arab Emirates
Telephone	+971 7 244 6396
Contact person	Mohmed Rafiq. M
Website	www.laticrete.com www.laticrete.me

2. Haz

3. ard(s) identification	Not classified.	
Physical hazards	Sensitization, skin	Category 1
Health hazards	Germ cell mutagenicity	Category 1B
Health hazarus	Carcinogenicity	Category 1B
	Hazardous to the aquatic environment, long-term hazard	Category 3
Environmental hazards	Not classified.	

OSHA defined hazards

Label elements



Signal word	Danger
Hazard statement	May cause an allergic skin reaction. May cause genetic defects. May cause cancer. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing mist or vapor. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment.
Response	If exposed or concerned: Get medical advice/attention. If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

4. Composition/information on ingredients

Mixtures

Mixtures			
Chemical name		CAS number	%
Titanium dioxide		13463-67-7	46 - 65
Tetraethyl n,n'-(methylenedicyclohexane- 4,1-diyl)bis-dl-aspartate		136210-30-5	25 - 35
Aliphatic Carboxylic Ester		623-91-6	0.1 - 1.5
Solvent naphtha (petroleum), light arom.		64742-95-6	0.1 - 0.3
Carbon black		1333-86-4	0.1 - 0.2
Composition comments	All concentrations are in percent by weight un percent by volume.	less ingredient is a gas. Ga	s concentrations are in
5. First-aid measures			
Inhalation	Remove victim to fresh air and keep at rest in attention if any discomfort continues.	a position comfortable for b	reathing. Get medical
Skin contact	Wash skin with soap and water. If skin irritatio	n or rash occurs: Get medic	al advice/attention.
Eye contact	Flush eyes thoroughly with water for at least 1 easy to do. Get medical attention if irritation de		lenses, if present and
Ingestion	Rinse mouth. Do not induce vomiting. Get me	5	fort continues.
Most important symptoms/effects, acute and delayed	Rash. Irritant effects. Prolonged exposure ma	ay cause chronic effects.	
Indication of immediate medical attention and special treatment needed	Treat symptomatically. Symptoms may be del	ayed.	
General information	Ensure that medical personnel are aware of the protect themselves. IF exposed or concerned: clothing before reuse.		
6. Fire-fighting measures			
Suitable extinguishing media	Water fog. Dry chemical powder. Carbon diox	ide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as thi	s will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may be	e formed.	
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full pr	otective clothing must be w	orn in case of fire.
Fire fighting equipment/instructions	In case of fire and/or explosion do not breather so without risk. Use water spray to cool unoper		om fire area if you can d
General fire hazards	No unusual fire or explosion hazards noted.		
7. Accidental release meas	ures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Extinguis smoking. Ventilate. Wear appropriate protectivadequate ventilation. Local authorities should contained.	ve equipment and clothing c	luring clean-up. Ensure
Methods and materials for containment and cleaning up	Large Spills: Remove sources of ignition. Stop spilled material, where this is possible. Absorb containers. Following product recovery, flush a	o in vermiculite, dry sand or	
	Small Spills: Wipe up with absorbent material remove residual contamination.	(e.g. cloth, fleece). Clean si	urface thoroughly to
	Never return spills in original containers for re-	-use. For waste disposal, se	e Section 13 of the SDS

Environmental manager must be informed of all major releases.

Environmental precautions

8. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Persons susceptible for allergic reactions should not handle this product. Do not get in eyes, on skin, on clothing. Use with adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Keep container tightly closed. Store in a cool and well-ventilated place.

Conditions for safe storage, including any incompatibilities

9. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Titanium dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. ACGIH Threshold Lim	it Values		
Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	Inhalable fraction.
Titanium dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	
Carbon black (CAS 1333-86-4)	TWA	3.5 mg/m3	
Biological limit values	No biological exposure limits noted for the ingredient(s).		
Appropriate engineering controls	Provide adequate ventilation and minimize the risk of inhalation of vapors.		
ndividual protection measure	s, such as personal protective equipm	nent	
Eye/face protection	Wear approved safety glasses or go	ggles.	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Rubber gloves are recommended.		
Skin protection			
Other	Wear appropriate chemical resistant	clothing.	
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.		
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.		
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.		
I0. Physical and chem	ical properties		

Appearance

Physical state	Liquid.
Form	Fluid.
Color	Not available.
Odor	Characteristic.
Odor threshold	Not available.
рН	Not determined.
Melting point/freezing point	Not determined.
Initial boiling point and boiling	> 999 °F (> 537.22 °C)
range	
Flash point	293.0 °F (145.0 °C)
Evaporation rate	Not determined

Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Vapor pressure	Not determined.	
Vapor density	Not determined.	
Relative density	Not determined.	
Solubility(ies)		
Solubility (water)	Insoluble in water.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	Product is not self-igniting.	
Decomposition temperature	Not available.	
Viscosity	Not determined.	
Other information		
Density	2.03 g/cm3 (20°C/68°F)	
Explosive properties	Not explosive.	
Oxidizing properties	Not oxidizing.	
VOC (Weight %)	0.6 %	
11 Stability and reactivity	,	

11. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Will not occur.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Oxidizing agents.
Hazardous decomposition products	Carbon dioxide (CO2). Carbon monoxide.

12. Toxicological information

Information on likely routes of exposure

Inhalation	In high concentrations, vapors may be irritating to the respiratory system.
Skin contact	Causes mild skin irritation.
Eye contact	May cause eye irritation.
Ingestion	May cause discomfort if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Rash. Irritant effects. Prolonged exposure may cause chronic effects.

Information on toxicological effects

Acute toxicity	May cause discomfort if swallowed.		
Components	Species	Test Results	
Titanium dioxide (CAS 13463-6	7-7)		
Acute			
Inhalation			
LC50	Rat	3.43 mg/l, 4 Hours	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Causes mild skin irritation.		
Serious eye damage/eye irritation	May cause eye irritation.		

Respiratory or skin sensitizatior	ı		
Respiratory sensitization	No data available.		
Skin sensitization	May cause an allergic skin re	action.	
Germ cell mutagenicity	May cause genetic defects.		
Carcinogenicity	5	of carbon black or titanium dioxide dust may cause cancer, however e product, inhalation of dust is not likely.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Carbon black (CAS 1333 Titanium dioxide (CAS 13 NTP Report on Carcinogens	3463-67-7)2B Possibly carcinogenic to humans.		
Not listed. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
Not listed.	N 17 N 17		
Reproductive toxicity	No data available.		
Specific target organ toxicity - single exposure	No data available.		
Specific target organ toxicity - repeated exposure	No data available.		
Aspiration hazard	Not classified.		
Chronic effects	Prolonged contact may cause dryness of the skin.		
Further information	No other specific acute or chr	onic health impact noted.	
13. Ecological information	I		

Ecotoxicity	Harmful to aquatic life with long lasting effects.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	No data available for this product.
Mobility in soil	No data available.
Mobility in general	The product is insoluble in water.
Other adverse effects	No data available.

14. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations.
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

15. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

16. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export I	Notification (40 CFR 707, Subpt. D)	
Not regulated.		
	d Substances (29 CFR 1910.1001-1050)	
Not listed.		
CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Not listed.		
Superfund Amendments and Re	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No	
SARA 302 Extremely hazard	Reactivity Hazard - No lous substance	
Not listed.		
SARA 311/312 Hazardous chemical	Yes	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated. Clean Air Act (CAA) Section	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains chemical(s) known to the State of defects or other reproductive harm.	California to cause birth
US. Massachusetts RTK	K - Substance List	
Carbon black (CAS 1 Titanium dioxide (CA		
US. New Jersey Worker	and Community Right-to-Know Act	
Carbon black (CAS 1 Titanium dioxide (CA		
Carbon black (CAS 1 Titanium dioxide (CA	333-86-4)	
US. Rhode Island RTK Not regulated.		
US. California Proposition 6	5	
-		tanaa
Carbon black (CAS 1 Titanium dioxide (CA	,	lance
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes

Country(s) or region	Inventory name	On inventory (yes/no)*
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

17. Other information, including date of preparation or last revision

Issue date	18-August-2015
Revision date	-
Version #	01
NFPA ratings	
References	HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS)
Disclaimer	The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied.

Yes