

HPD UNIQUE IDENTIFIER: 22844

CLASSIFICATION: 07 19 00 Water Repellents

PRODUCT DESCRIPTION: STONETECH® Stone, Tile & Grout Sealer is a professional grade, water-based sealer designed for interior and exterior applications to protect against most stains and preserve the natural look of the stone. Ideal for use with natural stone such as marble, granite, limestone, slate, and travertine.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

STONETECH® STONE, TILE & GROUT SEALER [WATER BM-4
UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | AQU | SKI | EYE | MUL

DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB) LT-UNK
UNDISCLOSED LT-P1 | SKI | PHY UNDISCLOSED NoGS

UNDISCLOSED BM-2 | CAN | PHY | END | REP | DEV

BUTOXYPROPANOL LT-UNK | SKI | EYE UNDISCLOSED BM-2 | AQU | MAM | SKI | EYE | END | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2 Regulatory (g/l): 225

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: TDS 251 "Low VOC LATICRETE® Products"

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

| | | |
|--|--|--|
| <p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p> | <p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p> | <p>SCREENING DATE: 2020-11-09</p> <p>PUBLISHED DATE: 2020-11-09</p> <p>EXPIRY DATE: 2023-11-09</p> |
|--|--|--|

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STONETECH® STONE, TILE & GROUT SEALER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and/or be less than 100ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-09

#: 95.0000 - 98.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-09

#: 1.0000 - 4.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-09

#: 0.0500 - 0.0800 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Biocide

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-----------------|---|---|
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Causes skin irritation |
| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
| EYE IRRITATION | EU - GHS (H-Statements) | H318 - Causes serious eye damage |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| SKIN SENSITIZE | MAK | Sensitizing Substance Sh - Danger of skin sensitization |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

DIPROPYLENE GLYCOL N-BUTYL ETHER (DPNB)

ID: 29911-28-2

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-11-09 | | |
|---|------------------------|--|-----------------|--------------------------------|
| #: 0.0500 - 2.0000 | GS: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Solvent |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-11-09 | | |
|---|-------------------------|--|-----------------|-------------------------------|
| #: 0.0100 - 0.0200 | GS: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Buffer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| SKIN IRRITATION | EU - GHS (H-Statements) | H314 - Causes severe skin burns and eye damage | | |
| PHYSICAL HAZARD (REACTIVE) | GHS - Korea | H290 - May be corrosive to metals | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-11-09 | | |
|---|------------------------|--|-----------------|--------------------------------|
| #: 0.0100 - 0.0200 | GS: NoGS | RC: None | NANO: No | SUBSTANCE ROLE: Solvent |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-09**%: **0.0100 - 0.0150** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|----------------------------|---------------------------------------|--|
| CANCER | IARC | Group 1 - Agent is Carcinogenic to humans |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| PHYSICAL HAZARD (REACTIVE) | EU - GHS (H-Statements) | H225 - Highly flammable liquid and vapour |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CANCER | MAK | Carcinogen Group 5 - Genotoxic carcinogen with very slight risk under MAK/BAT levels |
| CANCER | GHS - Japan | Carcinogenicity - Category 1A [H350] |
| REPRODUCTIVE | GHS - Japan | Toxic to reproduction - Category 1A [H360] |
| DEVELOPMENTAL | CA EPA - Prop 65 | Developmental - specific to chemical form or exposure route |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

BUTOXYPROPANOLID: **5131-66-8**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-09**%: **0.0100 - 2.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-----------------|-------------------------|--------------------------------------|
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Causes skin irritation |
| EYE IRRITATION | EU - GHS (H-Statements) | H319 - Causes serious eye irritation |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSEDHAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-09**%: **0.0050 - 0.0200** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-----------------|---|---|
| ACUTE AQUATIC | EU - GHS (H-Statements) | H400 - Very toxic to aquatic life |
| CHRON AQUATIC | EU - GHS (H-Statements) | H410 - Very toxic to aquatic life with long lasting effects |
| MAMMALIAN | EU - GHS (H-Statements) | H301 - Toxic if swallowed |
| MAMMALIAN | EU - GHS (H-Statements) | H311 - Toxic in contact with skin |
| SKIN IRRITATION | EU - GHS (H-Statements) | H314 - Causes severe skin burns and eye damage |
| SKIN SENSITIZE | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
| EYE IRRITATION | EU - GHS (H-Statements) | H318 - Causes serious eye damage |
| MAMMALIAN | EU - GHS (H-Statements) | H330 - Fatal if inhaled |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| SKIN SENSITIZE | MAK | Sensitizing Substance Sh - Danger of skin sensitization |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | N/A | |
|--|-----------------------------------|-----------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2020-10- EXPIRY DATE: | CERTIFIER OR LAB: LATICRETE |
| APPLICABLE FACILITIES: Applies to All Facilities. | 16 | |
| CERTIFICATE URL: | | |
| CERTIFICATION AND COMPLIANCE NOTES: STONETECH® Stone, Tile & Grout Sealer has not been tested for VOC emissions. | | |

| VOC CONTENT | TDS 251 "Low VOC LATICRETE® Products" | |
|---|---------------------------------------|-----------------------------|
| CERTIFYING PARTY: Self-declared | ISSUE DATE: 2020-10- EXPIRY DATE: | CERTIFIER OR LAB: LATICRETE |
| APPLICABLE FACILITIES: Applies to All Facilities. | 13 | |
| CERTIFICATE URL: | | |
| https://www.laticrete.com/~media/support-and-downloads/technical-datasheets/tds251.ashx | | |
| CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1113 (Low-Solids Coating). | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

STONETECH® Stone, Tile & Grout Sealer meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE Stone, Tile & Grout Sealer does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated Polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International
ADDRESS: 1 Laticrete Park North
 Bethany CT 06524, USA
WEBSITE: <https://laticrete.com>

CONTACT NAME: Mitch Hawkins
TITLE: Senior Manager, Technical Services
PHONE: 203-393-4619
EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | NoGS No GreenScreen. |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.