# **LATICRETE® PERMACOLOR® Select Base Powder** by LATICRETE International

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 22048** CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: An advanced high performance cement grout that offers the industry's first dispensable dry pigment solution. LATICRETE® PERMACOLOR® Select is designed for virtually all types of residential and commercial installations and offers optimum performance on the most demanding exterior or interior applications.



# Section 1: Summary

# **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

Rasic Method

**Threshold Disclosed Per** 

Product

Threshold level

C 1,000 ppm C Per GHS SDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided or Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

 ○ Yes Ex/SC Yes No Characterized

% weight and role provided for all substances.

O Yes Ex/SC @ Yes O No. Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE PERMACOLOR SELECT BASE POWDER [ QUARTZ LT-1 | CAN HIGH-ALUMINA CEMENT LT-UNK CALCIUM SULFATE, 1\_2-HYDRATE, POWDER LT-UNK UNDISCLOSED NoGS PORTLAND CEMENT LT-P1 | CAN | END PLASTER OF PARIS NOGS UNDISCLOSED LT-UNK UNDISCLOSED LT MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK CALCIUM CARBONATE BM-3 LIMESTONE; CALCIUM CARBONATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (q/l): 0.00 Regulatory (g/l): N/A Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (PERMACOLOR Select)

VOC content: TDS 251 "Low VOC LATICRETE® Products'

LCA: LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product

Declaration

# CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No
 No
 ■
 No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-01 PUBLISHED DATE: 2020-10-01 EXPIRY DATE: 2023-10-01



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

### LATICRETE PERMACOLOR SELECT BASE POWDER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

ZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-01			
55.0000 - 65.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler	
AZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinoger	n	
CANCER	CA EPA - Prop 65		Carcinogen - specific to	chemical form or exposure route	
CANCER	US NIH - Report on Carcinogens		Known to be Human Car	cinogen (respirable size - occupational setting)	
CANCER	MAK		Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	IARC		Group 1 - Agent is carcin sources	nogenic to humans - inhaled from occupational	
CANCER	IARC		Group 1 - Agent is Carcin	nogenic to humans	
CANCER	GHS - New Zealand		6.7A - Known or presume	ed human carcinogens	
CANCER	GHS - Japan		Carcinogenicity - Catego	ory 1A [H350]	
CANCER	GHS - Australia		H350i - May cause cance	er by inhalation	

HIGH-ALUMINA CEMENT					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-01		
%: 22.0000 - 25.0000	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS		
None found				No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: The amount of	this component may vary based on plant of ma	anufacture.			

CALCIUM SULFATE, 1_2-HYDRATE, POWDER						ID: <b>7778-18-9</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-10-01			
¢	%: <b>5.0000 - 7.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Binder	
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
	None found				No warnings found on HPD Prior	rity Hazard Lists

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: <b>2.0000 - 5.0000</b>	GS: NoGS	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

PORTLAND CEMENT				ID: <b>65997-15-1</b>	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-10-01		
%: 1.0000 - 4.0000	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Binder	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	MAK		Carcinogen Group 3B - Ev classification	idence of carcinogenic effects but not sufficient for	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disrup	otor	
SUBSTANCE NOTES: The amount of	f this component may vary based on plant of manufactu	ıre.			

PLASTER OF PARIS	ID: <b>26499-65-0</b>			
HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-01		
%: <b>1.0000 - 2.0000</b>	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	W	/ARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
CURRETANCE NOTES. The amount of	of this component may you becode an plant of m	acquifactura		

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-01		
%: <b>1.0000 - 3.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01			
%: <b>0.5000 - 1.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Viscosity modifier	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - s	ensitizer-induced	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	HAZARD SCREENING DATE: 2020-10-01		
%: <b>0.5000 - 1.0000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

#### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01			
	%: <b>0.2500 - 0.7500</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Processing regulator
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
	None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: <b>0.1000 - 0.2000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	ININGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-01		
%: <b>0.0500 - 1.5000</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Defoamer</b>	
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: 0.0500 - 0.1000	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Defoamer</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	ARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01			
%: 0.0500 - 0.1000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Defoamer</b>		
HAZARD TYPE	AGENCY AND LIST TITLES	TTITLES		WARNINGS		
CANCER EU - GHS (H-Statements)			H350 - May cause cancer  Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man  CMR - Carcinogen, Mutagen &/or Reproductive Toxicant  Carcinogen Category 1B - Presumed Carcinogen based on animal evidence  H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs  ChemSec - SIN List  EU - Annex VI CMRs					
MULTIPLE						
CANCER						
CANCER GHS - Australia						

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: <b>0.0500 - 0.1000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-10-01		
%: <b>0.0000 - 0.3000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

CALCIUM CARBONATE 1D: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-01		
%: Impurity/Residual	gs: <b>BM-3</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

\*\*\*Hazard Screening Method: Pharos Chemical and Materials Library

\*\*\*Hazard Screening Date: 2020-10-01

\*\*\*Hazard Screening Method: Pharos Chemical and Materials Library

\*\*\*Hazard Screening Date: 2020-10-01

\*\*\*Hazard Screening Method: None Nano: No Substance Role: Impurity/Residual

\*\*Hazard Type Agency and List Titles Warnings

\*\*None found No warnings found on HPD Priority Hazard Lists

\*\*Substance Notes: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may

not be greater than 100 ppm.



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

ISSUE DATE: 2009-07-07

#### **VOC EMISSIONS**

#### **UL GreenGuard Gold (PERMACOLOR Select)**

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applies to All Facilities.

http://certificates.ulenvironment.com/default.aspx?

id=65115&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions and Content Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

#### VOC CONTENT

#### TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

EXPIRY DATE: 2021-07-09

CERTIFIER OR LAB: LATICRETE

CERTIFIER OR LAB. UL Environment

APPLICABLE FACILITIES: Applies to all facilities.

CERTIFICATE URL: https://www.laticrete.com/~/media/supportand-downloads/technical-datasheets/tds251.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions and Content Requirements.

LCA

LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product Declaration

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: Applies to All Facilities in North America CERTIFICATE URL: https://laticrete.com/~/media/environmentalproduct-data-sheets/cement-grout-for-tile-and-stone-

installation.ashx?la=en

ISSUE DATE: 2016-11-29 EXPIRY DATE: 2021-11-28 CERTIFIER OR LAB: UL Environment

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### WATER AND LATICRETE PERMACOLOR SELECT COLOR KIT

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES

LATICRETE PERMACOLOR Select Base Powder to be mixed with water in which the correct amount of LATICRETE PERMACOLOR Select Color Kit packets have been dissolved and following the mix ratio and directions as stated in the product data sheet.



# Section 5: General Notes

LATICRETE® PERMACOLOR® Select Grout meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE PERMACOLOR Select Grout does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) Organotin Compounds
 Perfluorinated Compounds (PFCs)
 Phthalates (orthophthalates)
 Polychlorinated Biphenyls (PCBs)
 Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

#### MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North
Bethany CT 06524, USA

WEBSITE: https://laticrete.com

CONTACT NAME: Mitch Hawkins
TITLE: Technical Services Manager

PHONE: 203-393-4619

EMAIL: wmhawkins@laticrete.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

LAN Land toxicity

**NEU** Neurotoxicity

OZO Ozone depletion

**MUL** Multiple

MAM Mammalian/systemic/organ toxicity

PBT Persistent, bioaccumulative, and toxic

NF Not found on Priority Hazard Lists

## KEY

**Hazard Types** 

**AQU** Aquatic toxicity

CAN Cancer

**DEV** Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

## Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown **None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one
GreenScreen Specified List, but the information contained within the list did not result in
a clear mapping to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for enduse.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.