LATICRETE® PERMACOLOR® Select Color Kit by LATICRETE International

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22111 CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: LATICRETE® PERMACOLOR® Select Color Kit contains two color packets which are designed for use with LATICRETE PERMACOLOR Select Grout and is available in 40 LATICRETE colors, many competitor's colors and any paint color available through Benjamin Moore or Sherwin Williams color options..



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Rasic Method

Threshold Disclosed Per

Product

Threshold level

C 1,000 ppm C Per GHS SDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided or Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No Characterized

O Yes Ex/SC @ Yes O No. Screened

All substances screened using Priority Hazard Lists with results disclosed.

 ○ Yes Ex/SC ○ Yes ○ No Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE PERMACOLOR SELECT COLOR KIT [777AWUM DIOXIDE COMPOUNDS (777AWUM DIOXIDE COMPOUNDS) LT-1 | CAN SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK FERRIC OXIDE BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END CHROMIUM (III) OXIDE BM-1 | SKI UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK CARBON BLACK BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 0.00 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL GreenGuard Gold (PERMACOLOR Select)

VOC content: TDS 251 "Low VOC LATICRETE® Products"

LCA: LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product

Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-10-05 PUBLISHED DATE: 2020-10-05

EXPIRY DATE: 2023-10-05



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

LATICRETE PERMACOLOR SELECT COLOR KIT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at www.laticrete.com for occupational exposure information.

TITANIUM DIOXIDE COMPOUNDS (TITANIUM DIOXIDE COMPOUNDS)

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05				
%: Impurity/Residual	GS: LT-1 RC: None		nano: No	SUBSTANCE ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	US CDC - Occupational Carcinogens		Occupational C	Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - sp	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
CANCER	MAK		Carcinogen Gro	oup 3A - Evidence of carcinogenic effects but not sufficient to BAT value		

SUBSTANCE NOTES: This substance is an impurity or residual. This impurity/residual may or may not be present based on the source of the raw material and, if present, may or may not be greater than 100 ppm.

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 90.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	3	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture.

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 60.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	

SUBSTANCE NOTES: The amount of this component will vary based on color of LATICRETE PERMACOLOR Select Color chosen.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-05

%: 0.0000 - 50.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinoge	n
CANCER	CA EPA - Prop 65		Carcinogen - specific to	chemical form or exposure route
CANCER	IARC		Group 2B - Possibly care sources	cinogenic to humans - inhaled from occupational
CANCER	MAK		Carcinogen Group 3A - I establish MAK/BAT valu	Evidence of carcinogenic effects but not sufficient to e
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disr	uptor
CANCER	MAK		Carcinogen Group 4 - No levels	on-genotoxic carcinogen with low risk under MAK/BAT
SUBSTANCE NOTES: The amount of this component will vary based on color of LATICRETE PERMACOLOR Select Color chosen.				

CHROMIUM (III) OXIDE					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 20	HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 40.0000	GS: BM-1	RC: None NA	NO: No SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING:	S		
SKIN SENSITIZE	MAK	Sensitiz	ring Substance Sh - Danger of skin sensitization		
SUBSTANCE NOTES. The amount of this component will vary based on color of LATICRETE PERMACOLOR Select Color chosen					

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 40.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component will vary based on color of LATICRETE PERMACOLOR Select Color chosen. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-05		
%: 0.0000 - 40.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The amount of this component will vary based on color of LATICRETE PERMACOLOR Select Color chosen. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS # was used to identify associated hazards.

CARBON BLACK

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-05

%: **0.0000 - 15.0000** gs: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

 ${\tt SUBSTANCE\ NOTES:}\ The\ amount\ of\ this\ component\ will\ vary\ based\ on\ color\ of\ LATICRETE\ PERMACOLOR\ Select\ Color\ chosen.$



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL GreenGuard Gold (PERMACOLOR Select)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2009-07-07

EXPIRY DATE: 2021-07-09

CERTIFIER OR LAB. UL Environment

APPLICABLE FACILITIES: Applies to All Facilities.

http://certificates.ulenvironment.com/default.aspx?

id=65115&t=cs

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" Emissions and Content Requirements. This product was tested in accordance with California Department of Public Health (CDPH) v1.2 in an office and classroom environment.

VOC CONTENT

TDS 251 "Low VOC LATICRETE® Products"

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-08-12

EXPIRY DATE:

CERTIFIER OR LAB: LATICRETE

APPLICABLE FACILITIES: Applies to All Facilities.

CERTIFICATE URL: https://www.laticrete.com/~/media/support-

and-downloads/technical-datasheets/tds251.ashx

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

LCA

LATICRETE Grout for Tile Installation Product Specific (Type III) Environmental Product **Declaration**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-11-29

EXPIRY DATE: 2021-11-28

CERTIFIER OR LAB: UL Environment

APPLICABLE FACILITIES: Applies to All Facilities in North America CERTIFICATE URL: https://laticrete.com/~/media/environmentalproduct-data-sheets/cement-grout-for-tile-and-stone-

installation.ashx?la=en

CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

LATICRETE PERMACOLOR SELECT BASE POWDER OR LATICRETE PERMACOLOR SELECT NS BASE POWDER

HPD URL: https://cdn.laticrete.com/~/media/health-productdatasheets/tsis/permacolor-select-base-hpd.ashx

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES

LATICRETE PERMACOLOR Select Color Kit to be mixed with LATICRETE PERMACOLOR Select Base Powder or LATICRETE PERMACOLOR Select NS Base Powder using the correct amount of LATICRETE PERMACOLOR Select Color Kit packets for the amount of base powder used following the mix ratio and directions as stated in the product data sheet.

Section 5: General Notes

LATICRETE® PERMACOLOR® Select Color Kit meets the Living Building Challenge v4.0 requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE PERMACOLOR Select Color Kit does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents • Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidiene chloride (PVDC), and Polyvinyl Chloride (PVC) • Chlorobenzenes • Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

MANUFACTURER INFORMATION

MANUFACTURER: LATICRETE International

ADDRESS: 1 Laticrete Park North Bethany CT 06524, USA

PHONE: 203-393-4619 WEBSITE: https://laticrete.com

EMAIL: wmhawkins@laticrete.com

TITLE: Senior Manager, Technical Services

CONTACT NAME: Mitch Hawkins

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eve irritation/corrosivity **GEN** Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.