



# SPARTACOTE® Finishes Catalog



Globally Proven Construction Solutions

# CONTENTS

	Page
SPARTACOTE™ GUARD .....	4 - 7
SPARTACOTE CHIP .....	8 - 13
SPARTACOTE QUARTZ.....	14 - 17
SPARTACOTE METALLIC.....	18 - 21

CENTER STREET  
BREWING CO.




# SPARTACOTE® GUARD

Solid Color System



A solid color high performance coating system designed to provide durable and sanitary flooring with minimal maintenance. Available in 13 standard colors including safety colors. Custom colors available upon request.

- Rapid return to service
- Ease of maintenance and cleaning
- Excellent durability – stain, chemical and abrasion resistant
- Low VOC, low odor options
- Varied traction additives available
- UV stable interior and exterior options
- Integrated anti-microbial technology\*



#### Recommended Industries

- Healthcare
- Manufacturing
- Manufacturing
- Aviation
- Education
- Veterinary & Dog Kennels
- Car Dealerships
- Retail Space & Shopping Malls

SYSTEM	SURFACE PREPARATION	NUMBER OF COATS	OVERALL THICKNESS (DFT)	SYSTEM BUILD	FEATURES
<b>SPARTACOTE® GUARD XPL</b>	Mechanically profile to a CSP-2	2	10 – 20 mils	Base Coat: SPARTACOTE® FLEX XPL (Pigmented) Topcoat: SPARTACOTE FLEX XPL (Pigmented)	Easy application with reduced roller marks Vibrant UV stable color Quick return to service Available with Clinical Plus antimicrobial*
<b>SPARTACOTE GUARD PURE</b>	Mechanically profile to a CSP-2	2	15 – 20 mils	Base Coat: SPARTACOTE FLEX PURE™ (Pigmented) Topcoat: SPARTACOTE FLEX PURE (Pigmented)	Ideal for indoor applications Vibrant UV stable color Quick return to service Available with Clinical Plus antimicrobial*
<b>SPARTACOTE GUARD SB</b>	Mechanically profile to a CSP-2	3	10 – 25 mils	Base Coat: SPARTACOTE FLEX SB (Pigmented) Mid Coat: SPARTACOTE FLEX SB (Pigmented) Topcoat: SPARTACOTE FLEX SB (Clear)	Vibrant UV stable color Quick return to service Low temperature cure (-30°F/-34°C)
<b>SPARTACOTE GUARD PTC</b>	Mechanically profile to a CSP-3 TO 5	3	20 – 50 mils	Base Coat: SPARTACOTE General Primer Mid Coat: SPARTACOTE Surface Build Topcoat: SPARTACOTE FLEX PURE (Clear)	Durable polyaspartic topcoat High chemical, abrasion and stain resistance Available with Clinical Plus antimicrobial*
<b>SPARTACOTE GUARD UTC</b>	Mechanically profile to a CSP-3 TO 5	3	15 – 50 mils	Base Coat: SPARTACOTE General Primer Mid Coat: SPARTACOTE Surface Build Topcoat: SPARTACOTE Urethane Floor Sealer WB	High chemical resistant urethane topcoat Additional UV resistance over standard epoxy Matte and satin finish options
<b>SPARTACOTE GUARD HB</b>	Mechanically profile to a CSP-3 TO 5	3	30 – 65 mils	Base Coat: SPARTACOTE General Primer Mid Coat: SPARTACOTE Surface Build Top Coat: SPARTACOTE Surface Build UV	High build epoxy system UV resistant epoxy topcoat

## SPARTACOTE® Universal Pigments



Black  
Small: 9550-0008-3  
Large: 9550-0040-3



Dark Blue  
Small: 9550-0008-4  
Large: 9550-0040-4




Tile Red  
Small: 9550-0008-5  
Large: 9550-0040-5




Light Grey  
Small: 9550-0008-7  
Large: 9550-0040-7



Medium Grey  
Small: 9550-0008-8  
Large: 9550-0040-8



Dark Grey  
Small: 9550-0008-9  
Large: 9550-0040-9




White  
Small: 9550-0008-10  
Large: 9550-0040-10



Light Beige  
Small: 9550-0008-11  
Large: 9550-0040-11



Sand Beige  
Small: 9550-0008-12  
Large: 9550-0008-12



Dark Beige  
Small: 9550-0008-13  
Large: 9550-0040-13



Light Brown  
Small: 9550-0008-14  
Large: 9550-0040-14



Safety Yellow  
Small: 9550-0008-15  
Large: 9550-0040-15



Safety Red  
Small: 9550-0008-16  
Large: 9550-0040-16








A multi-coat chip (flake) broadcast system designed to provide an attractive and durable, seamless flooring finish. Available in 8 standard and 24 special order chip blends. Custom chip blends available upon request.

- Rapid return to service
- Customizable aesthetics to match any decor
- Excellent durability – stain, chemical and abrasion resistant
- Low VOC, low odor options
- Integrated anti-microbial technology\*




### Recommended Industries

- Education
- Manufacturing
- Healthcare
- Stadium & Event Spaces
- Retail Spaces & Shopping Malls


SYSTEM	SURFACE PREPARATION	NUMBER OF COATS	OVERALL THICKNESS (DFT)	SYSTEM BUILD	FEATURES
<b>SPARTACOTE® CHIP XPL</b>	Mechanically profile to a CSP-2	3	25-45 mils	Prime Coat/Broadcast Coat: SPARTACOTE® FLEX XPL (Pigmented) Broadcast: SPARTACOTE Blended Chip Topcoat: SPARTACOTE FLEX XPL (Clear)	Easy application with reduced roller marks Attractive textured finish Quick return to service Available with Clinical Plus anti-microbial*
<b>SPARTACOTE CHIP PURE</b>	Mechanically profile to a CSP-2	3	25-35 mils	Prime Coat/Broadcast Coat: SPARTACOTE FLEX PURE™ (Pigmented) Broadcast: SPARTACOTE Blended Chip Topcoat: SPARTACOTE FLEX PURE (Clear)	Ideal for indoor applications Attractive textured finish Quick return to service Available with Clinical Plus anti-microbial*
<b>SPARTACOTE CHIP SB</b>	Mechanically profile to a CSP-2	3	25-40 mils	Prime Coat: SPARTACOTE FLEX SB (Pigmented) Broadcast Coat: SPARTACOTE FLEX SB (Clear) Broadcast: SPARTACOTE Blended Chip Topcoat: SPARTACOTE FLEX SB (Clear)	Beautiful color intensity & luster Quick return to service Low temperature cure (-30°F/-34°C)
<b>SPARTACOTE CHIP PTC</b>	Mechanically profile to a CSP-3 to 5	3	35-75 mils	Prime Coat: SPARTACOTE General Primer Broadcast Coat: SPARTACOTE Surface Build Broadcast: SPARTACOTE Blended Chip Topcoat: SPARTACOTE FLEX PURE (Clear)	Durable polyaspartic topcoat Attractive textured finish High chemical, abrasion and stain resistance Available with Clinical Plus anti-microbial*
<b>SPARTACOTE CHIP UTC</b>	Mechanically profile to a CSP-3 to 5	4	35-40 mils	Prime Coat: SPARTACOTE General Primer Broadcast Coat: SPARTACOTE Surface Build Broadcast: SPARTACOTE Blended Chip Grout Coat: SPARTACOTE Surface Build Topcoat: SPARTACOTE Urethane Floor Sealer WB	High chemical resistant urethane topcoat Attractive textured finish Matte and satin finish options
<b>SPARTACOTE CHIP HB</b>	Mechanically profile to a CSP-3 to 5	3	45-85 mils	Prime Coat: SPARTACOTE General Primer Broadcast Coat: SPARTACOTE Surface Build Broadcast: SPARTACOTE Blended Chip Topcoat: SPARTACOTE Surface Build UV	High build epoxy system Attractive textured finish UV resistant epoxy topcoat

# SPARTACOTE® CHIP


Chip (Flake) Broadcast System




1/4" Chip - Copper Mountain  
9301-0040-2  
Suggested base color: Sand Beige




1/8" Chip - Copper Mountain  
9310-0040-2  
Suggested base color: Sand Beige




1/4" Chip - Desert Storm  
9302-0040-2  
Suggested base color: Sand Beige




1/4" Chip - Granite  
9303-0040-2  
Suggested base color: Light Grey




1/8" Chip - Black Canyon  
9304-0040-2  
Suggested base color: Light Grey




1/4" Chip - Salt & Pepper  
9305-0040-2  
Suggested base color: Light Grey




1/4" Chip - Red Rock  
9306-0040-2  
Suggested base color: Light Grey




1/4" Chip - Midnight Blue  
9307-0040-2  
Suggested base color: Light Grey



1/16" Chip - Camel<sup>†</sup>  
9389-0040-2  
Suggested base color: Sand Beige



1/16" Chip - Parchment<sup>†</sup>  
9390-0040-2  
Suggested base color: White




1/16" Chip - Gray<sup>†</sup>  
9391-0040-2  
Suggested base color: Medium Grey




1/16" Chip - Pewter<sup>†</sup>  
9392-0040-2  
Suggested base color: Light Grey




1/8" Chip - Pearl<sup>†</sup>  
9393-0040-2  
Suggested base color: White



1/8" Chip - Khaki<sup>†</sup>  
9394-0040-2  
Suggested base color: Sand Beige



1/16" Chip - Clay<sup>†</sup>  
9395-0040-2  
Suggested base color: Dark Beige



1/16" Chip - Sand<sup>†</sup>  
9396-0040-2  
Suggested base color: Dark Beige




1/8" Chip - Confetti<sup>†</sup>  
9397-0040-2  
Suggested base color: Light Beige

<sup>†</sup> Special order only. Please allow for additional lead time.


# SPARTACOTE® CHIP

Chip (Flake) Broadcast System



1/8" Chip - Charcoal†  
9398-0040-2

Suggested base color: Medium Grey



1/16" Chip - Pebble†  
9399-0040-2

Suggested base color: Dark Beige




1/8" Chip - Flaxen†  
9394-0040-2

Suggested base color: Light Grey



1/8" Chip - Quartz†  
9340-0040-2

Suggested base color: White




1/8" Chip - Smoke†  
9342-0040-2

Suggested base color: Light Grey



1/16" Chip - Silver†  
9343-0040-2

Suggested base color: Light Grey



1/16" Chip - Platinum†  
9344-0040-2

Suggested base color: Light Grey




1/16" Chip - Iron†  
9345-0040-2

Suggested base color: Dark Grey




1/16" Chip - Linen†  
9346-0040-2

Suggested base color: White



1/16" Chip - Champagne<sup>†</sup>  
9470-0040-2  
Suggested base color: Light Grey



1/16" Chip - Ivory<sup>†</sup>  
9471-0040-2  
Suggested base color: Light Grey



1/16" Chip - Latte<sup>†</sup>  
9472-0040-2  
Suggested base color: Dark Beige




1/16" Chip - Graystone<sup>†</sup>  
9473-0040-2  
Suggested base color: Light Grey




1/16" Chip - Speckle<sup>†</sup>  
9474-0040-2  
Suggested base color: Light Grey



1/8" Chip - Oat<sup>†</sup>  
9475-0040-2  
Suggested base color: Light Beige



1/4" Chip - Moon Glow<sup>†</sup>  
9486-0040-2  
Suggested base color: White



1/4" Chip - Canyon Glow<sup>†</sup>  
9487-0040-2  
Suggested base color: White

<sup>†</sup> Special order only. Please allow for additional lead time.


# SPARTACOTE® QUARTZ

Quartz Broadcast System



A uniform quartz coating system that creates a highly durable floor ideal for heavy traffic applications. UV stable quartz granules provide a high traction, attractive finish.

- Rapid return to service
- Ease of maintenance and cleaning
- Customizable aesthetics to match any decor
- Excellent durability – stain, chemical and abrasion resistant
- Low VOC, low odor options
- Integrated anti-microbial technology\*




#### Recommended Industries

- Manufacturing
- Stadium & Event Spaces
- Food & Beverage Manufacturing
- Automotive
- Education

SYSTEM	SURFACE PREPARATION	NUMBER OF COATS	OVERALL THICKNESS (DFT)	SYSTEM BUILD	FEATURES
<b>SPARTACOTE® QUARTZ XPL</b>	Mechanically profile to a CSP-2	4	1/8" - 3/16"	Base & Broadcast Coats: SPARTACOTE® FLEX XPL Broadcasts: SPARTACOTE Blended Quartz Grout & Topcoat: SPARTACOTE FLEX XPL (Clear)	Easy application with reduced roller marks UV stable decorative finish Quick return to service Available with Clinical Plus antimicrobial*
<b>SPARTACOTE QUARTZ PURE</b>	Mechanically profile to a CSP-2	4	1/8" - 3/16"	Base & Broadcast Coats: SPARTACOTE FLEX PURE™ Broadcasts: SPARTACOTE Blended Quartz Grout & Topcoat: SPARTACOTE FLEX PURE (Clear)	UV stable indoor & outdoor solution Durable high traction surface Quick return to service Available with Clinical Plus antimicrobial*
<b>SPARTACOTE QUARTZ SB</b>	Mechanically profile to a CSP-2	4	1/8" - 3/16"	Base & Broadcast Coats: SPARTACOTE FLEX SB Broadcasts: SPARTACOTE Blended Quartz Grout & Topcoat: SPARTACOTE FLEX SB (Clear)	Durable high traction surface UV stable decorative finish Quick return to service Low temperature cure (-30°F/-34°C)
<b>SPARTACOTE QUARTZ PTC</b>	Mechanically profile to a CSP-3 to 5	5	3/16" - 1/4"	Base Coat: SPARTACOTE General Primer Broadcast Coats: SPARTACOTE Surface Build Broadcasts: SPARTACOTE Blended Quartz Grout & Topcoat: SPARTACOTE FLEX PURE (Clear)	Durable polyaspartic topcoat High traction, decorative finish High chemical, abrasion and stain resistance Available with Clinical Plus antimicrobial*
<b>SPARTACOTE QUARTZ UTC</b>	Mechanically profile to a CSP-3 to 5	5	3/16" - 1/4"	Base Coat: SPARTACOTE General Primer Broadcast & Grout Coats: SPARTACOTE Surface Build Broadcasts: SPARTACOTE Blended Quartz Topcoat: SPARTACOTE Urethane Floor Sealer WB	High chemical resistant urethane topcoat High traction, decorative finish Matte and satin finish options
<b>SPARTACOTE QUARTZ HB</b>	Mechanically profile to a CSP-3 to 5	4	3/16" - 1/4"	Base Coat: SPARTACOTE General Primer Broadcast Coats: SPARTACOTE Surface Build Broadcasts: SPARTACOTE Blended Quartz Grout & Topcoat: SPARTACOTE Surface Build UV	High build epoxy system High traction, decorative finish UV resistant epoxy topcoat


# SPARTACOTE® QUARTZ

Quartz Broadcast System




Limestone  
9331-0050-2

Suggested base color: Light Grey



Slate  
9338-0050-2

Suggested base color: Light Grey



Flint  
9328-0050-2

Suggested base color: Light Grey




Evening  
9327-0050-2

Suggested base color: Light Beige




Cobblestone  
9326-0050-2

Suggested base color: Light Grey




Mojave  
9333-0050-2

Suggested base color: Light Beige




Brick  
9324-0050-2

Suggested base color: Light Grey



Lemongrass  
9330-0050-2

Suggested base color: Light Grey




Blue Moo  
9323-0050-2

Suggested base color: Light Grey





Sandstone  
9336-0050-2  
Suggested base color: Light Beige






A decorative metallic system that uses high quality metallic pigments to produce floors with beautiful color intensity and luster. They can be applied using a variety of techniques to create a unique truly artistic floor to compliment any environment.


- Rapid return to service
- Ease of maintenance and cleaning
- Excellent durability – stain, chemical and abrasion resistant
- Low VOC, low odor options
- Integrated anti-microbial technology\*

### Recommended Industries


- Retail Spaces & Shopping Malls
- Car Dealerships
- Hotels & Hospitality
- Stadium & Event Spaces



SYSTEM	SURFACE PREPARATION	NUMBER OF COATS	OVERALL THICKNESS (DFT)	SYSTEM BUILD	FEATURES
<b>SPARTACOTE® METALLIC XPL</b>	Mechanically profile to a CSP-2	3	20 – 30 mils	Base Coat: SPARTACOTE® FLEX XPL (Black) Mid Coat: SPARTACOTE FLEX XPL & SPARTACOTE Metallic Pigment Topcoat: SPARTACOTE FLEX XPL (Clear)	Easy application with improved flowability Beautiful color intensity & luster Quick return to service Available with Clinical Plus antimicrobial*
<b>SPARTACOTE METALLIC PURE</b>	Mechanically profile to a CSP-2	3	20 – 35 mils	Base Coat: SPARTACOTE WB EPOXY PRIMER (Black) Mid Coat: SPARTACOTE Surface Build & SPARTACOTE Metallic Pigment Topcoat: SPARTACOTE FLEX PURE™ (Clear)	Ideal for indoor applications Beautiful color intensity & luster Available with Clinical Plus antimicrobial*
<b>SPARTACOTE METALLIC SB</b>	Mechanically profile to a CSP-2	3	10 – 25 mils	Base Coat: SPARTACOTE FLEX SB (Black) Mid Coat: SPARTACOTE FLEX SB & SPARTACOTE Metallic Pigment Topcoat: SPARTACOTE FLEX SB (Clear)	Beautiful color intensity & luster Quick return to service Low temperature cure (-30°F/-34°C)
<b>SPARTACOTE METALLIC PTC</b>	Mechanically profile to a CSP-3 to 5	3	20 – 50 mils	Base Coat: SPARTACOTE WB EPOXY PRIMER (Black) Mid Coat: SPARTACOTE Surface Build & Metallic Pigments Topcoat: SPARTACOTE FLEX PURE (Clear)	Durable polyaspartic topcoat Deep depth of color and design Available with Clinical Plus antimicrobial*
<b>SPARTACOTE METALLIC UTC</b>	Mechanically profile to a CSP-3 to 5	3	15 – 50 mils	Base Coat: SPARTACOTE WB EPOXY PRIMER (Black) Mid Coat: SPARTACOTE Surface Build & Metallic Pigments Topcoat: SPARTACOTE Urethane Floor Sealer WB	High chemical resistant urethane topcoat Deep depth of color and design Matte and satin finish options
<b>SPARTACOTE METALLIC HB</b>	Mechanically profile to a CSP-3 to 5	3	30 – 65 mils	Base Coat: SPARTACOTE WB EPOXY PRIMER (Black) Mid Coat: SPARTACOTE Surface Build & Metallic Pigments Topcoat: SPARTACOTE Surface Build UV	High build epoxy system Deep depth of color and design UV resistant epoxy topcoat




Cobalt Blue  
9454-0008-2




Chrome  
9450-0008-2




Copper  
9458-0008-2




Electric Orange  
9460-0008-2




Artic Ice  
9442-0008-2




Deep Cherry  
9452-0008-2




Aspen Sunset  
9444-0008-2




Walnut  
9448-0008-2



Spanish Gold  
9446-0008-2



Coffee  
9456-0008-2



Gunmetal Grey  
9462-0008-2





SPARTACOTE® GUARD



SPARTACOTE QUARTZ



SPARTACOTE GUARD



SPARTACOTE GUARD Clinical Plus



SPARTACOTE CHIP



SPARTACOTE GUARD



SPARTACOTE GUARD



SPARTACOTE QUARTZ



# TEKAS

## MOTOR SPEEDWAY

®

SPARTACOTE® METALLIC



LATICRETE International, Inc. ■ One LATICRETE Park North, Bethany, CT 06524-3423 USA ■ 1.800.243.4788 ■ +1.203.393.0010 ■ [www.laticrete.com](http://www.laticrete.com)

1-3973-0821 ©2021 LATICRETE International, Inc. All trademarks shown are the intellectual properties of their respective owners.

