

SAFETY DATA SHEET

1. Identification

| 1. Identification | |
|--------------------------------|---|
| Product identifier | LATICRETE 252 Silver |
| Other means of identification | None. |
| Recommended use | Tile adhesive. |
| Recommended restrictions | Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations. |
| Manufacturer/Importer/Supplier | /Distributor information |
| Company Name | LATICRETE International |
| Address | 1 Laticrete Park, N |
| | Bethany, CT 06524 |
| Telephone | (203)-393-0010 |
| Contact person | Steve Fine |
| Website | www.laticrete.com |
| Emergency phone number | Call CHEMTREC day or night |
| | USA/Canada - 1.800.424.9300 |
| | Mexico - 1.800.681.9531 |
| | Outside USA/Canada |
| | 1.703.527.3887 |
| 2. Hazard(s) identification | |
| Physical hazards | Not classified |

| Physical hazards | Not classified. | |
|-------------------------|---|--|
| Health hazards | Skin corrosion/irritation | Category 2 |
| | Serious eye damage/eye irritation | Category 1 |
| | Sensitization, skin | Category 1 |
| | Carcinogenicity | Category 1A |
| | Specific target organ toxicity, single exposure | Category 3 respiratory tract irritation |
| | Specific target organ toxicity, repeated exposure | Category 2 (lung) |
| Environmental hazards | Not classified. | |
| Label elements | | |
| Signal word | Danger | |
| Hazard statement | Causes skin irritation. Causes serious eye dar cause cancer. May cause respiratory irritation. prolonged or repeated exposure. | nage. May cause an allergic skin reaction. May . May cause damage to organs (lung) through |
| Precautionary statement | | |
| Prevention | and understood. Do not breathe dust/fume. W | handle until all safety precautions have been read ash thoroughly after handling. Use only outdoors or es/protective clothing/eye protection/face protection. red out of the workplace. |
| Response | and keep at rest in a position comfortable for the skin irritation or rash occurs: Get medical advised wash before reuse. IF IN EYES: Rinse caution | attention. IF INHALED: Remove victim to fresh air preathing. IF ON SKIN: Wash with plenty of water. If ce/attention. Take off contaminated clothing and usly with water for several minutes. Remove contact sing. Immediately call a POISON CENTER/doctor. |
| LATICPETE 252 Silver | | SDS Capada |

| Storage | Store in a well-ventilated place. Keep container tightly closed. Store locked up. |
|--------------------------|---|
| Disposal | Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Other hazards | None known. |
| Supplemental information | None. |

3. Composition/information on ingredients

Mixtures

| Chemical name | | CAS number | % |
|--|--|------------------------------|------------------------|
| Silica Sand | | 14808-60-7 | 55 - 65 |
| Portland Cement | | 65997-15-1 | 20 - 30 |
| Composition comments | All concentrations are in percent by weight unle percent by volume. | ess ingredient is a gas. Gas | s concentrations are i |
| 4. First-aid measures | | | |
| Inhalation | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a physicia if symptoms develop or persist. | | |
| Skin contact | Wash off with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. | | |
| Eye contact | Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately. | | |
| Ingestion | Rinse mouth. Get medical attention if symptom | s occur. | |
| Most important symptoms/effects, acute and delayed | Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure ma cause chronic effects. | | |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat | t symptomatically. Sympton | ns may be delayed. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. IF exposed or concerned: Get medical advice/attention. Wash contaminated clothing before reuse. | | |
| 5. Fire-fighting measures | | | |
| Suitable extinguishing media | Water fog. Foam. Dry chemical powder. Carbo | n dioxide (CO2). | |
| Unsuitable extinguishing media | None known. | | |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be | formed. | |
| Special protective equipment and precautions for firefighters | Self-contained breathing apparatus and full pro | tective clothing must be wo | orn in case of fire. |
| Fire fighting equipment/instructions | In case of fire and/or explosion do not breathe | fumes. | |
| General fire hazards | No unusual fire or explosion hazards noted. | | |
| 6. Accidental release meas | sures | | |
| Personal precautions. | Keep unnecessary personnel away. Keep upwi | ind Avoid formation of dust | t Wear appropriate |

| Personal precautions, protective equipment and emergency procedures | Keep unnecessary personnel away. Keep upwind. Avoid formation of dust. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. |
|---|---|
| Methods and materials for containment and cleaning up | Stop the flow of material, if this is without risk. Sweep or shovel up material and place in a clearly labeled container for waste. Collect dust using a vacuum cleaner. Following product recovery, flush area with water. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |
| 7. Handling and storage | |
| Precautions for safe handling | Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe |

dling Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Wear appropriate personal protective equipment. Do not breathe dust. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Observe good industrial hygiene practices.

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

| Components | Туре | Value | Form |
|-------------------------------------|------|-------------|----------------------|
| Portland Cement (CAS 65997-15-1) | TWA | 1 mg/m3 | Respirable fraction. |
| Silica Sand (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

| Components | Туре | Value | Form |
|-------------------------------------|------|-------------|-----------------------|
| Portland Cement (CAS 65997-15-1) | TWA | 10 mg/m3 | |
| Silica Sand (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable particles. |

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| Components | Туре | Value | Form |
|-------------------------------------|------|-------------|----------------------|
| Portland Cement (CAS 65997-15-1) | TWA | 3 mg/m3 | Respirable fraction. |
| | | 10 mg/m3 | Total dust. |
| Silica Sand (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components | Туре | Value | Form |
|-------------------------------------|------|-------------|----------------------|
| Portland Cement (CAS 65997-15-1) | TWA | 1 mg/m3 | Respirable fraction. |
| Silica Sand (CAS 14808-60-7) | TWA | 0.025 mg/m3 | Respirable fraction. |

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components | Туре | Value | Form |
|-------------------------------------|------|-----------|----------------------|
| Portland Cement (CAS 65997-15-1) | TWA | 1 mg/m3 | Respirable fraction. |
| Silica Sand (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable fraction. |

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

| Components | Туре | Value | Form |
|----------------------------------|---|--|---|
| Portland Cement (CAS 65997-15-1) | TWA | 5 mg/m3 | Respirable dust. |
| | | 10 mg/m3 | Total dust. |
| Silica Sand (CAS 14808-60-7) | TWA | 0.1 mg/m3 | Respirable dust. |
| Biological limit values | No biological exposure limits noted for | r the ingredient(s). | |
| Exposure guidelines | Occupational exposure to nuisance d should be monitored and controlled. | ust (total and respirable) and r | espirable crystalline silica |
| Appropriate engineering controls | Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establi eyewash station. | oplicable, use process enclosu ain airborne levels below reco | ures, local exhaust ventilation, mmended exposure limits. If |
| Individual protection measur | es, such as personal protective equipm | ent | |
| Eye/face protection | Wear safety glasses with side shields | s (or goggles). | |
| Skin protection | | | |
| Hand protection | Wear chemical-resistant, impervious | gloves. | |
| LATICRETE 252 Silver | | | SDS Canada |

| Other | Wear appropriate chemical resistant clothing. |
|-----------------------------------|---|
| Respiratory protection | Wear a dust mask if dust is generated above exposure limits. |
| Thermal hazards | Wear appropriate thermal protective clothing, when necessary. |
| General hygiene considerations | Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace. |

9. Physical and chemical properties

| | • |
|--|---|
| Appearance | |
| Physical state | Solid. |
| Form | Powder. |
| Color | White to gray. |
| Odor | Odorless. |
| Odor threshold | Not available. |
| рН | Not available. |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Flash point | Not flammable or combustible. |
| Evaporation rate | Not available. |
| Flammability (solid, gas) | Not available. |
| Upper/lower flammability or exp | losive limits |
| Flammability limit - lower (%) | Not available. |
| Flammability limit - upper (%) | Not available. |
| Vapor pressure | Not available. |
| Vapor density | Not available. |
| Relative density | |
| i tolativo aonoty | 1.2 - 1.5 |
| Solubility(ies) | 1.2 - 1.5 |
| • | 1.2 - 1.5 Insoluble |
| Solubility(ies) | |
| Solubility(ies) Solubility (water) Partition coefficient | Insoluble |
| Solubility(ies) Solubility (water) Partition coefficient (n-octanol/water) | Insoluble Not available. |
| Solubility(ies) Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature | Insoluble Not available. Not available. |
| Solubility(ies) Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature | Insoluble Not available. Not available. Not available. |
| Solubility(ies) Solubility (water) Partition coefficient (n-octanol/water) Auto-ignition temperature Decomposition temperature Viscosity | Insoluble Not available. Not available. Not available. |

10. Stability and reactivity

| Reactivity | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability | Material is stable under normal conditions. |
| Possibility of hazardous reactions | No dangerous reaction known under conditions of normal use. |
| Conditions to avoid | Contact with incompatible materials. |
| Incompatible materials | Strong oxidizing agents. |
| Hazardous decomposition products | No hazardous decomposition products are known. |

11. Toxicological information

Inhalation

Information on likely routes of exposure

Dust irritates the respiratory system, and may cause coughing and difficulties in breathing.

| Skin contact | Causes skin irritation. May cause an allergic skin reaction. Prolonged contact with wet cement/mixture may cause burns. | |
|--|---|--|
| Eye contact | Causes serious eye damage. Prolonged contact with wet cement/mixture may cause burns. | |
| Ingestion | Swallowing may cause gastrointestinal irritation. | |
| Symptoms related to the physical, chemical and toxicological characteristics | Rash. Coughing. Irritant effects. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects. | |
| Information on toxicological effe | ects | |
| Acute toxicity | May cause respiratory irritation. | |
| Skin corrosion/irritation | Causes skin irritation. | |
| Serious eye damage/eye irritation | Causes serious eye damage. | |
| Respiratory or skin sensitization | I | |
| Respiratory sensitization | No data available. | |
| Skin sensitization | May cause an allergic skin reaction. | |
| Germ cell mutagenicity | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. | |
| Carcinogenicity | May cause cancer. In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) | |
| ACGIH Carcinogens | | |
| Portland Cement (CAS 65 Silica Sand (CAS 14808-6 | 60-7) A2 Suspected human carcinogen. | |
| Canada - Alberta OELs: Car | | |
| Silica Sand (CAS 14808-6 Canada - Manitoba OELs: ca | | |
| Portland Cement (CAS 65 | | |
| Silica Sand (CAS 14808-6 | , | |
| Canada - Quebec OELs: Car | | |
| Silica Sand (CAS 14808-6 | | |
| | Evaluation of Carcinogenicity | |
| Silica Sand (CAS 14808-6 US, National Toxicology Pro | 60-7) 1 Carcinogenic to humans. gram (NTP) Report on Carcinogens | |
| Silica Sand (CAS 14808-6 | | |
| Reproductive toxicity | This product is not expected to cause reproductive or developmental effects. | |
| Specific target organ toxicity - single exposure | May cause respiratory irritation. | |
| Specific target organ toxicity - repeated exposure | May cause damage to organs (lung) through prolonged or repeated exposure. | |
| Aspiration hazard | Due to the physical form of the product it is not an aspiration hazard. | |
| Chronic effects | Prolonged or repeated exposure may cause lung injury, including silicosis. | |
| 12. Ecological information | | |
| Ecotoxicity | Not expected to be harmful to aquatic organisms. | |
| Persistence and degradability | No data is available on the degradability of this product. | |
| Bioaccumulative potential | No data available for this product. | |
| Mobility in soil | The product is not mobile in soil. | |
| | | |

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

| Disposal instructions | Dispose of contents/container in accordance with local/regional/national/international regulations. Do not contaminate ponds, waterways or ditches with chemical or used container. |
|--|--|
| Local disposal regulations | Dispose of in accordance with local regulations. |
| Hazardous waste code | The waste code should be assigned in discussion between the user, the producer and the waste disposal company. |
| Waste from residues / unused products | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

14. Transport information

TDG

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

This substance/mixture is not intended to be transported in bulk.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

| Canadian regulations | This product has been classified in accordance with the hazard criteria of the HPR and the SDS |
|----------------------|--|
| | contains all the information required by the HPR. |

Controlled Drugs and Substances Act

Not regulated. Export Control List (CEPA 1999, Schedule 3) Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable. Basel Convention

Not applicable.

International Inventories

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|----------------------|---|------------------------|
| Australia | Australian Inventory of Chemical Substances (AICS) | Yes |
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | No |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes |

| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | No |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

| Issue date | 21-March-2017 |
|---------------|--|
| Revision date | - |
| Version # | 01 |
| References | HSDB® - Hazardous Substances Data Bank Registry of Toxic Effects of Chemical Substances (RTECS) |
| Disclaimer | The information in this (M)SDS was obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty express or implied. |