	Form	
LATICRETE	Safety Data Sheet	Rev: A
		Page: 1 of 5
		Date: 06/03/2023
R	Salety Data Sheet	
Globally Proven Construction Solutions		
Construction Solutions		

1. PRODUCT IDENTIFICATION

TRADE NAME (as labeled): 211 Crete Filler Powder

MANUFACTURER'S/ DISTRIBUTOR'S NAME: LATICRETE South East Asia Pte Ltd

38 Sungei Kadut,

Street 2 (Level2 A3),

Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 06/03/2023

2. <u>COMPOSITION INGREDIENTS</u>

CHEMICAL NAMES	CAS NUMBERS	PERCENT	ACGIH TLV	OSHA PEL
Portland Cement	65997-15-1	40-50	10 mg/m³	50 mppcf
Graded silica sands	14808-60-7	45-55	N/A	0.1 mg/m ³
Additives	Trade Secret	<10	N/A	N/A

N/A = Not applicable or available

3. HEALTH HAZARD INFORMATION



SYMPTOMS OF OVEREXPOSURE for each potential route of exposure. (Possible Longer Term Effects) : Chronic Bronchitis, possible silicosis, or cancer if exposed to greater than permissible limits for a prolonged period of time.

SIGNS AND SYMPTOMS OF EXPOSURE (Acute effects)





Page: 2 of 5

Date: 06/03/2023

Safety Data Sheet

Globally Proven Construction Solutions

Inhaled : Irritation of nose, cough, labored breathing, expectoration

Contact with skin or eyes : Irritation of eyes, skin sensitization

Absorbed through skin : N/A

Swallowed : Expectoration

SUSPECTED CANCER AGENT?

v NO: This product's ingredients are not found in the lists.

4. FIRST AID: EMERGENCY PROCEDURES

Eye Contact : Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin Contact : Promptly wash contaminated skin with soap or mild detergent and water.

Inhaled : Move the exposed person to fresh air at once.


Swallowed : If person is conscious, give large quantities of water. After swallowing water, try to get person to vomit. Get medical attention immediately.

5. FIRE FIGHTING MEASURES

Flash Point method: Non-flammable or combustibleAuto ignition temperature (°C): N/AFlammable limits in air, volume %: Lower (LEL)Fire extinguishing materials: Water spray, Carbon dioxide, Foam, Dry chemicalSpecial fire fighting procedures: N/AUnusual fire and explosion hazards: N/A

6. ACCIDENTAL RELEASE MEASURES

Spill response procedures (include employee protection measures) : Shovel into pails or drums with covers. Wear appropriate equipment to prevent skin and eye contact; also a dust mask approved by NIOSH.



Preparing wastes for disposal (container types, neutralization, etc.) : N/A

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

7. HANDLING AND STORAGE

Store in a cool dry area.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls	: N/A
Respiratory protection (type)	: A NIOSH approved dust mask if TLV is exceeded
Eye protection (type)	: Chemical goggles or safety glasses
Gloves (specify material)	: Use impervious gloves, vinyl or rubber
Other clothing and equipment	: Use appropriate clothing to prevent skin contact. Barrier creams will assist in protecting the skin from contamination.
Work practices, hygienic practices	: Familiarize the employees with the special handling procedures in this section; also encourage prompt removal of contaminated clothing and washing of contaminated areas.
Other handling and storage requirements	· N/A

Other handling and storage requirements : N/A

Protective measures during maintenance of contaminated equipment : See above.

9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor density (air=1)	: N/A
Melting point or range °C	: N/A
Specific gravity	: 1.28
Boiling point or range, °C	: N/A
Solubility in water	: Insoluble

	Form	
		Rev: A
LATICRETE	Safety Data Sheet	Page: 4 of 5
		Date: 06/03/2023
Globally Proven Construction Solutions		

Evaporation rate (butyl acetate = 1) : N/A

Vapor pressure, mmHg at 20°C : N/A

Appearance and odor : Grey or white odorless powder

HOW TO DETECT THIS SUBSTANCE (warning properties of substance as a gas, vapor, dust, or mist)

: Stable

10. STABILITY AND REACTIVITY

Stability

Conditions to avoid : Keep dry until used.

Incompatibility (materials to avoid) : N/A

Hazardous decomposition products : (from burning, heating, or reaction with other materials). N/A

Hazardous polymerization : Will not occur

Conditions to avoid : N/A

11. TOXICOLOGY INFORMATION

N/A

12. ECOLOGICAL INFORMATION

N/A

13. **DISPOSAL CONSIDERATIONS**

Dispose in compliance with local, state, and federal regulations.

14. TRANSPORT INFORMATION

No special labeling or transportation placarding is required.

15. <u>REGULATORY INFORMATION</u>

Not classified as dangerous under current regulation

	Form	
		Rev: A
LATICRETE		Page: 5 of 5
	Safety Data Sheet	Date: 06/03/2023
Globally Proven Construction Solutions		

16. OTHER INFORMATION

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.