

# **Safety Data Sheet**

Rev: A

Form

Page: 1 of 5

Date: 23/04/2019

### 1. PRODUCT IDENTIFICATION

TRADE NAME (as labeled): Flow UT MF Part C

MANUFACTURER'S/ DISTRIBUTOR'S NAME: LATICRETE South East Asia Pte Ltd

38 Sungei Kadut,

Street 2 (Level2 A3),

Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 23/04/2019

## 2. <u>COMPOSITION INGREDIENTS</u>

Chemical Names	CAS NUMBERS	%
SILICA SAND	14808-60-7	>58
CALCIUM CARBONATE	1317-65-3	<16
WHITE CEMENT	65997-15-1	>21
COLOUR PIGMENT	Mixture	<5

## 3. HEALTH HAZARD INFORMATION

CLASSIFICATION: Skin Irrit. 2 : May causes skin irritation


Skin Sens. 1: May cause sensitization by skin contact

Eye Irrit. 2: Causes serious eye irritation.

HAZARD PICTOGRAMS



SIGNAL WORD : WARNING



# **Safety Data Sheet**

Rev: A

Form

Rev. A

Page: 2 of 5

Date: 23/04/2019

HAZARD STATEMENTS : H315 Causes skin irritation

H319 Causes serious eye irritation H317 May cause allergic skin reaction

PRECAUTIONARY STATEMENTS : P280 Wear protective gloves/ protective clothing /

eye protection / face protection.

P313+P333 If skin irritation or rash occurs: Get

medical advice attention.

P313+P337 If eye irritation persists: Get medical

advice attention

P273 Avoid release to the environment.

## 4. FIRST AID: EMERGENCY PROCEDURES

Inhalation : Remove to fresh air. If breathing has stopped, institute artificial respiration.

Seek medical advice if symptoms persist.

Skin Contact: Wash skin thoroughly with soap and water. Remove contaminated clothing. If

symptoms persist, seek medical advice.

Eye Contact : Rinse eyes thoroughly with water for at least 15 minutes, and seek medical

advice.

Ingestion : Do not induce vomiting. Dilute with water. Seek medical examination

immediately.

## 5. FIRE FIGHTING MEASURES


Extinguishing Media : In case of fire, use water spray (fog) foam, dry chemical, or CO<sub>-2</sub>

Fire Fighting Instruction : Fire fighters should wear self-contained breathing apparatus and

full protective gear.

Self-Ignition : Not self-igniting

Flash Point : >120°C



# **Safety Data Sheet**

Re

Form

Rev: A

Page: 3 of 5

Date: 23/04/2019

## 6. <u>ACCIDENTAL RELEASE MEASURES</u>

Personal Precaution : Use personal protective equipment

Environmental Precaution : Do not allow to enter drains or waterways, do not discharge into

the subsoil / soil.

Methods for Cleaning Up : Take up with absorb eat materials (e.g.: sand, universal binder).

Dispose of as hazardous waste.

## 7. HANDLING AND STORAGE

Handling : Ensure adequate ventilation at the workplace. Avoid open flames and sources

of ignition.

Storage : Keep away from food and drink. Store in a cool dry area and keep container

tightly sealed.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Control: Use with adequate general and local exhaust ventilation

Hygiene Measure : Do not eat, drink, smoke or drug taking in work place. Wash hands

before break or after work.

Respiratory Protection: General room ventilation is normal adequate

Hand Protection : Chemical resistance gloves /PVC gloves

Eye /face Protection : Safety goggles with side shields

Skin Protection : Light protective clothing

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Odour : Characteristic mild

Chemical Type : Mixture Powder

Flammability : Does not ignite

Boiling Point : No data available



Globally Proven
Construction Solutions

## Form

Rev: A

Page: 4 of 5

Date: 23/04/2019

# **Safety Data Sheet**

Melting Point : No data available

Explosion hazard : Not explosive

Vapour Pressure (25°C) : Not applicable

Solubility (250C : Insoluble in water

Relative Density : 1.2 - 1.5

## 10. STABILITY AND REACTIVITY

Stability : Stable. Avoid static electricity discharge.

Hazardous Polymerization : Will not occur. Avoid strong acid, strong base and amines.

Hazardous reactions : In fire toxic fume may be generated.

### 11. TOXICOLOGY INFORMATION

Proper use provided, no adverse health effects have been observed or have been come to our knowledge. Eye contact may produce an oil film over the eyeball causing a harmless reversible short lasting dimness of sight.

### 12. ECOLOGICAL INFORMATION

N/A

### 13. DISPOSAL CONSIDERATIONS

Product : In accordance with local authority regulations, take to special

waste incineration plant.

Contaminated Packaging : If empty contaminated containers are recycled or disposed of,

the receiver must inform about possible hazards.

#### 14. TRANSPORT INFORMATION

ARD/RID Shipping Data : Not regulated (Not dangerous for transport)

IMO Shipping Data : Keep from freezing (Not dangerous for transport)



**Construction Solutions** 

# **Safety Data Sheet**

Form

Rev: A

Page: 5 of 5

Date: 23/04/2019

ICAO/IATA Shipping Data : Keep from freezing (Not dangerous for transport)

### 15. REGULATORY INFORMATION

Hazard Labels : Xi Irritant

R43 : May cause sensation by skin contact

R36/38 : Irritating to eyes and skin

S24 : Avoid contact with skin

S26 : In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice.

S28 : In case of contact with skin, wash immediately with plenty of

water and soap.

## 16. OTHER INFORMATION

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.