

Rev: B

Form

Page: 1 of 5

Date: 27/02/2019

### 1. PRODUCT IDENTIFICATION

TRADE NAME (as labeled): Premium Acrylic Caulk

CHEMICAL FAMILY: Proprietary Blend

MANUFACTURER'S/ DISTRIBUTOR'S NAME: LATICRETE South East Asia Pte Ltd

38 Sungei Kadut,

Street 2 (Level2 A3),

Singapore 729245.

Phone number for additional information: (65) 6515 3028

Date prepared or revised: 07/03/2023

### 2. <u>HAZARDOUS INGREDIENTS</u>

CHEMICAL NAMES	CAS	PERCENT	ACGIH TLV	OSHA	OTHER
	NUMBERS			PEL	(SPECIFY)
Petroleum Distillate	64742-88-7	< 1.0	100 ppm	100 ppm	N/A
Calcium Carbonate** as	1317-65-3	< 30	10 mg/m <sup>3</sup>	15 mg/m³	N/A
nuisance particulate, total)			· ·	-	
Aqueous TerPolymer	Mixture	< 35	N/A	N/A	N/A
Emulsion) (see Sec. IX)	MIXIG			IN/A	IN/A
Benzoate ester	proprietary	< 10	N/A	N/A	N/A
Amino Methyl Propanol 95	124-68-5	< 0.20	10	15 mg/m <sup>3</sup>	N/A
Rutile Titanium Dioxide	13463-67-7	< 2.50	0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>	N/A
Silicon Dioxide as Quartz **	14808-60-7	-20	$0.1  \text{mg/m}^3$	N/A	N/A
(Sanded Formulas Only)	14000-00-7	<30	0.1 mg/m <sup>3</sup>	IN/A	IN/A

N/A = Not applicable or available



Rev: B

Form

Page: 2 of 5

Date: 27/02/2019

3. HEALTH HAZARD IN	NFORMATION 1					
SYMPTOMS OF OVEREXPO	OSURE for eacl	n potential route of expos	sure.			
Inhaled : High vapor concentrations may produce headache, dizzines and nausea. May cause respiratory irritation.						
Contact with skin or eyes irritation.	: Prolonged or	repeated contact may ca	use mild skin and eye			
Absorbed through skin	: N/A					
Swallowed	: N/A					
SUSPECTED CANCER AGE	ENT?					
NO: This product's ingredien	ts are not found	in the lists below.				
YES: Federal OSHA		NTP	<u>x</u> IARC			
4. FIRST AID: EMERG	ENCY PROCEI	<u>DURES</u>				
Eye Contact : Irrigate imme	ediately for at lea	ast 15 minutes. See a ph	ysician if irritation persists.			
Skin Contact: Wipe material from skin with cloth/paper towel; wash with soap and water. Get medical help if irritation persists.						
Inhaled : Remove to fr	esh air. Seek m	nedical attention if necess	sary.			
Swallowed : Seek immediate medical attention.						
5. FIRE FIGHTING MEA	ASURES					
Flash Point method	: >200°	F (Non Flam)				
Auto ignition temperature, °F	: N/A					
Flammable limits in air, volun	ne % : N/A	Lower (LEL)	Upper (UEL)			
Fire extinguishing materials:						
Water spray	X	_ Carbon Dioxide	Other:			



Form

Rev: **B** 

Page: 3 of 5

Date: 27/02/2019

X Foam X Dry Chemical

Special fire fighting procedures : Wear positive pressure self-contained breathing apparatus. Use water spray or fog to cool fire-exposed containers.

Unusual fire and explosion hazards : Closed containers may explode when exposed to extreme heat.

### 6. <u>ACCIDENTAL RELEASE MEASURES</u>

Spill response procedures (include employee protection measures): dust masks, safety glasses, and long sleeved clothing. Clean up with absorbent material.

Preparing wastes for disposal (container types, neutralization, etc.) : N/A

NOTE: Dispose of all wastes in accordance with federal, state and local regulations.

#### 7. <u>HANDLING AND STORAGE</u>

Wear dust masks, safety glasses, and long sleeved clothing when handling. Store in dry, well ventilated areas.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Ventilation and engineering controls : Normal.

Respiratory protection (type) : Not normally required. TLV exceeded/symptoms

of overexposure, wear NIOSH approved respirator organic vapors.

Eye protection (type) : Safety glasses or goggles

Gloves (specify material) : Impervious gloves

Other clothing and equipment : Long sleeved clothing

Work practices, hygienic practices : Normal Good housekeeping

Other handling and storage requirements : N/A

Protective measures during maintenance of contaminated equipment : See above



Form Rev: **B** 

Page: 4 of 5

Date: 27/02/2019

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Vapor density (air=1)	: >1	Melting point or range,°F	: N/A
Specific gravity	: 1.6g/ cc	Boiling points or range, °F	: N/A
Solubility in water	: Appreciable	Evaporation rate (BuAc =	1) :>1
Vapor pressure, mmHg at 20°C	: N/A		
Appearance and odor	: Viscous, textured paste; mild acrylic odor		
HOW TO DETECT THIS SUBSTAN or mist)	NCE (warning propertie : N/A	es of substance as a gas, va	por, dust
10. STABILITY AND REACTIV	<u>ITY</u>		
Stability	: <u>x</u> Stable	Unstable	
Conditions to avoid	: Avoid extreme heat	, open flame.	
Incompatibility (materials to avoid)	: Strong oxidizers		
Hazardous decomposition products carbon dioxide	(including combustion	products) : Carbon m	onoxide,
Hazardous polymerization	: May occur	<u>x</u> Will	not occur
Conditions to avoid	: N/A		
11. TOXICOLOGY INFORMAT	<u>ION</u>		
N/A			
12. <u>ECOLOGICAL INFORMAT</u>	<u>ION</u>		
N/A			

### 13. <u>DISPOSAL CONSIDERATIONS</u>

Dispose in compliance with local, state, and federal regulations. Spilled product can be recovered and reused.



Rev: **B** 

Form

Page: 5 of 5

Date: 27/02/2019

### 14. TRANSPORT INFORMATION

Not Regulated by DOT.

### 15. REGULATORY INFORMATION

All ingredients are listed on the U.S. EPA TSCA inventory of chemical substances.

This product contains a chemical known to the State of California to cause cancer or reproductive harm.

### 16. REGULATORY INFORMATION

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge, or obtained from sources believed by us to be accurate.